

Index

A

- ABC (activity-based costing), 356–58. *See also* cost accounting system
- access
 - authority, 769
 - equity of, 116
 - method, 86, 438
 - privileges, 762
 - tests, 816
 - time, 83, 92
 - token, 761
 - unauthorized, 766
- access control, 144–45
 - database management and, 767–70
 - electronic commerce and, 595–96
 - electronic data interchange (EDI) and, 783
 - enterprise resource planning (ERP) and, 550–51
 - expenditure cycle and, 248, 263
 - financial reporting system (FRS) and, 393
 - list, 761
 - in manufacturing environment, 346–47
 - payroll system and, 295
 - revenue cycle and, 180, 202, 204
 - segregation of duties and, 730
 - testing of, 785
- accountability, 118–19, 766
- accountants
 - data normalization and, 454
 - distributed databases and, 470
 - documentation, 687
 - fraud and, 119–34
 - role in managing SDLC, 651–52, 690–91
 - roles of in information systems, 34–36
- accounting
 - electronic commerce and, 592–96
 - function, 20–21
 - independence, 21
 - lean manufacturing and, 355–60
 - oversight board, 127
 - accounting information systems (AIS). *See also* accounting systems
 - definition, 8
 - difference from MIS, 6
 - general model, 10–15, 131
 - subsystems, 8–10
 - accounting records, 47–54
 - in computer-based systems, 55–57, 202–3
 - controls and, 144, 204
 - enterprise resource planning (ERP) and, 550
 - expenditure cycle and, 247–48, 263
 - financial reporting system (FRS) and, 393
 - in manual systems, 47–54
 - in manufacturing environment, 347
 - payroll system and, 295
 - revenue cycle and, 179–80
 - subsidiary ledger, 175
 - accounting systems
 - computer-based, 55–57, 73–82, 188–203, 252–63, 298–301, 305–07
 - manual, 47–54, 182–88, 249–51, 296–98
 - accounts payable (AP). *See also* expenditure cycle; purchases system
 - in cash disbursements system, 251, 259
 - closed file, 258
 - general ledger and, 243
 - independent verification and, 248
 - open file, 241, 251
 - pending file, 238
 - subsidiary ledger, 240, 241
 - accounts receivable (AR). *See also* cash receipts; revenue cycle department, 195, 197
 - subsidiary ledger, 169–70, 180
 - updating, 173, 175, 184, 185, 207, 208
 - accuracy, 14, 133–34, 404, 673, 815
 - accuracy tests, 816
 - ACFE (Association of Certified Fraud Examiners), 122, 125, 128, 129
 - acquisition procedures, 305–06
 - action plan, 632–35
 - activity-based costing (ABC), 356–58. *See also* cost accounting system
 - activity driver, 357
 - actual cost inventory ledger, 240
 - Adelphia Communications, 126
 - ad hoc reports, 405
 - advanced encryption standard (AES), 588, 774–75
 - agents, 498, 499, 505–6
 - agents, economic, 31–33
 - AICPA (American Institute of Certified Public Accountants), 744, 745
 - AICPA/CICA SysTrust, 571, 592
 - AICPA/CICA WebTrust, 592
 - air-conditioning, 735
 - airline industry, 547
 - AIS. *See* accounting information systems (AIS)
 - algorithm, 588
 - alphabetic coding schemes, 383–86
 - alphanumeric codes, 385–86
 - American Competitiveness and Corporate Accountability Act of 2002. *See* Sarbanes-Oxley Act (SOX)

- American Institute of Certified Public Accountants (AICPA), 744, 745
- America Online, 567
- analysis
 - cost-benefit, 643–50
 - systems, 635–39
- analytical review, 551
- anomalies, 447–50
- antiviral software, 765
- AOL, 564
- Apple Computer, 548
- application controls, 142, 726.
 - See also* controls
 - input controls, 806–12
 - IT controls and, 806–14
 - output, 812–14
 - testing, 815–24
- application-level firewall, 590, 772
- applications
 - critical, 739, 742
 - errors, 805–6
- approved credit memo, 172
- approved sales order, 166
- architecture description, 628–29
- archive file, 57
- Arthur Andersen, 126
- artificial intelligence, 117, 197
- AS/RS (automated storage and retrieval systems), 352
- assets. *See also* fixed asset system
 - access to, 346–47
 - acquisition of, 302
 - custody of, 178
 - disposal of, 305, 307
 - inspection of, 247
 - maintenance, 302–05, 307
 - misappropriation, 129–34
 - record keeping, 178
 - status report, 308
 - theft of, 247
- association, 444–46, 506–9, 513–14, 516
- Association of Certified Fraud Examiners (ACFE). *See* ACFE
 - (Association of Certified Fraud Examiners)
- assurance
 - seals of, 591–92
 - services, 36, 743–49
- attendance file, 298
- attest function, 36
- attest services, 743–49
- attributes, 444, 458, 460, 513–15, 667
- auditing
 - access controls, 769–70
 - application errors, 805–6
 - backup controls, 771
 - black box approach, 815
 - computer center security and, 736
 - continuous, 594
 - data warehouse, 551–52
 - definition, 36
 - destructive programs and, 765
 - disaster recovery planning and, 741–42
 - electronic data interchange (EDI) and, 784–85
 - elements of, 746–47
 - enterprise resource planning (ERP) and, 549–52
 - equipment failure and, 781
 - external, 36, 744–46
 - insurance coverage and, 737
 - IT audit, 36, 746–49
 - objectives, 799–800
 - operator documentation and, 737
 - organizational structure and, 734
 - participation, 798
 - passwords and, 764
 - physical security controls, 736
 - planning, 748–49
 - procedures, 815
 - program changes, 804–5
 - risk and, 749–50, 822
 - Sections 302 and 404, 726–28
 - software, 823–24, 826–29
 - standards, 745
 - subversive threats and, 779–80
 - system maintenance objectives, 804
 - tools, 780
 - white box approach, 816–18
 - XBRL, implications of, 594
- audit log, 766–67
- auditor, 36, 54
- auditor independence, 126, 127–28
- audit trail, 54, 144
 - controls and, 762, 765–67, 811
 - controls testing, 785
 - definition, 393
 - digital, 57
 - electronic, 594–95
 - electronic data interchange (EDI) and, 783–85
 - expenditure cycle and, 246, 247, 258
 - financial reporting system (FRS) and, 392
 - general ledger system (GLS) and, 389
 - implementation, 766–67
 - management reports and, 803–4
 - objectives, 766
 - payroll system and, 295, 305
 - procedures, 767
 - revenue cycle and, 180–81, 182
 - tests, 816
- authentication, 588, 590, 595
- authenticity tests, 816
- authority, 397
- authority tables, 768, 769, 806
- authorization, 201
- authorization control, 166, 307–08, 785, 798
- automated storage and retrieval systems (AS/RS), 352
- automation
 - cash disbursement system, 258–59
 - cash receipts system, 195–97

- definition, 188
 - expenditure cycle, 252–63, 298–300
 - fixed assets system, 305–07
 - of manufacturing environment, 350–54
 - payroll systems and, 298–301
 - purchase system, 253–58
 - revenue cycle, 188–204
 - sales order processing, 188–93
 - automation continuum, 352
- B**
- Baan, 34, 536
 - backbone systems, 15, 692
 - back door, 764, 786–87
 - back-order, 166
 - back-order file, 180
 - backup, 202
 - controls, 767, 770–71
 - database, 77–78, 770
 - database conversion and, 687–88
 - direct access, 98, 787–88, 789
 - internally provided, 739
 - procedures, 740
 - second-site, 738–39, 741–42
 - sequential files and, 97
 - balanced scorecard (BSC), 633, 634–35
 - bar graph, 707, 709
 - base case system evaluation (BCSE), 820–21
 - batch controls, 205, 809
 - batch processing, 66–68
 - activities, 337–43
 - data flow diagram of, 335
 - direct access files, 97–98
 - documents, 334–37
 - in manufacturing, 334–44
 - payroll systems and, 298–299
 - purchases system and, 253–58
 - run, 95
 - sales order processing and, 188–92
 - sequential files, 95–97, 205–10
 - using real-time data collection, 78–80
 - batch systems, 74
 - BCSE (base case system evaluation), 820–21
 - benchmark problems, 695
 - benefits, 645–49
 - Berners-Lee, Tim, 566
 - Better Business Bureau, 591
 - big bang implementation method, 544, 688
 - billing customer, 168–69
 - billing department, 184
 - bill of lading, 166, 167
 - bill of materials (BOM), 334, 336
 - biometric controls, 769
 - black box approach, 815
 - blind copy (of purchase order), 237–38, 239, 249
 - block codes, 384–85
 - Boeing, 548
 - bolt-on software, 34, 535–37
 - BOM (bill of materials), 334, 336
 - botnets, 584
 - BP Amoco, 551
 - bribery, 128–29
 - BSC (balanced scorecard), 633, 634–35
 - budget master file, 389
 - budget process, 406
 - business culture, 544–45
 - business ethics. *See* ethics
 - business segments, 16–17
 - bus topology, 601, 602
- C**
- CAATTs (computer-assisted tools and techniques), 818, 826
 - CAD (computer-aided design), 352–53
 - Caesar cipher, 588
 - call-back device, 779
 - CAM (computer-aided manufacturing), 353
 - capital assets. *See* fixed asset system
 - cardinality, 60, 444–46, 480, 506–9
 - carrier sensing, 604
 - CASE (computer-aided software engineering), 663, 698
 - advantages/disadvantages of, 705–6
 - models, 701–5
 - tools, 699–706
 - cash disbursement system, 46, 243–45. *See also* purchases system
 - accounts payable, 252, 259
 - automation and, 258–59
 - conceptual systems, 235–48
 - data flow diagrams, 244
 - general ledger, 245, 252
 - journal, 243, 245. *See also* check register
 - liabilities due, 243
 - manual systems, 251–52
 - payroll system and, 286–89, 294
 - preparation of, 243–45
 - REA model and, 510–20
 - reengineering, 259–61
 - segregation of duties and, 247
 - transaction authorization and, 246
 - vouchers, 242
 - cash prelist. *See* remittance lists
 - cash receipts, 47
 - automation, 195–97
 - data flow diagrams (DFDs), 174
 - journal, 176
 - in point-of-sale (POS) systems, 197–98
 - procedures, 173–77, 185–88, 197, 198–200
 - reengineering of, 197
 - CD-ROM, 86

- Center for Democracy and Technology (CDT), 582
- centralized data processing, 21–23, 729–31
- central repository, 700
- Cerf, Vinton, 569
- CERN (European Center for Nuclear Research), 566
- certification authorities (CAs), 590, 777
- certified public accountant (CPA), 744
- chain value analysis, 520–21
- change, opposition to, 544–45
- changed data capture, 538
- chart of accounts, 384
- charts and graphs, 706–11
- check digit, 807–8
- checkpoint feature, 771
- check register, 243, 245
- CIM (computer-integrated manufacturing), 352–53
- client-server-based applications, 75. *See also* modern systems
- client-server model, 532
- client-server topology, 601–3
- closed AP file, 258
- closed database architecture, 529
- closed sales order file, 194
- closed voucher file, 245
- CNC (computer numerical controlled), 351
- coding model, 704
- Cognos Inc., 536
- cohesion, 680
- cold site plan, 738
- cold turkey cutover, 688
- collusion, 179
- Comdisco, 738
- commercial software packages
 - advantages/disadvantages of, 693
 - central test of, 732
 - growth of, 691
 - maintenance and support, 698
 - selection of, 693–97
 - trends, 691–93
- Committee of Sponsoring Organizations of the Treadway Commission (COSO), 138–45, 392–94, 725
- compensating control, 144
- compensation, executive, 126
- competency analysis, 628
- compilers, 760
- completeness, 14, 133–34, 404, 673, 806, 815
- completeness tests, 816
- compliance, 118
- composite key, 477
- CompuServe, 564, 567
- computer-aided design (CAD), 352–53
- computer-aided manufacturing (CAM), 353
- computer-aided software engineering (CASE). *See* CASE (computer-aided software engineering)
- computer-assisted tools and techniques (CAATs), 818, 826
- computer-based accounting systems, 55–57, 73–82
 - batch systems vs. real-time systems, 74–75
 - control considerations, 201–3
 - expenditure cycle, 252–63
 - PC-based accounting systems, 203–4
 - revenue cycle, 188–203
- computer center security, 734–37
- computer-integrated manufacturing (CIM), 352–53
- computer numerical controlled (CNC), 351
- computers
 - ethics, 114–17. *See also* ethics fraud, 130–31. *See also* fraud operations, 74, 117
 - security. *See* security waste, 814
- Computer Security Institute (CSI), 580
- conceptual systems, 35
 - expenditure cycle, 235–48
 - fixed assets, 301–05
 - payroll system, 286–95
 - revenue cycle, 163–81
- conceptual user views, 670
- conceptual view, 436, 670
- conciseness, 404, 673
- concurrency control, 468–70
- conflicts of interest, 118, 129
- Consideration of Fraud in a Financial Statement Audit*, 119
- consolidation, 534, 541–42
- construct phase, 664
- consultants, 546–47
- consumers, risks to, 581–83
- contingency planning, 550–51
- continuous processing, 334
- control activities
 - expenditure cycle, 245–48, 261–63
 - financial reporting system (FRS), 392–93
 - fixed assets system, 307–09
 - inventory, 339–43
 - payroll system, 294–295
 - revenue cycle, 177–81
 - in traditional manufacturing environment, 344–47
- control environment, 139–41
- controller, 177, 185, 188
- controls, 142–45, 637. *See also* control activities; internal control; IT controls; Sarbanes-Oxley Act (SOX) access. *See* access control application. *See* application controls audit trail. *See* audit trail authorization, 166, 307–08, 785, 798 backup, 767, 770–71 batch, 809 biometric, 769

- computer center security and, 734–37
 - concurrency, 468–70
 - corrective, 138
 - database management system (DBMS), 767–71
 - detective, 132–38
 - electronic data interchange (EDI), 782–85
 - end users, 814
 - equipment failure, 780–81
 - fault tolerance, 736–37
 - in flat-file environment, 787–89
 - input, 806–12
 - networks, 603, 771–81
 - operating system, 760–67
 - operational decisions and, 400–401
 - organizational structure, 728–34
 - output, 812–14
 - passwords, 761, 763–64, 802
 - PC-based accounting systems and, 204
 - physical, 142–43
 - preventive-detective-corrective (PDC) internal control model, 136–38
 - processing, 809–12
 - production, 338
 - program changes, 800–801
 - run-to-run, 810
 - security and access, 759–89
 - subversive threats and, 771–80
 - testing, 749–50, 800, 804, 815–24
- conversion cycle, 19, 235, 332–63
 - cost accounting system and, 343–44, 345
 - data flow diagram of, 333
 - definition, 46–47
 - lean manufacturing, 347–63
 - in traditional manufacturing environment, 333–47
 - cookies, 582–83
 - copyright laws, 116
 - core applications, 531
 - corporate governance, 128
 - corporate IT function, 732–34
 - corrective action, 401
 - corrective controls, 138
 - corruption, 128–29. *See also* fraud
 - COSO (Committee of Sponsoring Organizations of the Treadway Commission), 138–45, 392–94, 725
 - cost accounting system, 20
 - activities, 343–44, 345
 - batch processing and, 334
 - conversion cycle and, 46
 - independent verification, 347
 - lean manufacturing and, 355
 - payroll system and, 298
 - production and, 286, 298, 339
 - segregation of duties, 346
 - cost-benefit analysis, 643–50
 - cost centers, 408
 - cost objects, 357
 - cost overruns, 547–48
 - costs. *See also* cost accounting system
 - compared to benefits, 647–49
 - database conversion, 548
 - identification, 643
 - one-time, 644–45
 - recurring, 645
 - system testing and integration, 547
 - coupling, 679
 - credit authorization, 182
 - credit card information, theft of, 581
 - credit card purchases, 570
 - credit check, 163–66, 177
 - credit department, 182, 189
 - credit memo, 169, 172, 185
 - credit records file, 180
 - critical applications, 739, 742
 - currency of information, 27, 28–29, 431
 - customer open order file, 163
 - customer order, 163
 - customer perspective, 634
 - cutover, 688–89
 - cycle billing, 207
- D**
- data, 60–61
 - analysis, 542
 - attributes, 12–13, 431
 - centralized processing, 21–23, 729–31
 - cleansing, 540
 - collection, 12, 131–32
 - confidentiality of, 595
 - currency, 27, 28–29, 464–66
 - denormalized, 537–38, 539
 - dictionary, 441, 682
 - distributed processing, 23–26
 - encryption, 768–69
 - flows, 637
 - fraud and, 131–33
 - hierarchy, 13
 - information versus, 11
 - integration, 29
 - integrity, 595
 - library, 22
 - mart, 537
 - mining, 405, 536, 537, 543
 - model, 60–61, 444, 457–58, 670
 - normalization, 454, 459, 461, 475–81
 - organization, 86
 - redundancy, 431
 - sources, 12, 636–37
 - stabilized, 538
 - storage, 27, 431, 637
 - structures, 86–95, 473
 - task-data dependency, 431–32
 - updating, 27–28, 431
 - warehouse, 405

- database
 - access control, 433
 - access to, 580
 - administration, 21
 - anomalies, 447–50
 - authorization table, 768, 769
 - backup, 770
 - backup procedures, 77–78
 - centralized, 464–66
 - closed architecture, 529
 - conceptual models, 434
 - configuration, 535
 - conversion, 548, 687–88
 - in distributed environment, 464–70
 - elements, 434–41
 - hierarchical model, 471–72, 473–74
 - lockout, 466
 - management, 12–14, 133, 529. *See also* database management system (DBMS)
 - model, 29–31
 - navigational, 434, 471–72
 - network model, 434, 472–75
 - operational, 538
 - partitioned, 466–68
 - physical, 444–46, 460–61, 516–20
 - REA model. *See* REA (resources, events, and agents) model
 - replicated, 468
 - structures, 826–29
 - tables, 30–31
- database administrator (DBA), 438–41, 730, 767–68
- database management system (DBMS), 29, 430–81
 - compared to SPLMS, 802
 - conceptual models, 434
 - controls, 767–71
 - in distributed environment, 464–70
 - elements of, 434–41
 - flat-file model comparison, 431–34
 - operation, 437–38
 - relational database design, 454–64
 - relational database model, 442–54
 - software, 433–34, 436, 466–69
- database model, relational. *See* relational database model
- data coding schemes, 382–86
- data collision, 603–5
- data definition language (DDL), 436–38
- Data Encryption Standard (DES), 775
- data entry devices, 677
- data flow diagrams (DFDs), 58–60, 678–79
 - cash receipts, 174
 - compared to document flowcharts, 687
 - context-level, 701
 - elementary-level, 702, 703, 704
 - and entity relationship diagrams, 61
 - intermediate-level, 701–2
 - model, 701
- data management controls, 787–89
- data manipulation language (DML), 438
- data processing, 12
 - alternative approaches, 75–78
 - cash disbursement system and, 258–59
 - centralization, 21–23
 - department, 197
 - distributed, 23–26
 - fraud and, 132–33
 - payroll systems and, 301
 - purchases system and, 253, 258
- data warehouse, 531, 537–43
 - access to, 550
 - auditing, 551–52
 - cleansing extracted data, 540
 - data extraction, 538
 - decisions supported by, 542
 - loading data, 541–42
 - modeling data for, 537–38
 - supply chain decisions and, 542–43
 - transforming data for, 540–41
- DBMS. *See* database management system (DBMS)
- DDL (data definition language), 436–38
- DDos (distributed denial of service attacks), 584–87, 772, 774, 780
- DDP (distributed data processing), 23–26, 464–70, 731–32
- deadlock phenomenon, 467–68
- decision-making process, 404
- deep packet inspection (DPI), 774, 780
- deletion anomaly, 450
- deletion of data, 14
- Dell Computer, 548
- Deloitte Consulting, 548
- denial of service attacks (DOS), 583, 772–74
- denormalized data, 537–38, 539
- deposits, 175
- deposit slip, 175
- depreciation, 302, 304, 309
- DES (Data Encryption Standard), 775
- designer documentation, 685
- design model, 703
- design phase, 669–70
- destructive programs, 762, 764–65, 786–87
- destructive replacement, 787–88
- destructive updates, 77
- detailed design report, 682
- detailed feasibility study, 642–43
- detective controls, 137–38
- DFD. *See* data flow diagrams (DFDs)

- digest, 777
 - digital audit trail, 57
 - digital authentication, 588, 590
 - digital certificate, 590, 777, 778
 - digital envelope, 588, 777
 - digital IDs, 590
 - digital output, 814
 - digital signature, 588, 590, 777, 778
 - direct access, 248
 - to assets, 346–47
 - file backup, 98, 787–88, 789
 - files, 97–98, 102, 192
 - structures, 88
 - direct input, 675–77
 - director independence, 126
 - disaster recovery planning (DRP), 737–42
 - disclosure, 118, 128
 - discovery model, 405
 - discretionary access privileges, 761
 - disk address, 84–85
 - disk pack, 85
 - displacement, 117
 - disseminating, 698
 - distributed databases, 466–70
 - distributed data processing (DDP), 23–26, 464–70, 731–32
 - distributed denial of service (DDoS) attacks, 584–87, 772, 774, 780
 - distribution, 20
 - distribution level, 578
 - documentation
 - data flow diagrams, 58–60
 - entity relationship (ER) diagrams, 60–61
 - flowcharts, 61–72
 - inadequate, 730–31
 - online, 686
 - operator, 685–86, 737
 - record layout diagrams, 72–73
 - system, 685–87
 - techniques, 57–73
 - users, 686–87
 - document flowchart, 61, 687
 - document name, 567
 - documents, 47–49, 179, 638
 - domain name, 567
 - Domino's Pizza, 536
 - Dow Chemical, 548
 - drill-down, 534, 542
 - DRP (disaster recovery planning), 737–42
 - dual-homed firewall, 772, 773
 - duality, 499–500
 - dynamic virtual organization, 578, 579
- E**
- EAM (embedded audit module), 825–26
 - eavesdropping, 134
 - Ebbers, Bernie, 113
 - echo check, 780
 - economic agents, 31–33
 - economic events, 31
 - economic feasibility, 631, 643
 - economic order quantity (EOQ), 339–43
 - EDE3 encryption, 775–76
 - EDI. *See* electronic data interchange (EDI)
 - edit run, 96, 207
 - EEE3 encryption, 775–76
 - EFF (Electronic Frontier Foundation), 582
 - effectiveness, 75
 - efficiency, 12, 75, 132, 541
 - electronic commerce systems, 563–96
 - access control, 595–96
 - electronic data interchange (EDI), 605–11
 - implications of, 592–96
 - Internet commerce, 564–78
 - intra-organizational networks, 564, 597–605
 - legal issues, 596
 - open system interface (OSI)
 - network protocol, 611–13
 - risks of, 578–87
 - security, 587–92
 - electronic data interchange (EDI), 605–11
 - benefits of, 608–10
 - controls, 782–85
 - definition, 200
 - financial, 610–11
 - intra-organizational networks and, 564
 - lean manufacturing and, 363
 - overview, 605–7
 - purchasing and, 256, 258
 - standards, 607
 - Electronic Frontier Foundation (EFF), 582
 - electronic input techniques, 675
 - Electronic Privacy Information Center (EPIF), 582
 - e-mail, 566–67
 - embedded audit module (EAM), 825–26
 - embedded foreign keys (FK), 32
 - embedded instructions, 675
 - employee. *See also* personnel ethics hotline, 118–19
 - file, 301
 - fraud, 120. *See also* fraud payroll records, 287, 292
 - empty shell backup, 738
 - encryption, 588, 768–69, 770, 774–77
 - end users, 10–11, 22, 627, 814
 - Enron, 113, 126–27
 - enterprise resource planning (ERP), 15, 528–58
 - access control, 550–51
 - costs, 547–48
 - data warehouse, 537–43
 - definition, 34
 - disruptions and, 548–49
 - implementation, 543–49
 - internal control and auditing, 549–52

- leading products, 553–58
 - lean manufacturing and, 360, 363
 - overview, 529–32
 - performance measures, 548
 - selection of, 545–46
 - system configurations, 532–37
 - systems, 692
 - entities, 60, 443–44
 - agents, 505–6
 - associations, 457–58, 506–9
 - events, 502–4
 - identification, 455–57
 - resources, 504
 - entity relationship (ER) diagrams, 60–61, 444, 501
 - environmental issues, 116
 - EPIF (Electronic Privacy Information Center), 582
 - equipment failure, 780–81
 - equity in access, 116
 - ER (entity relationship) diagrams, 60–61, 444, 501
 - error rates, 637
 - ethics, 113–19
 - European Center for Nuclear Research (CERN), 566
 - event-driven languages, 682–83
 - events
 - economic, 31, 498
 - entities, 502–4
 - monitoring, 766
 - reconstruction, 766
 - exception orientation, 404
 - executive compensation, 126
 - existence or occurrence
 - assertions, 815
 - expenditure cycle, 45–46
 - computer-based, 252–63, 298–301
 - conceptual system, 235–48, 286–95, 301–05
 - controls, 245–48, 261–63
 - independent verification and, 248
 - inventory control, 249
 - manual systems, 249–51, 296–98
 - payroll and fixed assets, 286–309
 - physical system, 249–52, 295–98, 305–09
 - purchases and cash disbursements, 234–63
 - reengineering, 262–63
 - segregation of duties, 262
 - expense accounts, 129–30
 - expert systems, 117
 - exposure, 135–36
 - eXtensible Business Reporting Language (XBRL). *See* XBRL (eXtensible Business Reporting Language)
 - eXtensible Markup Language (XML). *See* XML (eXtensible Markup Language)
 - external agent, 499
 - external auditing, 36
 - extortion, economic, 129
 - extranets, 565–66
- F**
- fact-gathering techniques, 637–38
 - Fastow, Andy, 113
 - fault tolerance, 736–37
 - feasibility, 630–31
 - feasibility study, 642–43
 - feedback, 14–15
 - file allocation table, 83
 - files, 13
 - file transfer protocol (FTP), 569
 - filtering, 779
 - finance, 20
 - Financial Accounting Standards Board (FASB), 744
 - financial institutions, 587
 - financial perspective, 634
 - financial reporting system (FRS), 8, 10
 - controls, 391–93
 - data coding schemes, 382–86
 - general ledger system (GLS), 387–89
 - IT controls and, 725–26
 - overview, 389–91
 - financial transactions, 7, 45
 - finished goods (FG), 339
 - fire suppression, 735–36
 - firewalls, 550, 590, 771–72
 - first normal form (1NF), 448
 - fixed asset system, 47. *See also*
 - assets
 - acquisition procedures, 305–06
 - computer-based, 305–07
 - conceptual systems, 301–05
 - controls, 307–09
 - data flow diagram of, 303
 - depreciation report, 309
 - disposal of, 303, 305
 - logic of, 302–05
 - physical systems, 305–09
 - subsidiary ledger, 304–05, 307, 309
 - flat-file model, 27–29, 86, 431–34, 787–89, 826–27
 - flexibility, 779
 - flowcharts
 - document, 61, 62–66
 - program, 71–72
 - system, 61, 68–70, 73
 - flows, of information, 3
 - Ford Motor Company, 259
 - foreign keys, 447, 459, 480–81, 513–15
 - formalization of tasks, 395–97
 - Fortune 500 companies, 548
 - fraud, 178
 - accountants and, 119–34
 - accounting oversight board and, 127
 - accounting practices and, 127
 - auditor independence and, 126, 127–28
 - collusion effect, 124
 - computer, 130–31
 - conclusions, 124–25

- corporate governance and, 128
 - criminal penalties, 128
 - database management and, 133
 - data collection and, 131–33
 - definition, 119–20
 - director independence and, 126
 - disclosure and, 118, 128
 - employee, 120
 - executive compensation and, 126
 - factors contributing to, 120–22
 - financial losses from, 122
 - Internet and, 581–83
 - losses, 124
 - losses by position within organization, 122–23
 - management and, 120, 125
 - motivation for, 120–22
 - operations, 133
 - payroll system and, 289, 294
 - performance, 120
 - perpetrators of, 122–25
 - program, 132–33, 731
 - salami, 816–18
 - Sarbanes-Oxley Act (SOX)
 - and, 127–28
 - schemes, 125–34
 - statements, 125
 - transaction, 130
 - fraudulent statements, 125
 - FTP (File Transfer Protocol), 569
 - functional segmentation, 17–20
- G**
- GAAS (generally accepted auditing standards), 745
 - Gantt chart, 664, 665
 - Gartner Group, 529
 - gathering, 698
 - general accounting systems, 692
 - general controls, 142, 726
 - General Electric (GE), 140
 - generalized audit software (GAS), 823–24, 826–29
- H**
- hard copy documents, 674, 812–14
 - hashing structure, 91–93
 - hash total, 811
 - HealthSouth, 113
 - general ledger
 - accounts payable, 243
 - accounts receivable, 169–70, 175
 - batch processing, 207
 - cash disbursements, 245, 252
 - cash receipts, 173, 180, 184, 185
 - change report, 393, 395
 - database, 388–89
 - history file, 388
 - independent verification and, 248
 - master file, 388
 - payroll system, 289, 294
 - purchasing system, 251
 - relationship to subsidiary ledger, 55
 - sales order processing, 194
 - general ledger/financial reporting system (GL/FRS), 8, 10
 - generally accepted auditing standards (GAAS), 745
 - General Motors (GM), 543
 - generic top-level domain (gTLD), 566
 - give event, 499–500
 - GL/FRS (general ledger/financial reporting system), 8, 10
 - goal congruence, 409
 - goods, receipt of, 237–38
 - governance, IT. *See* IT governance controls
 - GPC backup technique, 787, 788
 - graphs, 706–11
 - gratuities, illegal, 129
 - group codes, 385
 - group memory, 698
- I**
- help features, 687
 - Hershey Foods Corporation, 548–49
 - hierarchical database model, 434, 471–72, 473–74
 - hierarchical topology, 600
 - home page, 566
 - HTML (HyperText Markup Language), 566, 570, 571
 - HTTP (HyperText Transfer Protocol), 566, 570
 - HTTP-NG (HyperText Transport Protocol-Next Generation), 570
 - human resource management (HRM) system, 299. *See also* personnel
 - Hyperion Solutions Corp., 536
 - HyperText Markup Language (HTML), 566, 570, 571
 - HyperText Transfer Protocol (HTTP), 566, 570
 - HyperText Transport Protocol-Next Generation (HTTP-NG), 570

- independent verification, 145, 181, 203
 - enterprise resource planning (ERP) and, 551
 - expenditure cycle controls and, 248
 - financial reporting system (FRS) and, 393
 - fixed asset systems and, 309
 - general ledger, 248
 - in manufacturing environment, 347
 - payroll system and, 295
- indexed random file, 88–89
- indexed sequential file, 441
- indexed structures, 88–89
- indirect access, 248
- industry analysis, 628
- information
 - access control over, 180
 - currency, 27, 28–29, 431
 - data versus, 11
 - environment, 3–16
 - flow of, 406–7
 - gathering, 636–37
 - generation, 14, 133–34
 - level, 577
 - needs assessment, 627–31
 - overload, 410
 - processing services, 24
 - value of, 20–21
- informational content, 403
- information flows, 3
- information processing units (IPU), 23
- information systems, 2–37
 - acquisition, 15–16
 - definition, 6
 - evolution of, 26–34
 - framework, 6–9
 - lean manufacturing and, 360–63
 - objectives, 15
 - software, 15–16
 - types of, 15–16
- information technology, 21–26
 - information technology controls. *See* IT controls
 - inheritance, 668–69
 - input, direct, 675–77
 - input controls, 806–12
 - insertion anomaly, 450
 - instance, 668–69
 - Institute of Internal Auditors, 746
 - insurance coverage, 737
 - intangible benefits, 647
 - integrated test facility (ITF), 822–23
 - integrity, data, 595
 - intelligent control agents, 594
 - intelligent forms, 676
 - internal agent, 499
 - internal auditing. *See* auditing
 - internal business process
 - perspective, 634
 - internal control, 134–45, 549–52. *See also* controls
 - internal corporate database, 573
 - internal efficiency, 541
 - internal reporting, 118
 - internal view, 436
 - International Computer Security Association (ICSA), 592
 - International Standards Organization (ISO), 569
 - Internet
 - addresses, 566–67
 - business models, 577–78
 - commerce, 200–201, 564–78
 - fraud and, 581–83
 - protocols, 569–77
 - risks, 581–87
 - technologies, 564–67
 - Internet Ad Hoc Committee (IAHC), 566
 - Internet Explorer, 564, 566
 - Internet Relay Chat (IRC), 584
 - Internet service providers (ISPs), 564
 - interpreters, 760
 - intranet risks, 580–81
 - intra-organizational networks, 564, 597–603
- Intrusion Prevention Systems (IPS), 774, 780
- inventory
 - actual cost inventory ledger, 240
 - alternative ordering procedures, 257
 - controls, 184, 247, 249, 339–43
 - database design and, 456
 - of materials, 19
 - monitoring records, 235
 - records, 169, 173
 - reduction, 349
 - reorder report, 673
 - security, 202
 - status report, 449, 456, 519
 - subsidiary file, 253
 - subsidiary ledger, 169, 180, 240
 - updating records, 207, 209, 238, 240
 - usage, 343
 - valuation method, 241
- investment centers, 409
- IP address, 567
- IP broadcast address, 584
- IP spoofing, 583, 584, 772
- IPU (information processing units), 23
- IRC (Internet Relay Chat), 584
- islands of technology, 351
- ISO (International Standards Organization), 569
- ISPs (Internet service providers), 564
- IT auditing, 36, 746–49
- IT controls, 142, 724–50, 797–830. *See also* controls for applications, 806–14 for system development, 798–806 testing, 815–24 testing techniques, 824–29
- iterative design approach, 670
- ITF (integrated test facility), 822–23
- IT governance controls, 728

J

J.D. Edward & Co., 34, 363, 556
 JIT (just-in-time), 348
 job tickets, 286, 289
 journals, 49–51
 cash receipts, 177
 general, 50–51
 purchase, 241
 sales, 50, 168, 173
 special, 50, 180
 journal voucher, 51, 241, 387–88
 file, 169, 180, 388
 history file, 388
 listing, 393, 394
 sales, 168
 justice, 113
 just-in-time (JIT), 348

K

Kah, Bob, 569
 key, 588
 keystroke monitoring, 766
 keystrokes, 96, 205
 knowledge management, 698
 Kozlowski, Dennis, 113
 Kronos Inc., 536

L

labor distribution summary, 287
 labor usage file, 299
 LAN (local area networks), 80, 597, 598
 languages. *See* programming languages
 lapping, 130
 layer chart, 710
 layer functions in protocols, 611–13
 lean manufacturing, 347–50
 accounting in, 355–60
 information systems, 360–63
 principles of, 348–50

 techniques and technologies
 that promote, 350–54
 learning and growth perspective, 634
 ledgers, 51–55. *See also* general ledger; subsidiary ledger
 legacy systems, 27, 29, 86–102
 data structures and, 86–95
 integration with data warehouse, 541
 modern systems vs., 75–76
 systems development and, 628–29
 legal feasibility, 631, 642–43
 legal issues of electronic commerce, 596
 liabilities due, 243
 line errors, 780
 line graph, 707, 708
 local area networks (LAN), 80, 597, 598
 logical key pointer, 95
 logic bombs, 587, 764, 786
 log-on procedure, 761, 765

M

magnetic disks, 83–84
 magnetic tape, 82–83
 mail protocols, 569
 mail room, 195
 mainframe-based applications, 75. *See also* legacy systems
 maintenance, 19
 audit objectives, 804
 authorization, 805
 commands, 804
 model, 704–5
 systems development and, 22–23
 make-to-order processing, 334
 malicious programs, 764–65, 786–87
 management
 control decisions, 400
 by exception, 398

 fraud, 120
 principles of, 395–98
 proactive, 630
 reactive, 630
 management assertions, 815
 management information systems (MIS), 6, 8–9
 management reporting systems (MRS), 8, 10, 394–412
 behavioral considerations, 409–12
 management by exception, 398
 management principles, 395–98
 responsibility and authority, 397
 span of control, 397–98
 management reports, 403–5
 manual process model, 26–27
 manual systems, 181–88
 accounting records and, 47–54
 cash disbursements and, 251–52
 expenditure cycle and, 249–51
 payroll systems, 296–98
 revenue cycle, 181–88
 manufacturing environment
 accounting records, 347
 automation of, 350–54
 batch processing, 334–44
 computer-aided manufacturing (CAM), 353
 computer-integrated manufacturing (CIM), 352–53
 control activities in traditional, 344–47
 flexibility, 350
 independent verification, 347
 just-in-time (JIT), 348
 lean. *See* lean manufacturing
 segregation of duties, 345–46
 supervision, 346
 traditional, 333–47, 350–51
 transaction authorization, 345
 manufacturing overhead (MOH), 344

manufacturing resources
 planning (MRP II), 360–62, 529
 Manugistics Inc., 536
 marketing, 19–20
 MasterCard, 570
 master file, 55, 76–77
 materials management, 19
 materials requirements planning (MRP), 360
 materials requisition, 336, 338
 matrices, 706, 708
 MCI, 564
 messages, interception of, 580
 message sequence numbering, 777
 message transaction log, 779
 methods, 667
 Microsoft, 556–57, 564, 570
 MIM Health Plans Inc., 543
 mirrored data center, 739
 MIS (management information systems), 6, 8–9
 mission, 628
 mnemonic codes, 386
 modern systems, 75–76
 modules, 679–81
 standard, 667
 systems design and, 670
 testing, 683–84
 monitoring, 142
 move ticket, 336, 338
 MRP (materials requirements planning), 360
 MRS (management reporting systems). *See* management reporting systems (MRS)

N

navigational database model, 434, 471–72
 needs assessment, 627–31, 694
 net present value method, 647–48

Netscape, 570
 network
 controls, 603, 771–81
 database model, 434, 472–73, 474–75
 topologies, 597–603
 network interface cards (NIC), 597
 network-level firewall, 590, 772
 Network News Transfer Protocol (NNTP), 570
 NIC (network interface cards), 597
 NNTP (Network News Transfer Protocol), 570
 nonfinancial transactions, 8
 nonrepudiation, 595
 normalization
 process, 475–81
 tables, 450–54, 462, 480, 516, 670
 numeric coding schemes, 383–86

O

object class, 668–69
 object-oriented design, 667–69
 object-oriented programming (OOPL) language, 683
 observation, 637
 occurrence, 444
 office automation systems, 692
 off-site storage, 738, 740
 OLAP (online analytical processing), 531–35
 OLTP (online transaction processing), 531, 532–35
 on-demand reports, 403
 one-time costs, 644–45
 one-time passwords, 763–64
 online analytical processing (OLAP), 531–35
 online documentation, 686
 online transaction processing (OLTP), 531, 532–35

OOP (object-oriented programming) language, 683
 open accounts payable file, 241
 open/closed purchase order file, 235, 238
 open purchase requisition file, 249
 open sales order file, 180
 Open System Interface (OSI), 569, 611–13
 open vouchers payable (AP) file, 251
 operating system, 726
 controls, 760–67, 802
 definition, 760
 security, 760–61
 threats to integrity of, 761–62
 operational control decisions, 400–401
 operational databases, 538
 operational efficiency, 75
 operational feasibility, 631, 643
 operations control reports, 672–73
 operations fraud, 133
 operator documentation, 685–86, 737
 optical disks, 86
 Oracle, 15, 34, 363, 536, 555–56
 organizational chart, 395–96
 organizational structure, 16–26, 728–34
 organizing, 698
 OSI (Open System Interface), 569, 611–13
 output
 attributes, 672
 controls, 812–14
 reporting alternatives, 706
 reporting techniques, 674
 views, 670–74
 output controls, 812–14
 output spooling, 812–13
 overbooking flights, 547
 overhead, allocation under ABC, 357

- oversight board, 127
ownership, 115
- P**
- packet switching, 564–65
packing slip, 166
para computer ethics, 115
parallel operation cutover, 688–89
parallel simulation, 823–24
parity check, 780–81
partial dependencies, 450, 478–79
partitioned databases, 466–68
password, 582, 761, 763–64, 802
payback method, 648–49
paychecks, 289, 293
payroll system, 46–47
 accounting records, 295
 batch processing, 298–300
 cash disbursement system and, 290, 295
 computer-based, 298–301
 conceptual systems, 286–95
 controls, 294–95, 301
 cost accounting and, 298
 data flow diagram of, 287
 employee records, 287
 fraud, 289, 294
 general ledger, 294
 imprest account, 289
 manual systems, 296–98
 personnel and, 286, 298
 physical systems, 296–98
 real-time systems, 300
 REA model and, 511–12
 reengineering, 298–301
 register, 289, 291
 segregation of duties, 294–95
PCAOB (Public Company Accounting Oversight Board), 127, 138–39
PC-based accounting systems, 203–4. *See also* computer-based accounting systems
- PCT (Private Communications Technology), 570
PEM (Privacy Enhanced Mail), 570
PeopleSoft Inc., 34, 363, 536, 555–56
perfect quality, 348–49
performance evaluation, 400–401, 406
performance fraud, 120
performance measures, 410–12, 548
Pershing, 739
personal accountability, 766
personal interviews, 638
personnel, 20, 286, 298, 734.
 See also human resource management (HRM) system
personnel action forms, 286, 288
PERT chart, 663–64
phased cutover, 688
phased-in implementation, 544
physical address pointer, 94
physical controls, 142–43
physical database tables, 444–46, 460–61, 516–19
physical systems, 35, 181–82
 expenditure cycle and, 249–52
 fixed assets, 305–09
 payroll system and, 295–98
 revenue cycle, 181
physical user views, 670–77
picking ticket, 166
pie chart, 707, 710
PKI (public key infrastructure), 590
planning, 19, 338, 398–401
PO (purchase order). *See* purchase order (PO)
pointer structure, 93–95
point-of-sale (POS) systems, 197–200
polling, 603, 604
POP (Post Office Protocol), 569
pop computer ethics, 114–15
POS systems, 197–200
- Post Office Protocol (POP), 569
power supplies backup. *See* uninterruptible power supplies
prenumbered documents, 179
Prescient Systems Inc., 536
presentation and disclosure assertions, 815
preventive-detective-corrective (PDC) internal control model, 136–38
primary keys (PK), 32, 76, 96, 188, 447, 458–59, 460
 in REA model, 513–15
primary manufacturing activities, 19
print programs, 813–14
privacy, 115
Privacy Enhanced Mail (PEM), 570
privacy violations, 593–94
Private Communications Technology (PCT), 570
private key, 588, 774–75
privileged employees, 580, 762
proactive management, 630
probe for weaknesses, 780
problem recognition, 629–30
problem structure, 401–3
procedural language, 682
processes, 637
processing capacity, 75
processing controls, 809–12
product design, 352–53
product documents, 47–48
product family, 358
production, 19, 46
 control, 338
 facilities reorganization, 350
 flexibility of, 349
 materials and operations requirements, 338–39
 order, 335
 payroll system and, 286
 planning, 19, 338
 schedule, 334, 336, 339
 support activities, 19

professionals, 732
 profit centers, 408–9
 program application software, 682–83
 program changes
 controlling, 800–801
 unauthorized, 804–5
 program flowcharts, 71–72
 program fraud, 132–33, 731
 programmed reports, 403, 404
 programmer documentation, 685
 programming languages, 682–83
 program version numbers, 804–5
 project feasibility, 630–31
 project initiation, 635
 property ownership, 116
 proportionality, 113
 protocol prefix, 567
 protocols, 567–77, 611–13
 prototype model, 702
 prototyping, 662
 proxy services, 779
 pseudocode, 681
 Public Company Accounting
 Oversight Board (PCAOB),
 127, 138–39, 725, 744
 public key encryption, 588, 589,
 774, 775–76
 public key infrastructure (PKI),
 590
 pull processing, 348
 purchase activities, 235–45
 purchase journal, 241
 purchase order (PO), 248, 455,
 456
 blind copy, 237–38, 239, 249
 open/closed file, 235, 238
 purchase requisition, 235, 237,
 249
 purchases system, 46, 235–42
 accounts payable and, 240–42
 automation and, 253–58
 batch processing, 253–58
 data flow diagram for, 236
 documents, 455
 general ledger, 251

inventory records, 235, 238, 240
 purchase order, 235, 237
 REA model and, 510–19
 receipt of goods, 237–38
 receiving department and,
 249, 258
 reengineering, 259–60
 repeating group data and, 459
 transaction authorization and,
 246
 purchasing, 19
 purchasing agent, 456

Q

quality assurance group, 681
 quality control, 19
 query language, 438–39

R

RAID (redundant arrays of inde-
 pendent disks), 736–37
 raw material (RM), 334
 REA (resources, events, and
 agents) model, 31–33,
 498–521
 cash disbursements and,
 510–19
 chain value analysis, 520–21
 developing, 501–9
 diagram, 498, 501–9, 512–13
 elements of, 498–500
 financial statement produc-
 tion, 517
 journal entries, 518
 management reports, 518, 519
 overview, 497–500
 in practice, 521
 view integration, 509–21
 reactive management, 630
 real-time systems, 80–81
 advantages of, 195
 batch processing, 78–80
 definition, 74
 payroll and, 300
 sales order processing and,
 193
 receive event, 499–500
 receiving clerk, 456
 receiving department, 19, 185,
 247, 249, 258
 receiving report, 238, 239, 248
 reconciliation, 687
 record, 13
 record layout diagrams, 72–73
 recovery module, 771
 recovery operations center
 (ROC), 738
 recurring costs, 645
 red-flag checklist, 120
 redundancy, 637, 732
 redundancy tests, 816
 redundant arrays of independent
 disks (RAID), 736–37
 reengineering
 of cash receipts, 197
 definition, 188
 expenditure cycle, 262–63
 payroll systems and, 298–301
 purchases/cash disbursement
 systems, 259–61
 using EDI (electronic data
 interchange), 200
 using the Internet, 200–201
 reference file, 56
 refining, 698
 register, 50
 relational database model, 30–31,
 434, 442–54
 anomalies, 447–50
 concepts, 443–47
 design, 454–64
 normalizing tables, 450–54
 relational tables, 447–48
 relative address pointer, 94
 relevance, 12, 14, 132–34, 403, 672
 reliability, 20
 reluctance to prosecute, 581
 remittance advices, 48–49, 173,
 176

- remittance lists, 173–75, 178
- reorder point (ROP), 249, 342
- repeating group data, 459, 477–78
- replicated databases, 468
- reports
 - ad hoc, 405
 - attributes, 403–4
 - colors, 710–11
 - customer inquiry, 520
 - distribution, 814
 - management, 403–5, 803–4
 - objectives, 403
 - on-demand, 403
 - operations control, 672–73
 - production, 516–18
 - programmed, 403, 404
 - receiving, 238, 239, 248, 455, 457
 - responsibility, 406
 - scheduled, 403
 - summarization, 403
 - timeliness, 404
- request for proposal (RFP), 694
- request-response technique, 779
- resources
 - costs, 637
 - economic, 31, 498
 - entities, 504
 - organizational, 74–75
- resources, events, and agents (REA) model. *See* REA (resources, events, and agents) model
- responsibility, 397
 - accounting, 405–9
 - center file, 389
 - centers, 406, 408–9
 - reports, 406
- retrieval, 14
- return on investment (ROI), 410
- return policy, 177
- return procedures, 170–73, 185–86
- return slip, 172
- reusable passwords, 763
- revenue cycle, 47, 162–204, 235
 - computer-based accounting systems, 188–204
 - conceptual systems, 163–81
 - controls, 177–81
 - manual systems, 182–88
 - overview of activities, 163–70
 - physical systems, 181–82
- RFP (request for proposal), 694
- Rigas family, 126
- rights and obligations assertions, 815
- Rijndael, 588
- ring topology, 600–601
- risk, 135–36, 579
 - assessment, 141, 749–50
 - detection, 750
 - implementation and, 543–49
 - inherent, 749–50
 - minimization, 114
- Rivest-Shamir-Adleman (RSA), 588, 777
- robotics, 352
- ROC (recovery operations center), 738
- ROI (return on investment), 410
- ROP (reorder point), 249, 342
- rounding error tests, 816
- route sheet, 334, 337
- Royal Bank of Scotland, 587
- RSA (Rivest-Shamir-Adleman), 588, 777
- run, in batch systems, 95
- run manual, 685
- run-to-run control, 810
- S**
- Safe Harbor Agreement, 593
- safety stock, 344
- Sage Software, 557
- salami fraud, 816–18
- sales
 - department, 182, 185, 189
 - invoice, 168
 - journal, 50, 168, 173
 - journal voucher, 168
 - order, 163, 165–66, 168
- sales order file, closed, 194
- sales order pending file, 180
- sales order processing, 47, 163–70, 182–84
 - batch technology and, 188–92
 - data flow diagram of, 59, 164
 - real-time technology and, 193
- sales procedures, 194
- sales return procedures, 170–73, 185–86
- SAP, 34, 363, 536, 551, 553–55
- Sarbanes-Oxley Act (SOX), 2, 9
 - access control, 202
 - computer center security and controls, 734–37
 - disaster recovery planning, 737–42
 - ethical issues, 117–19
 - external audit and, 744
 - financial reporting and, 391
 - fraud, 127–28
 - internal control and, 138–39
 - IT governance and, 724–50, 728
 - organizational structure controls, 728–34
 - Section 302, 725–28
 - Section 404, 725–28
 - XBRL and, 572, 577
- SAS No. 1, 745
- SAS No. 5, 725, 727, 728
- SAS No. 78, 138
 - COSO framework and, 139–45, 392–94, 725
 - expenditure cycle, 245–46
 - internal controls, 138, 139
- SAS No. 99, 119
- scalability, 545–46
- scatter graph, 707, 709
- scavenging, 134
- scheduled reports, 403
- schedule feasibility, 631, 643
- SCM (supply chain management), 536–37, 542–43

- screening router, 772
- Scrushy, Richard, 113
- SDLC (systems development life cycle), 15, 624–52, 659–711
 - accountant's role in, 651–52, 690–91
 - action plan creation, 632–35
 - alternative designs, 640–41
 - analysis, 635–39
 - CASE tools, 699–706
 - commercial software packages, 626, 691–93
 - construction, 664–84
 - delivery, 684–91
 - development, 660–64
 - evaluation and selection, 642–51
 - failures, 660–62
 - information needs assessment, 627–31
 - in-house development, 626
 - maintenance and support, 626, 698, 730
 - output report alternatives, 706–11
 - overview, 625–27
 - participants, 626–27
 - plan development, 631–32
 - project announcement, 650
 - project initiation, 626, 635
 - selection, 693–97
 - strategy, 626, 627
 - user involvement, 660–62
- SEC (Securities and Exchange Commission), 138–39, 571, 725
- secondary keys (SK), 76, 96, 189, 191, 207
- second normal form (2NF), 448
- second-site backup, 738–39, 741–42
- Section 301, 118–19
- Section 302, 138, 725–28
- Section 404, 138, 725–28
- Section 406, 118–19
- Section 806, 118
- Secure Electronic Transmission (SET), 570
- Secure Sockets Layer (SSL), 570
- Securities and Exchange Commission (SEC). *See* SEC (Securities and Exchange Commission)
- security, 115–16, 202. *See also*
 - controls; IT controls
 - computer, 587–92
 - digital authentication, 588, 590
 - encryption, 588
 - firewalls, 590
 - protocols, 567–77
- segmentation, functional, 17–20
- segments, business, 16–17
- segregation of duties, 143
 - access control and, 730
 - cash disbursements and, 247
 - computer-based systems, 201, 204
 - enterprise resource planning (ERP), 549
 - expenditure cycle and, 262
 - financial reporting system (FRS), 393
 - inventory control and, 247
 - in manufacturing environment, 345–46
 - payroll system and, 294–95
 - revenue cycle, 178–79
- segregation of systems, 779
- semantic models, 497
- September 11 terrorist attacks, 738
- sequential access method, 87–88
- sequential codes, 383–84
- sequential files, 87
 - backup procedures, 97
 - batch processing, 95–97, 205–10
 - indexed, 441
 - update, 99–101
- sequential structure, 87–88
- server configurations, 532
- servers, 597
- SET (Secure Electronic Transmission), 570
- shipping department, 182, 191, 194
- shipping goods, 166
- shipping log, 180
- shipping notice, 166
- Simple Network Mail Protocol (SNMP), 569
- single-view model, 29
- slicing and dicing, 534
- smurf attack, 584, 585, 772
- SNMP (Simple Network Mail Protocol), 569
- SoftBrands, 557–58
- software, 15–16, 826–29
 - antiviral, 765
 - auditing, 823–24, 826–29
 - bolt-on, 34, 535–37
 - commercial packages, 691–97, 732
 - database management system (DBMS), 433–34, 436, 466–69
 - engineering, 663, 698–706
 - SPL management system (SPLMS), 802–6
 - testing, 683–84
 - transaction validation, 197
- S.O. pending file, 168
- sophisticated users, 389
- sort runs, 96, 207
- source code, 805–6
- source documents, 47, 48
- source program library (SPL), 801–2, 806
- SOX. *See* Sarbanes-Oxley Act (SOX)
- span of control, 397–98
- special journals, 50, 180
- special-purpose entities (SPEs), 127
- special-purpose systems, 692
- SPL (source program library), 801–2, 806
- SPL management system (SPLMS) software, 802–6

- spooling, 812–13
- Sprint, 564
- SQL (structured query language), 438
- SSL (Secure Sockets Layer), 570
- stabilized data, 538
- stakeholders, 4, 23, 627
- standard cost system, 238, 240
- standards, 400, 732
- standard-setting body, 733
- star network, 599
- star topology, 598–600
- Statement on Auditing Standards (SAS), 745. *See also specific SAS numbers*
- steering committee, 627
- stock flow, 498
- stock options, 126
- stock-outs, 344
- stock records, 166
- stock release, 166
- storage, 14
 - devices, 83–86
 - off-site, 738, 740
 - secondary, 82–86
- storekeeping, 340–41
- stores, 19
- strategic business needs, 627–28
- strategic planning decisions, 399
- strategic systems plan, 631–32
- structured database model, 434
- structured design, 664–67
- structure diagram, 679, 680
- structured problems, 401–2
- structured query language (SQL), 438
- subdirectory name, 567
- subschemas, 769
- subsidiary ledger
 - accounts payable, 240, 241
 - accounts receivable, 169–70, 179
 - inventory, 169, 179, 240, 253
 - relationship to general ledger, 55
- substantive tests, 749, 750
- subsystems, 5, 6
- subversive threats, 771–80
- summarization, 14, 133–34, 403, 672
- supervision, 143–44, 179, 201–2
 - enterprise resource planning (ERP) and, 549–50
 - fixed asset systems and, 308–09
 - in manufacturing environment, 346
 - payroll system and, 295
 - receiving department and, 247
- supplier analysis chart, 707
- supplier relations, 349
- suppliers, 456
- supplier's invoice, 240, 248
- supply chain management (SCM), 536–37, 542–43
- support events, 498
- survey, 636–38
- symbol set
 - for data flow diagram, 58
 - for flowcharts, 68, 71
- symmetric key, 588
- SYNchronize–ACKnowledge (SYN-ACK), 583
- SYN flood attack, 583–84, 772
- system analysis report, 638–39
- system auditors, accountants as, 36
- system audit trails, 765–66
- system configurations, ERP, 532–37
- system designers, accountants as, 35
- system flowcharts, 61, 68–70, 73
- systems
 - alternative designs, 640–41
 - analysis, 635–39
 - architecture, 628–29
 - conceptual, 35
 - construction, 664–84
 - decomposition, 6
 - definition, 4
 - development, 628–29, 660–64
 - documentation, 685–87
 - elements of, 4–5
 - evaluation and selection, 642–51
 - example of, 5–6
 - objectives, 630
 - output, 671
 - physical, 35
 - professionals, 22, 627
 - strategy, 627
- systems design, 669–70. *See also* SDLC (systems development life cycle)
 - adequacy, 689–90
 - commercial packages, 691
 - controls, 681
 - conversion to new system, 688–89
 - database conversion, 687–88
 - delivery, 684–91
 - diagrams, 679, 680
 - documentation, 682, 685–87
 - modular approach, 679–81
 - post-implementation review, 689–90
 - process, 677–81
 - programming, 683
 - testing, 683–85
 - walk-through, 681–82
- systems development. *See also* SDLC (systems development life cycle); systems design
 - controlling activities, 798–800
 - controls, 798–806
 - controls testing, 800
 - database administrator and, 730
 - maintenance and, 22–23
 - resources and, 74
 - segregation from computer operations, 729
 - segregation from maintenance, 730–31
 - superior structure for, 731
- systems project proposal, 631
- systems selection report, 649
- system survey, 636

T

tables, 462, 706
 tactical planning decisions, 400
 tangible benefits, 645–47
 task-data dependency, 29, 431–32
 task participation, 637
 taxonomy mapper, 574
 TCO (total cost of ownership), 547
 TCP/IP (Transfer Control Protocol/Internet Protocol), 569
 team attitude, 350
 technical design, 798
 technical feasibility, 631, 642
 telecommunications companies, 564
 TELNET, 569
 test data method, 819–20
 testing
 of program modules, 798–800
 techniques, 824–29
 white box techniques, 818–22
 test libraries, 802–3
 tests of controls, 804
 theoretical computer ethics, 115
 third-generation languages, 682
 third normal form (3NF), 448, 516
 three-tier model, 532, 534
 time cards, 287, 290
 time-keeping, 298
 time lag, 74–75
 timeliness, 14, 133–34, 404, 673
 token passing, 603–4, 605
 topologies, 597–603
 total cost of ownership (TCO), 547
 Toyota Production System (TPS), 348
 TPS (transaction processing systems). *See* transaction processing systems (TPS)
 tracing, 821
 trading partners, 4
 traditional systems, 30, 529
 transaction
 cycles, 45–47
 file, 56

 fraud, 130
 level, 577
 listing, 812
 logs, 770, 811–12
 transaction authorization, 143, 177–78
 cash disbursements and, 246
 electronic data interchange (EDI), 783
 enterprise resource planning (ERP), 549
 financial reporting system (FRS), 393
 in manufacturing environment, 345
 payroll system and, 294
 purchases system, 246
 transaction processing systems (TPS), 8, 9–10, 45–102, 178
 accounting records, 47–54
 computer-based systems, 55–57, 73–82
 documentation techniques, 57–73
 overview, 45–47
 procedures, 194
 transactions, 6–8
 transactions cycles, 9
 transaction validation software, 197
 transaction volumes, 637
 transcription errors, 807
 Transfer Control Protocol/Internet Protocol (TCP/IP), 569
 transitive dependency, 450–51, 459, 479–80
 transposition errors, 807
 trap door. *See* back door
 triple-DES encryption, 775
 Trojan horses, 587, 764, 765, 787
 TRUSTe, 591
 turnaround documents, 48–49, 173
 turnkey systems, 15, 691–92
 tutorials, 687
 two-tier model, 532, 533
 Tyco, 113

U

unemployment, 117
 Uniform Resource Locator (URL), 566, 567
 uninterruptible power supplies, 736–37
 universal product code (UPC), 198
 unstructured problems, 402–3
 UPC (universal product code), 198
 update anomaly, 449–50
 update runs, 96–97
 URL (Uniform Resource Locator), 566, 567
 user access privileges, 762
 user-defined procedures, 768
 users
 authority, 29
 in database environment, 435–36
 documentation, 686–87
 fact-gathering and, 637
 feedback, 629–31, 650–51
 groups, 696
 handbook, 686
 ID, 761
 roles, 549
 specifications, 798
 support, 698
 test and acceptance procedures, 800
 user services, 733
 user views
 access control, 767–68
 database administrator and, 730
 database construction and, 516–19
 data definition language (DDL) and, 437
 design of, 475–77
 normalized tables and, 480–81
 overview, 447
 physical, 670–77
 preparation of, 463

REA (resources, events, and agents) model and, 497
UNNET, 564

V

validation, 687, 783, 785
valid vendor, 237
valid vendor file, 253
valuation or allocation assertions, 815
value-added network (VAN), 594–95, 607, 782–83
value chain, 503, 519–20
value stream, 353–54, 358–60
value stream map (VSM), 353–54
VAN (value-added network), 594–95, 607, 782–83
variance, 400–401
vendor presentations, 694–95
vendor's invoice, 261
vendor support, 695–96
vendor-supported systems, 15–16, 692
verification model, 405
verified stock release, 166
Veri-Sign, Inc., 590, 591–92
view integration, 464, 509–21
view modeling, 454–55, 501–9
virtual private networks (VPN), 565
virtual storage access method (VSAM), 89–91

viruses, 587, 762, 764, 786
Visa, 570
vision, 628
voucher file, closed, 245
voucher packet, 243
voucher register, 242–43
vouchers payable system, 242–43
VPN (virtual private networks), 565
VSAM (virtual storage access method), 89–91

W

walk-through, 681–82
wall of code, 669
WAN (wide area networks), 80, 597, 598
warehouse procedures, 182, 190, 194
waste, 814
Waste Management, 548
waste minimization, 349
web browsers, 564, 566
web page, 566
websites, 566
weighted factor matrix, 696–97
Western Digital Corporation, 542
Whirlpool Corporation, 548
white box approach, 816–22

wide area networks (WAN), 80, 597, 598
WIP (work-in-process), 339, 344
WIP account, 286
work centers, 339
work-in-process (WIP), 339, 344
work order, 335, 337
world-class companies, 347–50
WorldCom, 113, 126, 127
World Wide Web, 566
WORM (write-once, read-many), 86
worms, 587, 764, 786

X

XBRL (eXtensible Business Reporting Language), 571
audit implications, 594
instance document, 572, 576, 577
tags, 575
taxonomies, 571
XML (eXtensible Markup Language), 570–71

Z

zombie, 584
zones, 675, 676