

# Index

*Note:* Chapter 22 can be found with the Online Content for this book. Index entries found in this chapter are denoted by chapter number 22, hyphen, and page number.

Page numbers followed by a **n** indicate a footnote.

## A

Acceptable quality level (AQL), 930n2  
Acceptance criterion, 924  
Acceptance sampling, 922–931  
    binomial probability function for, 925  
    computing the probability of accepting a lot, 924–927  
    KALI, Inc. example, 924  
    selecting plans for, 928–929  
Accounting, 2  
Addition law, 165–168  
Additive decomposition models, 829–830  
Adjusted multiple coefficient of determination, 655, 655n1  
Aggregate price indexes, 765–767  
    computing from price relatives, 769–770  
Air traffic controller stress test, 531–532  
Alliance Data Systems, 561  
Alpha to enter, 739–740, 743n1  
Alpha to remove, 743n1  
Alternative hypothesis, 349  
    as research hypothesis, 350–351  
American Military Standard Table (MIL-STD-105D), 929  
American Society for Quality (ASQ), 904  
American Statistical Association  
    “Ethical Guidelines for Statistical Practice,” 18–19  
Analysis of variance (ANOVA), 508–537, 513n3, 513n4  
    assumptions for, 510  
    completely randomized designs and, 513–524  
    computer results for, 519–520  
    experimental design and, 508–513  
    for factorial experiments, 539  
    for randomized block design, 532–533  
ANOVA. *See* Analysis of variance (ANOVA)  
ANOVA tables, 518–519, 589–590  
Approximate class width, formula for, 65  
Area as a measure of probability, 235–236  
Assignable causes, 909  
Association between two variables, measures of, 115–124  
Attributes sampling plans, 930n3  
Autocorrelation, 750  
Average outgoing quality limit (AOQL), 930n2  
Averages, 14–15

## B

Backward elimination, 741  
Baldrige, Malcolm, 906

Baldrige Index, 906  
Baldrige National Quality Program (BNQP), 906  
Bar charts, 14f1.5, 34–36, 45n1  
Barnett, Bob, 906  
Bayes’ theorem, 157, 178–182, 183n1, 183n2  
    computing branch probabilities using, 960–965  
    tabular approach, 182  
    two-event case, 181  
Bell curve. *See also* Normal curve, 238–240  
Bell Labs, 218  
Bell Telephone Company, 905  
Bernoulli, Jakob, 208  
Bernoulli process, 208  
Best-subsets regression, 741–742  
Between-treatments estimate of population variance, 514–515  
Between-treatments estimate of  $\sigma^2$ , 511–512, 521n2  
Bimodal data, 89  
Binomial distribution  
    for acceptance sampling, 930n1  
    expected value and variance for, 214–215  
Binomial experiments, 208–209  
Binomial probabilities  
    normal approximation of, 250–252  
    tables, 213–214, 215n1, 215n2  
Binomial probability distributions, 208  
Binomial probability functions, 209, 212  
Binomial sampling distribution, 861n2  
Blocking, 530, 531  
Bonferroni adjustment, 527–528  
Bound on the sampling error, 22–7  
Box plots, 110–111, 112n2  
Burke Marketing Services, Inc., 507  
*Business Week*, 2  
Butler Trucking Company, 646–648

## C

Case problems  
    Air Force Training Program, 469  
    Alumni Giving, 705  
    alumni giving, 633  
    Bipartisan Agenda for Change, 501–502  
    business schools of Asia-Pacific, 139  
    compensation for sales professionals, 553–554  
    Consumer Research, Inc., 704–705  
    ethical behavior of business students, 397–398  
    forecasting food and beverage sales, 846–847  
    forecasting lost sales, 847–848  
    fuel economy for cars, 759–760  
    Gulf Real Estate Properties, 339–341  
    Hamilton County judges, 190–192

- Heavenly Chocolates website transactions, 139–141
  - lawsuit defense strategy, 969
  - measuring stock market risk, 631–632
  - Metropolitan Research, Inc., 341
  - motion picture industry, 72–73, 138–139
  - Par, Inc., 441–442
  - Pelican Stores, 71–72, 137–138
  - PGA tour statistics, 633–635, 705–707, 758–759
  - prediction winning percentage for the NFL, 708–709
  - Quality Associates, Inc., 396–397
  - Specialty Toys, Inc., 261–262
  - U.S. Department of Transportation, 632–633
  - Wentworth Medical Center, 552–553
  - Young Professional magazine*, 338–339
  - Categorical data, 7, 33–39
  - Categorical independent variables, 668–673
  - Categorical variables, 7
  - Census, 15
  - Central limit theorem, 281–283, 286n2
  - Central location, measures of, 297n1
  - Chance events, 939
  - Chance nodes, 940
  - Chebyshev's theorem, 104–105, 106–107n1
  - Chi-square distribution, 450–454
  - Chi-square test, 483n1
  - Cincinnati Enquirer*, 190
  - Citibank, 194
  - Classes, 39, 40
  - Class limits, 45n2
  - Class midpoints, 41, 127n1
  - Clusters, 298
  - Cluster sampling, 22–21–22–29, 298, 300n1
    - determining sample size, 22–26
    - population mean, 22–23–22–24
    - population total, 22–24–22–25
  - Coefficient of determination, 576–583, 579, 580n1, 692n2
  - Coefficient of variation, 99
  - Coefficients, interpretation of, 648–649
  - Colgate-Palmolive Company, 32
  - Combinations, 154
  - Common causes, 909
  - Company records, internal, 10
  - Comparisonwise Type I error rate, 527
  - Complements, 164, 165
  - Complete block design, 534
  - Completely randomized designs, 508, 513–524
  - Computers, 17
  - Conditional probabilities, 171–175, 960
  - Confidence coefficients, 313
  - Confidence intervals, 313, 594
    - for  $\beta_1$ , 587–588
    - estimates, 323n2
    - for mean value of  $y$ , 595–596
  - Confidence levels, 313
  - Consequences, 939
  - Consistency, 297
  - Consumer Price Index (CPI), 764, 771
  - Consumer's risk, 923
  - Contingency tables, 480
  - Continuity correction factor, 251
  - Continuous improvement, 909
  - Continuous random variables, 196
  - Control charts, 909–910
    - interpretation of, 920
    - $np$  charts, 919–920
    - $p$  charts, 917–919
    - $R$  charts, 915–917
    - $\bar{x}$  chart, 910–915
  - Convenience sampling, 22–4, 299, 300n1
  - Cook's distance measure, 679–681, 681n2
  - Correlation coefficient, 119–121, 579–580
  - Counting rules
    - for combinations, 154
    - for multiple-step experiments, 151
    - for permutations, 154–155
  - Covariance, 115–119
  - Cravens, David W., 735
  - Critical value, 360
  - Critical value approach, 360–361
  - Crosby, Philip B., 905
  - Cross-sectional data, 7
  - Cross-sectional regression, 786
  - Crosstabulations, 53–55
  - Cumulative frequency distributions, 43–44, 45n4
  - Cumulative percent frequency distributions, 44
  - Cumulative relative frequency distributions, 44
  - Customer's Afternoon Letter*, 772
  - Cyclical patterns, 789–791
- ## D
- Data
    - applications of, 580n1
    - bimodal and multimodal, 89
    - sources of, 10–13
    - types of, 5–8
  - Data acquisition errors, 13
  - Data errors, 681n1
  - Data mining, 17–18
  - Data sets, 5
  - Data validity, 107n2
  - Data warehousing, 17
  - Decision analysis
    - decision making with probabilities, 941–949
    - decision strategies, 951–954
    - decision trees, 940–941
    - payoff tables, 940
    - problem formulation, 939–941
    - with sample information, 949–960
  - Decision making, 381–382, 941–949
  - Decision nodes, 940
  - Decision strategies, 951–954
  - Decision trees, 940–941, 941n1, 941n2, 950–951
  - Deflating the series, 773–775
  - Degrees of belief, 156
  - Degrees of freedom, 316, 317, 319, 416, 535n1
  - DelGuzzi, Kristen, 190
  - Deming, W. Edwards, 905
  - Dependent events, 175n1
  - Dependent variables, 562, 720–724
  - Descriptive statistics, 13–15, 127n1
  - Deseasonalized time series, 834–835, 837n2
  - Deviation about the mean, 97

Discrete probability distributions, 197–200  
 Discrete probability functions, 198  
 Discrete random variables, 195  
 Discrete uniform probability distribution, 199  
 Discrete uniform probability function, 199  
 Distance intervals, 220  
 Distribution-free methods, 857  
 Distribution shape, 102–103  
*Doctrine of Chances, The* (Moivre), 238–240  
 Dot plots, 41  
 Double-blind experiments, 513n2  
 Double-sample plans, 930  
 Dow, Charles Henry, 772  
 Dow Chemical Company, 904  
 Dow Jones averages, 772  
 Dow Jones Industrial Average (DJIA), 772  
 Duke Energy, Ch22–2  
 Dummy variables, 669  
 Duncan's multiple range test, 528  
 Dunnhumby, 643  
 Durbin-Watson test, 751

## E

EAI problem, 283  
 Economics, 3  
 Elements, 4–8, 5–6, 22–2  
 Empirical rule, 105–106  
 Error degrees of freedom, 535n1  
 Estimated logistic regression equation, 685–687  
 Estimated logit, 691  
 Estimated multiple regression equations, 644–645, 665–666  
 Estimated regression equations, 563–565, 567, 594, 612n2  
 Estimated standard deviation of  $b_1$ , 586  
 Ethical behavior, 18–19  
 "Ethical Guidelines for Statistical Practice" (ASA), 18–19  
 Events, 160–162, 162n1, 164, 174  
 Excel  
   analysis of variance with, 555–557  
   bar charts, 76–77  
   completely randomized design, 555  
   continuous probability distributions with, 262–263  
   crosstabulation, 79–81  
   descriptive statistics tool, 145–146  
   descriptive statistics using, 143–146  
   difference between two population means:  
      $\sigma_1$  and  $\sigma_2$  known, 444–445  
   difference between two population means:  
      $\sigma_1$  and  $\sigma_2$  unknown, 444–445  
   difference between two population means with  
     matched samples, 445–446  
   discrete probability distributions with, 230–231  
   exponential smoothing, 851–852  
   factorial experiments, 556–557  
   forecasting with, 851–852  
   frequency distribution, 75–76, 77–79  
   goodness of fit test, 503, 504  
   histograms, 77–79

hypothesis testing with, 400–404  
 inferences about two populations, 444–446  
 interpretation of ANOVA output, 640  
 interpretation of estimated regression equation  
   output, 639–640  
 interpretation of regression statistics output, 640  
 interval estimation using, 343–346  
 moving averages, 851  
 multiple regression with, 709–710  
 nonparametric methods with, 899–900  
 PivotChart, 77–79  
 PivotTable, 77–79  
 population mean:  $\sigma$  known, 343, 400–401  
 population mean:  $\sigma$  unknown, 344, 402–403  
 population proportion, 345–346, 403–404  
 population variances with, 470–471  
 Precision Tree add-in, 969–974  
 randomized block design, 555  
 random sampling with, 306–307  
 regression analysis, 638–640  
 scatter diagrams, 81–84  
 sign test, 899–900  
 Spearman rank correlation, 900  
 test of independence, 503, 505  
 trend projection, 852  
   using functions of, 143–145  
 Excel StatTools. *See* StatTools, 17  
 Expected value, 202–203  
   binomial distribution and, 214–215  
   of  $p'$ , 289–290  
   of sample information, 954–956  
   of sample information (EVSI), 954–956  
   of  $x'$ , 279–280, 304  
 Expected value approach, 941–943  
 Expected value (EV), 942, 943–945  
 Experimental designs, 508–559  
   analysis of variance (ANOVA), 508–513  
   data collection, 509–510  
   multiple regression approach to, 745–749  
 Experimental studies, 11–12, 507  
 Experimental units, 508  
 Experiments, 150, 158n1  
 Experimentwise Type I error rate, 527  
 Exploratory data analysis, 48–51, 109–114, 112n1  
 Exponential distribution, 256n1, 258  
 Exponential probability density function, 258  
 Exponential probability distribution, 253–256  
 Exponential smoothing forecasting method, 800–804, 804n2  
 Exponential trend equation, 816

## F

Factorial experiments, 537–544  
   ANOVA procedure for, 539  
    $F$  statistics for, 539–542  
 Factors, 508  
 Factors of interest, 531  
 $F$  distribution, 460, 464n1, 516  
 Feigenbaum, A. V., 905  
 Finance, 3

Finite population correction factor, 280  
 Fisher, Ronald Alymer, Sir, 508  
 Fisher's least significant difference (LSD),  
 524–527  
 Fitness for use, 905  
 Five-number summary, 109–110  
 Food Lion, 309  
 Forecast accuracy, 792–797, 799, 800, 802  
 mean absolute error (MAE), 793  
 mean absolute percentage error (MAPE), 793  
 mean squared error, 794  
 mean squared error (MSE), 793  
 Forecast errors, 792  
 Forecasting methods  
 exponential smoothing, 800–804  
 moving averages, 797–800  
 seasonality and trend, 820–829  
 trend projection, 807–820  
 weighted moving averages, 800  
 Forecasts, 785  
 Forward selection, 740–741  
 Frames, 22–3, 267  
 Frequencies, 13t1.4  
 Frequency distributions, 33–34  
 classes, 39–41  
 number of classes in, 36n1  
 sum of, 36n2  
*F* statistic, 732n1  
*F* tests, 516, 588–590  
 for multiple regression models, 658–661  
*F* test statistics, 461  
*F*(*x*), 234

## G

Galton, Francis, Sir, 562  
 Gauss, Carl Friedrich, 567  
 General linear model, 714–729  
 curvilinear relationship modeling, 714–717  
 interaction, 718–720  
 nonlinear models that are intrinsically linear,  
 724–725  
 second-order model with one predictor  
 variable, 715  
 simple first-order model with one predictor  
 variable, 714  
 transformations involving the dependent  
 variable, 720–724  
 Goodness of fit test, 474–477, 692n2  
 multinomial distribution, 476–477  
 normal distribution, 491–495  
 poisson distribution, 487–491  
 test statistic for, 475  
 Gossett, William Sealy, 316  
 Government agencies, 10–11  
 Grear Tire Company problem, 246–248  
 Grouped data, 125–127  
 population mean for, 127  
 population variance for, 127  
 sample mean for, 126  
 sample variance for, 126  
*G* statistic, 692n1

## H

High leverage points, 617  
 Histograms, 14f1.6, 41–43, 45n1  
 Holt's linear exponential smoothing, 812–814, 817n1  
 Horizontal patterns, 786–788  
 Hypergeometric probability distribution, 221–223,  
 223n1  
 Hypergeometric probability function, 221–222  
 Hypothesis testing, 861n1  
 about a population median, 857–861  
 about  $\mu_1 - \mu_2$ , 410–412, 417–419  
 about  $p_1 - p_2$ , 431–433  
 confidence interval approach, 366  
 decision making and, 381–382  
 interval estimation and, 366–367  
 with matched samples, 862–863  
 null and alternative hypotheses, 349–353  
 one-tailed tests, 356–361, 371–372  
 population mean  $\sigma$  known, 356–370  
 population mean  $\sigma$  unknown, 370–376  
 population proportion, 376–381  
 for population variance, 454–457  
 steps of, 365  
 two-tailed tests, 362–365  
 Type I and Type II errors, 353–355

## I

Incomplete block design, 534  
 Independent events, 174, 175, 175n1  
 Independent sample design, 426n2  
 Independent simple random samples, 407  
 Independent variables, 508, 562, 662–663,  
 668–673, 743n2  
 Index numbers  
 aggregate price indexes, 765–767  
 computing aggregate price index from price  
 relatives, 769–779  
 deflating series by price indexes, 773–775  
 price indexes, 771–773  
 price relatives, 765  
 quantity indexes, 778–779  
 Index of Industrial Production, 779  
 Indicator variables, 669  
 Indifference quality level (IQL), 930n2  
 Influential observations, 616–618, 679, 681n1  
 using Cook's distance measure to identify,  
 679–681  
 Interactions, 538–539, 718–720  
 International Organization for Standardization, 906  
 Interquartile range (IQR), 96–97  
 Intersection of two events, 166  
 Interval estimates, 309, 310–314, 594  
 of difference between two population means, 430  
 of population variance, 450–454  
 procedures for, 322–323  
 Interval estimation, 314n1, 409  
 difference between two population means:  
 $\sigma_1$  and  $\sigma_2$  known, 410  
 difference between two population means:  
 $\sigma_1$  and  $\sigma_2$  unknown, 416

hypothesis testing and, 366–367  
 of  $\mu_1 - \mu_2$ , 407–412, 415  
 of population mean:  $\sigma$  known, 313  
 of population proportion, 329, 330  
 Interval scales, 6  
 Ishikawa, Karou, 905  
 ISO 9000, 906  
 $i$ th residual, 576

## J

John Morrell & Company, 349  
 Joint probabilities, 172, 962  
 Judgment sampling, 22–4, 299, 300n1  
 Juran, Joseph, 905

## K

$K$  population means, 513n3  
 Kruskal-Wallis test, 882–884, 884n1

## L

Laspeyres index, 767  
 Least squares criterion, 567, 569n1, 645  
 Least squares estimated regression equation, 580n1  
 Least squares formulas, 635–636  
 Least squares method, 565–576, 569n1, 645–649  
 Levels of significance, 354  
 Leverage of observation  $i$ , 617, 676  
 LIFO (last-in, first-out) method of inventory valuation, 309  
 Linear exponential smoothing, 812–814  
 Linear trend regression forecast method, 807–812, 817n1  
 Logistic regression, 683–692, 692n2  
 Logit, 691  
 Logit transformation, 691  
 Lots, 922, 924  
 Lot tolerance percent defective (LPTD), 930n2  
 Lower control limits (LCL), 910  
 Lower tail tests, 356, 361

## M

Malcolm Baldrige National Quality Award, 906  
 Mann-Whitney-Wilcoxon (MWW) test, 871–882, 878n1  
 Marginal probabilities, 172  
 Margin of error, 309, 310–314, 323n1, 331n1  
 Marketing, 3  
 Martin Clothing Store problem, 209–213  
 Matched samples, 423, 426n1, 426n2  
   Wilcoxon signed-rank test, 865–871  
 MeadWestvaco Corporation, 266  
 Mean, 14–15, 87–88, 124–125, 219  
 Mean absolute error (MAE), 793  
 Mean absolute percentage error (MAPE), 793  
 Mean square due to error (MSE), 521n3, 585, 793, 794  
 Mean square due to regression (MSR), 588

Mean square due to treatments (MSTR), 514–515  
 Mean square regression (MSR), 588  
 Means square due to error (MSE), 515  
 Measures of association between two variables, 115–124  
 Measures of location, 87–92  
 Measures of variability, 95–102  
 Median, 88–89  
 Minitab, 17  
   Alpha to enter, 739–740  
   analysis of variance, 554–555  
   backward elimination procedure, 761  
   best-subsets procedure, 761  
   box plots, 143  
   completely randomized design, 554  
   continuous probability distributions with, 262–263  
   control charts, 935  
   covariance and correlation, 143  
   crosstabulation, 74–75  
   descriptive statistics using, 142–143  
   difference between two population means:  
      $\sigma_1$  and  $\sigma_2$  unknown, 442–443  
   difference between two population means with matched samples, 443  
   difference between two population proportions, 443–444  
   discrete probability distributions with, 230  
   dot plots, 73  
   exponential smoothing, 849  
   factorial experiments, 554–555  
   forecasting with, 848–851  
   forward selection procedure, 761  
   goodness of fit test, 502–503  
   histograms, 73–74  
   Holt's linear exponential smoothing, 850  
   hypothesis testing with, 398–400  
   inferences about two populations, 442–444  
   interval estimation with, 341–343  
   Kruskal-Wallis test, 898–899  
   logistic regression with, 710  
   Mann-Whitney-Wilcoxon test, 898  
   moving averages, 848–849  
   multiple regression with, 708–709  
   nonparametric methods with, 896–899  
   population mean:  $\sigma$  known, 341–342, 398–399  
   population mean:  $\sigma$  unknown, 342, 399  
   population proportion, 342–343, 399–400  
   population variances with, 470  
   randomized block design, 554  
   random sampling with, 306  
   regression analysis with, 637–638  
   scatter diagrams, 74  
   sign test for a hypothesis test about a population mean, 896–897  
   sign test for a hypothesis test with matched samples, 897  
   Spearman rank correlation, 899  
   stem-and-leaf displays, 73–74  
   stepwise procedure, 760  
   test of independence, 503  
   time series decomposition, 850–851  
   trend projection, 849–850

- using for tabular and graphical presentations, 73–75
  - variable selection procedures, 760–761
  - Wilcoxon signed-rank test with matched samples, 897–899
  - Mode, 89
  - Model assumptions
    - about the error term  $\varepsilon$  in the regression model, 583–584
    - confidence interval for  $\beta_1$ , 587–588
    - $F$  test, 588–590
    - for regression model, 584–585
    - $t$  tests, 586
  - Model reliability, 18
  - Moivre, Abraham de, 238–240
  - Monsanto Company, 713
  - Motorola, Inc., 906
  - Moving averages forecasting method, 797–800, 804n2
  - MSE. *See* Mean square due to error (MSE)
  - MSE. *See* Mean square due to error (MSE); Mean square error (MSE)
  - MSR. *See* Mean square due to regression (MSR); Mean square regression (MSR), 588
  - MSTR. *See* Mean square due to treatments (MSTR)
  - Multicollinearity, 662–663, 663n1
  - Multimodal data, 89
  - Multinomial distribution goodness of fit test, 476–477
  - Multinomial populations, 474
  - Multiple coefficient of determination, 654–655
  - Multiple comparison procedures
    - Fisher's least significant difference (LSD), 524–527
    - Type 1 error rates, 527–528
  - Multiple regression analysis, 644, 692n2
  - Multiple regression equation, 644
  - Multiple regression model, 644, 657
  - Multiple sampling plans, 930
  - Multiplication law, 174–175
  - Multiplicative decomposition models, 830
  - Mutually exclusive events, 168, 175n1
- N**
- Nevada Occupational Health Clinic, 785
  - Nodes, 940
  - Nominal scales, 6
  - Nonlinear trend regression, 814–816
  - Nonparametric methods, 857
    - Kruskal-Wallis test, 882–884
    - Mann-Whitney-Wilcoxon (MWW) test, 871–882
    - sign test, 857–865, 861n1
    - Spearman rank-correlation coefficient, 887–889
    - Wilcoxon signed-rank test, 865–871
  - Nonprobabilistic sampling, 22–4, 299, 300n1
  - Nonsampling errors, 22–5
  - Nonstationary time series, 804n2
  - Normal curve. *See also* Bell curve, 238–240
  - Normal distribution
    - goodness of fit test, 491–495
  - Normal probability density function, 239, 258
  - Normal probability distribution, 238–248
  - Normal probability plots, 610–612, 612n1
  - Normal scores, 610–612
  - Norris Electronics, 15–16, 19
  - $Np$  chart, 910, 919–920, 920n2
  - Null hypothesis, 349–353
- O**
- Observational studies, 12–13, 507
  - testing for the equality of  $k$  population mean, 520–521
  - Observations, 6, 8n1
  - Oceanwide Seafood, 149
  - Odds in favor of an event occurring, 688
  - Odds ratio, 688–691, 692n1
  - Ogives, 44–45
  - Ohio Edison Company, 938
  - One-tailed tests, 371–372, 475
    - population mean  $\sigma$  known, 355–361
    - population mean  $\sigma$  unknown, 371–372
  - Open-end classes, 45n3
  - Operating characteristic (OC) curves, 925
  - Ordinal scales, 6
  - Outliers, 106, 107n2, 614, 678, 681n1
  - Overall sample mean, 511
- P**
- Paasche index, 767
  - Parameters, 268
  - Parametric methods, 856
  - Partitioning, 518
  - Payoff, 940
  - Payoff tables, 940
  - $P$  chart, 910
  - Pearson, Karl, 562
  - Pearson product moment correlation coefficient, 119–120, 889n1
  - Percent frequencies, 131t.4
  - Percent frequency distributions, 34, 41
  - Percentiles, 90–91
  - Permutations, 154–155
  - Pie charts, 34–36
  - Planning values, 326
  - Point estimates, 274, 594
  - Point estimation, 273–275
  - Point estimators, 87, 274
    - consistency, 297
    - of difference between two population means, 409
    - of difference between two population proportions, 430
    - efficiency, 296–297
    - unbiased, 295–296
  - Poisson, Siméon, 218
  - Poisson probability distribution, 218–221
    - exponential distribution and, 255–256
    - goodness of fit test, 487–491
  - Poisson probability function, 218, 488
  - Pooled estimate of  $\sigma^2$ , 512
  - Pooled estimator of  $p$ , 432
  - Pooled sample variance, 419n1
  - Population mean, 22–6–22–7, 22–12–22–14

- approximate 95% confidence interval estimate of, 22–13, 22–25
  - for grouped data, 127
  - inference about difference between: matched samples, 423–426
  - inference about difference between:  $\sigma_1$  and  $\sigma_2$  known, 407–412
  - inference about difference between:  $\sigma_1$  and  $\sigma_2$  unknown, 415
  - point estimator of, 22–12, 22–23–22–24
  - sample size when estimating, 22–17
  - $\sigma$  known, 310–314
  - $\sigma$  unknown, 316–323
  - Population mean  $\sigma$  known
    - interval estimates, 310–314
    - margin of error, 310–314
    - one-tailed tests, 355–361
  - Population mean  $\sigma$  unknown
    - hypothesis testing, 370–376
    - interval estimate, 317–320
    - margin of error, 317–320
    - two tailed testing, 372–373
  - Population parameters, 87
  - Population proportions, 22–8–22–9, 22–15–22–16, 328–331, 331n1
    - approximate 95% confidence interval estimate of, 22–15, 22–26
    - hypothesis testing and, 376–381
    - inferences about difference between, 429–436
    - interval estimate of, 329
    - interval estimation of  $p_1 - p_2$ , 429–431
    - normal approximation of sampling distribution of, 328
    - point estimator of, 22–15, 22–25
    - sample size for an interval estimate of, 330
    - test statistic for hypothesis tests about, 378
  - Populations, 15, 22–2
  - Population standard deviation ( $\sigma$ ), 99, 310
  - Population total, 22–7–22–8, 22–14–22–15
    - approximate 95% confidence interval estimate of, 22–14, 22–25
    - point estimator of, 22–14, 22–24
    - sample size when estimating, 22–18
  - Population variance, 97
    - between-treatments estimate of, 514–515
    - for grouped data, 127
    - hypothesis testing for, 454–457
    - inferences about, 450–459
    - within-treatments estimate of, 515–516
  - Posterior (revised) probabilities, 178, 949
  - Power, 385
  - Power curves, 385
  - Precision Tree add-in to Excel, 969–974
  - Prediction intervals, 594
  - Prediction intervals for individual value of  $y$ , 596–598
  - Price indexes
    - Consumer Price Index (CPI), 771
    - deflating a series by, 773–775
    - Dow Jones averages, 772
    - Producer Price Index (PPI), 771
    - quality changes, 777–778
    - selection of base period, 777
    - selection of items, 777
  - Price relatives, 765, 769–770
  - Prior probabilities, 178, 949
  - Probabilistic sampling, 22–4, 300n1
  - Probabilities, 150
    - classical method of assigning, 155–156, 162n1
    - conditional, 171–175
    - joint, 172
    - marginal, 172
    - posterior, 178
    - prior, 178
    - relative frequency method of assigning, 156
    - subjective method for assigning, 156–155
    - of success, 215n1, 215n2
  - Probability density function, 234, 237n1
  - Probability distributions, 197
  - Probability functions, 197
  - Probability samples, 271n2, 513n1
  - Procter & Gamble, 233
  - Producer Price Index (PPI), 771
  - Producer's risk, 923
  - Production, 3
  - Proportional allocation, 22–19n2
  - $P$ -value approach, 358–360
  - $P$ -values, 358, 367n1
- Q**
- Quadratic trend equation, 814–816
  - Quality assurance, 908
  - Quality control, 905–908
  - Quality engineering, 908
  - Quantitative data, 7, 8n2, 33
    - class limits and, 45n2
    - summarizing, 39–53
  - Quantitative variables, 7
  - Quantity indexes, 778–779
  - Quartiles, 91–92
  - Questionnaires, 22–3
- R**
- Random experiments, 158n1
  - Randomization, 508, 513n1
  - Randomized block design, 530–537, 535n1
  - Random samples, 158n2, 270, 271n1
  - Random variables, 194–196, 196n1
  - Range, 96
  - Ratio scales, 6
  - $R$  charts, 910, 915–917, 920n1
  - Regression analysis, 562, 565n1, 618n1
    - adding or deleting variables, 729–735
    - autocorrelation and the Durbin-Watson test, 750–754
    - computer solutions, 600–601
    - general linear model, 714–725
    - of larger problems, 735–738
    - multiple regression approach to experimental design, 745–749
    - residuals, 793
    - variable selection procedures, 739–745

- Regression equations, 563–565, 565n2
  - Regression models, 562, 743n3
  - Regression sums of squares, 732n1
  - Rejectable quality level (RQL), 930n2
  - Rejection rule for lower tail test
    - critical value approach, 361
  - Rejection rules using  $p$ -value, 360
  - Relative efficiency, 295–296
  - Relative frequency distributions, 34, 41
    - formula for, 65
  - Replication, 509
  - Replications, 538
  - “Researches on the Probability of Criminal and Civil Verdicts” (Poisson), 218
  - Residual analysis, 605–614, 612n2
    - detecting influential observations, 616–618
    - detecting outliers, 614–616, 678
    - influential observations, 679
    - of multiple regression model, 676–681
    - normal probability plots, 610–612
    - residual for observation  $i$ , 605
    - residual plot against  $x$ , 606–607
    - residual plot against  $\hat{y}$ , 607
    - standard deviation of residual  $i$ , 676
    - standardized residuals, 607–610
    - standard residual for observation  $i$ , 676
  - Residual plots, 606, 612n1
    - against  $x$ , 606–607
    - against  $\hat{y}$ , 607
  - Residuals, 793
  - Response variables, 508
  - Reynolds, Inc., 714–717
  - Rounding errors, 100n3
- S**
- Sample correlation coefficients, 119–120, 579–580
  - Sampled populations, 22–3, 267
  - Sample information, 949
    - expected value of (EVSI), 954–956
  - Sample mean, 126, 267, 297n1, 521n1
  - Sample points, 150
  - Samples, 15, 22–2, 271n1
  - Sample selection, 268–271
    - from infinite population, 270–271
    - random samples, 270
    - sampling without replacement, 269
    - sampling with replacement, 270
  - Sample size
    - determining, 325–327
    - estimating population mean, 22–17
    - estimating population total, 22–18
    - for hypothesis test about a population mean, 387–390
    - for interval estimate of population mean, 326
    - outliers and, 320
    - of population proportion, 330
    - sampling distribution of  $\bar{x}$ , 285–286
    - skewness and, 320
    - small samples, 320–322
  - Sample space, 150
  - Sample statistics, 87, 273–274
  - Sample surveys, 15, 22–2–22–3
  - Sample variance, 97, 100n4, 126
  - Sampling distributions, 276–286
    - of  $b_1$ , 586
    - of  $(n-1)s^2/\sigma^2$ , 450
    - of  $p'$ , 289–293
    - of two population variances, 460
    - of  $\bar{x}$ , 278–279, 281–286
  - Sampling units, 22–3
  - Sampling without replacement, 269
  - Sampling with replacement, 270
  - Scales of measurement, 6–7
  - Scatter diagrams, 57–59, 565
  - Seasonal adjustments, 836
  - Seasonal indexes, calculating, 830–834, 837n1
  - Seasonality and trend, 820–829
    - models based on monthly data, 825–826
    - seasonality without trend, 820–823
  - Seasonal patterns, 788–789
  - Second-order model with one predictor variable, 715
  - Serial correlation, 750
  - Shewhart, Walter A., 905
  - Significance testing, 585–594, 590–591
    - using correlation, 636–637
  - Sign tests, 857–861, 861n2
    - hypothesis test about a population median, 857–861
    - hypothesis test with matched sample, 862–863
  - Simple first-order model with one predictor variable, 715
  - Simple linear regression, 562, 565n2
    - $F$  test for significance in, 589
  - Simple random samples, 22–6–22–12, 271–272n2, 271n2, 300n1
    - determining sample size, 22–9–22–11
    - finite populations, 268–270
    - population mean, 22–6–22–7
    - population proportion, 22–8–22–9
    - population total, 22–7–22–8
  - Simple regression, 692n2
  - Simpson’s paradox, 56–57
  - Single-factor experiments, 508
  - Single-sample plans, 930
  - Single-stage cluster sampling, 22–21
  - Six Sigma, 906–908
    - limits and defects per million opportunities (dpmo), 907
  - Skewed distributions, 256n1
  - Skewed populations, 323n2
  - Skewness, 102–103, 256n1, 323n2
  - $\Sigma$  known, 310
  - Small Fry Design, 86
  - Smoothing constants, 800, 801
  - Software packages, 17, 18
  - Spearman rank-correlation coefficient, 887–889, 889n1
  - Spreadsheet packages, 804n1
  - SSE. *See* Sum of squares due to error (SSE)
  - SSR. *See* Sum of squares due to regression (SSR)
  - SST. *See* Total sum of squares
  - SSTR. *See* Sum of squares due to treatments (SSTR), 515



- Standard deviation, 99, 204
    - of the  $i$ th residual, 609
    - of  $p'$ , 290
    - of  $x'$ , 280–281, 304–305
  - Standard error, 281
    - of  $p_1 - p_2$ , 430
    - of  $p_1 - p_2$  when  $p_1 = p_2 = p$ , 432
    - two independent random samples, 409
  - Standard error of the estimate, 585
  - Standard error of the proportion, 290
  - Standardized residual for observation  $i$ , 610
  - Standardized residuals, 607–610
  - Standard normal probability distribution, 240–245, 245–248
  - Standard normal random variable, 245, 258
  - States of nature, 939
  - Stationary assumption, 209
  - Stationary time series, 787, 804n2
  - Statistical analysis, 17
  - Statistical experiments, 158n1
  - Statistical inference, 15–16
  - Statistical models, 18
  - Statistical process control, 908–922
    - assignable causes, 909
    - common causes, 909
    - $np$  chart, 919–920
    - $p$  chart, 917–919
    - $R$  chart, 915–917
    - $\bar{x}$  chart, 909–915
  - Statistical significance vs. practical significance, 591n2
  - Statistical software packages, 100n1, 272n3
  - Statistical studies, 11–13
  - Statistics, 2
  - StatTools
    - analysis of completely randomized design, 556–559
    - box plots, 147
    - control charts, 935–936
    - covariance and correlation, 147
    - descriptive statistics using, 146–147
    - exponential smoothing, 853
    - forecasting with, 852–854
    - getting started with, 28–30
    - histograms, 84
    - Holt's linear exponential smoothing, 853–854
    - hypothesis testing with, 404–405
    - hypothesis tests about  $\mu_1 - \mu_2$ , 446–447
    - inferences about the difference between two populations: matched samples, 447
    - inferences about two populations, 446–447
    - interval estimation of  $\mu_1 - \mu_2$ , 446
    - interval estimation of population mean:
      - $\sigma$  unknown case, 346
    - interval estimation with, 346–347
    - Mann-Whitney-Wilcoxon test, 901–902
    - moving averages, 852–853
    - multiple regression analysis with, 711
    - nonparametric methods with, 901–902
    - population mean:  $\sigma$  unknown case, 404–405
    - random sampling with, 307
    - regression analysis, 640–641
    - sample size, determining, 346–347
    - scatter diagrams, 84
    - single population standard deviation with, 471
    - using for tabular and graphical presentations, 75–84
    - variable selection procedures, 761–762
    - Wilcoxon signed-rank test with matched samples, 901
  - Stem-and-leaf display, 48–51
  - Stepwise regression procedure, 739–740, 743n1
  - Stocks and stock funds, 100n2
  - Stratified random sampling, 297–298, 300n1
  - Stratified simple random sampling, 22–19n1
    - advantages of, 22–19n1
    - population mean, 22–12–22–14
    - population proportion, 22–15–22–16
    - population total, 22–14–22–15
  - Studentized deleted residuals, 678–679
  - Sum of squares due to error (SSE), 515–516, 576
  - Sum of squares due to regression (SSR), 557
  - Sum of squares due to treatments (SSTR), 515
  - Sum of the squares of the deviations, 566
  - $\Sigma$  unknown, 316
  - Survey errors, 22–5–22–6
  - Surveys and sampling methods, 22–3–22–4
  - Systematic sampling, 22–29, 298–299, 300n1
- T**
- $T$ , 586, 658–661
  - Taguchi, Genichi, 905
  - Target populations, 22–3, 275
  - $T$  distribution, 316, 317
  - Test for significance, 585–594, 591n1, 591n3, 636–637, 658–663, 687
  - Test for the equality of  $k$  population means, 517, 520–521
  - Test of independence, 479–483
  - Test statistics, 357–358
    - for chi-square test, 483n1
    - for the equality of a  $k$  population means, 516
    - for goodness of fit, 475
    - for hypothesis tests about a population variance, 454
    - hypothesis tests about  $\mu_1 - \mu_2$ :  $\sigma_1$  and  $\sigma_2$  known, 411
    - for hypothesis tests about population mean:
      - $\sigma$  known, 358
    - for hypothesis tests about  $p_1 - p_2$ , 432
    - for hypothesis tests about two population variances, 461
    - for hypothesis tests involving matched samples, 425
    - hypothesis tests  $\mu_1 - \mu_2$ :  $\sigma_1$  and  $\sigma_2$  unknown, 417–419
  - Thearling, Kurt, 17
  - Time intervals
    - Poisson probability distribution and, 218–220
  - Time series, 786–792
  - Time series data, 7
    - deflating by price indexes, 773–775
    - graphs of, 9f1.2
  - Time series decomposition, 829–839
    - additive decomposition model, 829–830

calculating seasonal indexes, 830–834  
 cyclical components, 837  
 deseasonalized time series, 834  
 models based on monthly data, 837  
 multiplicative model, 830  
 seasonal adjustments, 836  
 Time series patterns, 786–792  
   cyclical, 789–791  
   horizontal pattern, 786–788  
   seasonal patterns, 788–789  
   selecting forecasting methods, 791–792  
   trend and seasonal pattern, 788  
   trend pattern, 788  
 Time series plots, 786–792  
 Time series regression, 786  
 Total quality (TQ), 904  
 Total sum of squares (SST), 577  
 Treatments, 508  
 Tree diagrams, 152  
 Trend and seasonal patterns, 789  
 Trendlines, 57–59  
 Trend patterns, 788  
 Trend projection  
   Holt's linear exponential smoothing, 812–814  
   linear trend regression, 807–812  
   nonlinear trend regression, 814–817  
 Trimmed mean, 92n1  
*T* tests, 586  
   for individual significance in multiple regression models, 661–662  
   for significance in simple linear regression, 587  
 Tukey's procedure, 528  
 Two population variances  
   inferences about, 460–465  
   one-tailed hypothesis test about, 461  
   sampling distribution of, 460  
 Two-stage sampling plans, 930  
 Two-tailed tests, 362–367  
   computation of *p*-value, 364  
   critical value approach, 364  
   population mean  $\sigma$  known, 362–365  
   population mean  $\sigma$  unknown, 372–373  
   *p*-value approach, 363  
 Type I errors, 353–355, 355n1  
   comparisonwise Type I error rate, 527  
   experimentwise Type I error rate, 527  
 Type II errors, 353–355, 355n1  
   probability of, 382–385

## U

Unbiased estimators, 295–296  
 Uniform probability density function, 234, 258  
 Uniform probability distribution, 234–237  
 Union of two events, 165  
 United Way, 473

Upper control limits (UCL), 910  
 Upper tail tests, 356, 361, 461  
 U.S. Commerce Department  
   National Institute of Standards and Technology (NIST), 906  
 U.S. Department of Labor  
   Bureau of Labor Statistics, 764  
 U.S. Food and Drug Administration, 407  
 U.S. Government Accountability Office, 449

## V

Variability, measures of, 95–102  
 Variables, 5–6  
   adding or deleting, 729–735  
   random, 194–196  
   use of *p*-values, 732  
 Variable selection procedures  
   Alpha to enter, 739–740  
   backward elimination, 741  
   best-subsets regression, 741–742  
   forward selection, 740–741  
   stepwise regression, 739–740  
 Variables sampling plans, 930n3  
 Variance, 97–99, 203–204  
   binomial distribution and, 214–215  
   Poisson probability distribution and, 219  
 Venn diagrams, 164

## W

Weighted aggregate price indexes, 766  
 Weighted means, 124–125  
 Weighted moving averages forecasting method, 800  
 Western Electric Company, 905  
 West Shell Realtors, 856  
 Wilcoxon signed-rank test, 865–871, 868n1, 868n2  
 Williams, Walter, 355, 355n1  
 Within-treatments estimate of population variance, 515–516  
 Within-treatments estimate of  $\sigma^2$ , 512

## X

*X* chart  $\bar{x}$ , 909, 920n1  
   process mean and standard deviation known, 910–912  
   process mean and standard deviation unknown, 912–915

## Z

Z-scores, 103–104, 106  
 Z test, 692n1

# Statistics for Business and Economics 11eWEBfiles

## Chapter 1

Morningstar	Table 1.1
Norris	Table 1.5
Shadow02	Exercise 25

## Chapter 2

ApTest	Table 2.8
Audit	Table 2.4
BestTV	Exercise 4
Broker	Exercise 26
CityTemp	Exercise 46
Computer	Exercise 21
Crosstab	Exercise 29
DYield	Exercise 41
DJIAPrices	Exercise 17
FedBank	Exercise 10
Fortune	Exercise 51
Frequency	Exercise 11
FuelData08	Exercise 37
GMSales	Exercise 40
Holiday	Exercise 18
LivingArea	Exercise 9
Major	Exercise 39
Marathon	Exercise 28
Movies	Case Problem 2
MutualFunds	Exercise 34
Names	Exercise 5
Networks	Exercise 6
NewSAT	Exercise 42
OffCourse	Exercise 20
PelicanStores	Case Problem 1
Population	Exercise 44
Restaurant	Table 2.9
Scatter	Exercise 30
SoftDrink	Table 2.1
Stereo	Table 2.12
SuperBowl	Exercise 43

## Chapter 3

3Points	Exercise 6
Ages	Exercise 59
Asian	Case Problem 3
BackToSchool	Exercise 22
CellService	Exercise 42
Disney	Exercise 12
Economy	Exercise 10
FairValue	Exercise 67
Homes	Exercise 64
Hotels	Exercise 5
Housing	Exercise 49
MajorSalary	Figure 3.7
MLBSalaries	Exercise 43
Movies	Case Problem 2
Mutual	Exercise 44
NCAA	Exercise 34
PelicanStores	Case Problem 1
Penalty	Exercise 62
PropertyLevel	Exercise 65
Runners	Exercise 40
Shoppers	Case Problem 4
Speakers	Exercise 35
SpringTraining	Exercise 68
StartSalary	Table 3.1
Stereo	Table 3.6
StockMarket	Exercise 50
TaxCost	Exercise 8
Travel	Exercise 66
Visa	Exercise 58
WorldTemp	Exercise 51

## Chapter 4

Judge	Case Problem
-------	--------------

## Chapter 6

Volume	Exercise 24
--------	-------------

## Chapter 7

EAI	Section 7.1
MetAreas	Appendix 7.2, 7.3 & 7.4
MutualFund	Exercise 14

## Chapter 8

ActTemps	Exercise 49
Alcohol	Exercise 21
Auto	Case Problem 3
Flights	Exercise 48
GulfProp	Case Problem 2
Interval p	Appendix 8.2
JobSatisfaction	Exercise 37
JobSearch	Exercise 18
Lloyd's	Section 8.1
Miami	Exercise 17
NewBalance	Table 8.3
Nielsen	Exercise 6
NYSEStocks	Exercise 47
Professional	Case Problem 1
Program	Exercise 20
Scheer	Table 8.4
TaxReturn	Exercise 9
TeeTimes	Section 8.4
TicketSales	Exercise 22

## Chapter 9

AgeGroup	Exercise 39
AirRating	Section 9.4
Bayview	Case Problem 2
Coffee	Section 9.3
Diamonds	Exercise 29
Drowsy	Exercise 44
Eagle	Exercise 43
FirstBirth	Exercise 64
Fowle	Exercise 21
Gasoline	Exercise 67
GolfTest	Section 9.3
Hyp Sigma Known	Appendix 9.2
Hyp Sigma Unknown	Appendix 9.2
Hypothesis p	Appendix 9.2
Orders	Section 9.4
Quality	Case Problem 1
UsedCars	Exercise 32
WomenGolf	Section 9.5

## Chapter 10

AirFare	Exercise 24
Cargo	Exercise 13
CheckAcct	Section 10.2
JetSki	Exercise 22
Earnings2005	Exercise 22
ExamScores	Section 10.1
Golf	Case Problem
GolfScores	Exercise 26
HomePrices	Exercise 39
Hotel	Exercise 6
Matched	Table 10.2
Mutual	Exercise 40
Occupancy	Exercise 46
PriceChange	Exercise 42
SAT	Exercise 18
SATVerbal	Exercise 16
SoftwareTest	Table 10.1
TaxPrep	Section 10.4
TVRadio	Exercise 25

## Chapter 11

Bags	Exercise 19
BusTimes	Section 11.1
PriceChange	Exercise 8
Return	Exercise 6
SchoolBus	Section 11.2
Training	Case Problem
Travel	Exercise 25
Yields	Exercise 11

## Chapter 12

Chemline	Table 12.10
FitTest	Appendix 12.2
Independence	Appendix 12.2
NYReform	Case Problem

## Chapter 13

AirTraffic	Table 13.5
Assembly	Exercise 38
AudJudg	Exercise 10
Browsing	Exercise 39
Chemitech	Table 13.1
Exer6	Exercise 6
Funds	Exercise 36
GMATStudy	Table 13.10
GrandStrand	Exercise 12
HybridTest	Exercise 32
MarketBasket	Exercise 41
Medical1	Case Problem 1
Medical2	Case Problem 1
NCP	Table 13.4
Paint	Exercise 11
RentalVacancy	Exercise 37
SalesSalary	Case Problem 2
SatisJob	Exercise 35
SATScores	Exercise 26
SnowShoveling	Exercise 27
Triple-A	Exercise 20
Vitamins	Exercise 25

## Chapter 14

Absent	Exercise 63
AgeCost	Exercise 64
Alumni	Case Problem 3
Armand's	Table 14.1
Beer	Exercise 52
Beta	Case Problem 1
Boots	Exercise 27
Ellipticals	Exercises 5, 22, & 30
ExecSalary	Exercise 10
HomePrices	Exercise 49
HondaAccord	Exercise 6
HoursPts	Exercise 65
Hydration1	Exercise 43
Hydration2	Exercise 53
IPO	Exercise 58
IRSAudit	Exercise 67
Jensen	Exercise 61
JetSki	Exercise 12
JobSat	Exercise 68
Laptop	Exercise 14
MktBeta	Exercise 66
NFLValues	Exercise 54
OnlineEdu	Exercise 60
PGATour	Case Problem 4
PlasmaTV	Exercise 20
RaceHelmets	Exercise 44
Safety	Case Problem 2
Sales	Exercises 7 & 19
SleepingBags	Exercises 8, 28, & 36
SportyCars	Exercise 11
Stocks500	Exercise 59
Suitcases	Exercise 9

## Chapter 15

Alumni	Case Problem 2
Auto2	Exercise 42
Bank	Exercise 46
Basketball	Exercise 24
Boats	Exercises 9, 17, & 30
Brokers	Exercise 25

Butler	Tables 15.1 & 15.2
Chocolate	Exercise 48
Consumer	Case Problem 1
Exer2	Exercise 2
FuelData	Exercise 57
Johnson	Table 15.6
Lakeland	Exercise 47
Laptop	Exercise 7
LPGA	Exercise 43
MLB	Exercises 6 & 16
MutualFunds	Exercise 56
NBA	Exercises 10, 18, & 26
NFLStats	Case Problem 4
PGATour	Case Problem 3
Repair	Exercise 35
RestaurantRatings	Exercise 37
Sedans	Exercise 8
Showtime	Exercises 5, 15, & 41
Simmons	Table 15.11 & Exercise 44
SportsCar	Exercise 31
Stroke	Exercise 38
TireRack	Exercise 54
Treadmills	Exercise 55

## Chapter 16

Audit	Exercise 31
Bikes	Exercise 30
Browsing	Exercise 34
Cars	Case Problem 2
Chemitech	Table 16.10
ClassicCars	Exercise 8
ColorPrinter	Exercise 29
Cravens	Table 16.5
IBM	Exercise 27
Layoffs	Exercise 16
LightRail	Exercise 7
LPGAATour	Exercises 12 & 13
LPGAATour2	Exercise 17
MetroAreas	Exercise 9
MLBPitching	Exercise 15
MPG	Table 16.4
PGATour	Case Problem 1
Resale	Exercise 35
Reynolds	Table 16.1
Stroke	Exercises 14 & 19
Tyler	Table 16.2
Yankees	Exercise 18

## Chapter 18

AptExp	Exercises 34 & 38
Bicycle	Tables 18.3 & 18.12
CarlsonSales	Case Problem 2
CDSales	Exercise 45
Cholesterol	Tables 18.4 & 18.16
CountySales	Case Problem 2
ExchangeRate	Exercise 24
Gasoline	Table 18.1 & Exercises 7, 8, & 9
GasolineRevised	Table 18.2
HudsonMarine	Exercise 53
Masters	Exercise 16
NFLValue	Exercise 27
Pasta	Exercise 26
PianoSales	Exercise 49
Pollution	Exercises 31 & 39

Power Exercises 33 & 40  
SouthShore Exercise 32  
TextSales Exercise 37  
TVSales Tables 18.6 & 18.19  
Umbrella Tables 18.5 & 18.17  
Vintage Case Problem 1

### Chapter 19

AcctPlanners Exercise 19  
Additive Exercise 12  
ChicagoIncome Exercise 6  
CruiseShips Exercise 29  
Evaluations Exercise 45

Exams Exercise 46  
GolfScores Exercise 16  
HomeSales Section 19.1  
Hurricanes Exercise 21  
JapanUS Exercise 22  
MatchedSample Appendix 19.1  
& 19.3

Methods Exercise 43  
Microware Exercise 24  
NielsenResearch Exercise 47  
OnTime Exercise 14  
Overnight Exercise 15  
PoliceRecords Exercise 23  
PotentialActual Table 19.16

ProductWeights Exercise 42  
Professors Exercise 37  
ProGolfers Exercise 36  
Programs Exercise 44  
Refrigerators Exercise 40  
Relaxant Exercise 13  
Student Exercise 34  
SunCoast Appendix 19.1  
Techs Exercise 35  
TestPrepare Exercise 27  
ThirdNational Appendix 19.1  
& 19.3  
Williams Appendix 19.1  
WritingScore Exercise 17

### Chapter 20

Coffee Exercise 20  
Jensen Table 20.2  
Tires Exercise 7

### Chapter 21

PDC Tree Appendix 21.1

### Appendix F

p-Value Appendix F