Bibliography

[1] J. D. Achter and R. Tamassia, "Selected topics in algorithms." Manuscript, 1993.

[2] G. M. Adel'son-Vel'skii and Y. M. Landis, "An algorithm for the organization of information," *Doklady Akademii Nauk SSSR*, vol. 146, pp. 263–266, 1962. English translation in *Soviet Math. Dokl.*, **3**, 1259–1262.

[3] P. K. Agarwal, "Geometric partitioning and its applications," in *Computational Geometry: Papers from the DIMACS Special Year* (J. E. Goodman, R. Pollack, and W. Steiger, eds.), American Mathematical Society, 1991.

[4] P. K. Agarwal, "Range searching," in *Handbook of Discrete and Computational Geometry* (J. E. Goodman and J. O'Rourke, eds.), ch. 31, pp. 575–598, Boca Raton, FL: CRC Press LLC, 1997.

[5] P. K. Agarwal, L. Arge, and K. Yi, "I/O-efficient batched union-find and its applications to terrain analysis," *ACM Trans. Algorithms*, vol. 7, no. 1, pp. 11:1–11:21, 2010.

[6] A. Aggarwal and J. S. Vitter, "The input/output complexity of sorting and related problems," *Comm. ACM*, vol. 31, pp. 1116–1127, 1988.

[7] A. V. Aho, "Algorithms for finding patterns in strings," in *Handbook of Theoretical Computer Science* (J. van Leeuwen, ed.), vol. A. Algorithms and Complexity, pp. 255–300, Amsterdam: Elsevier, 1990.

[8] A. V. Aho, J. E. Hopcroft, and J. D. Ullman, *The Design and Analysis of Computer Algorithms*. Reading, MA: Addison-Wesley, 1974.

[9] A. V. Aho, J. E. Hopcroft, and J. D. Ullman, *Data Structures and Algorithms*. Reading, MA: Addison-Wesley, 1983.

[10] R. K. Ahuja, T. L. Magnanti, and J. B. Orlin, *Network Flows: Theory, Algorithms, and Applications*. Englewood Cliffs, NJ: Prentice Hall, 1993.

[11] S. Alstrup, I. Li Gortz, T. Rauhe, M. Thorup, and U. Zwick, "Union-find with constant time deletions," in *Automata, Languages and Programming* (L. Caires, G. Italiano, L. Monteiro, C. Palamidessi, and M. Yung, eds.), vol. 3580 of *Lecture Notes in Computer Science*, pp. 105–105, Springer, 2005.

[12] L. Arge and J. S. Vitter, "Optimal external memory interval management," *SIAM Journal on Computing*, vol. 32, no. 6, pp. 1488–1508, 2003.

[13] B. Arkin, F. Hill, S. Marks, M. Schmid, T. J. Walls, and G. McGraw, "How we learned to cheat at online poker: A study in software security," *Developer.com: Tech Focus*, September 1999.

[14] K. Arnold and J. Gosling, *The Java Programming Language*. The Java Series, Reading, MA: Addison-Wesley, 1996.

[15] S. Arya and D. M. Mount, "Approximate range searching," *Comput. Geom. Theory Appl.*, vol. 17, pp. 135–152, 2000.

[16] S. Arya, D. M. Mount, N. S. Netanyahu, R. Silverman, and A. Wu, "An optimal algorithm for approximate nearest neighbor searching in fixed dimensions," *J. ACM*, vol. 45, pp. 891–923, 1998.

[17] F. Aurenhammer, "Voronoi diagrams: A survey of a fundamental geometric data structure," *ACM Comput. Surv.*, vol. 23, pp. 345–405, Sept. 1991.

[18] S. Baase, *Computer Algorithms: Introduction to Design and Analysis*. Reading, MA: Addison-Wesley, 2nd ed., 1988.

[19] E. Bach and J. Shallit, *Algorithmic Number Theory, Volume I: Efficient Algorithms*. MIT Press, 1996.

[20] R. Baeza-Yates and B. Ribeiro-Neto, *Modern Information Retrieval*. Reading, MA: Addison-Wesley, 1999.

[21] O. Baruvka, "O jistem problemu minimalnim," *Praca Moravske Prirodovedecke Spolecnosti*, vol. 3, pp. 37–58, 1926. (In Czech).

[22] R. Bayer, "Symmetric binary B-trees: Data structure and maintenance," *Acta Informatica*, vol. 1, no. 4, pp. 290–306, 1972.

[23] R. Bayer and McCreight, "Organization of large ordered indexes," *Acta Inform.*, vol. 1, pp. 173–189, 1972.

[24] R. Bellman, "On a routing problem," *Quarterly of Applied Mathematics*, vol. 16, no. 1, pp. 87–90, 1958.

[25] R. E. Bellman, *Dynamic Programming*. Princeton, NJ: Princeton University Press, 1957.

[26] J. Bentley, "Programming pearls: Algorithm design techniques," *Commun. ACM*, vol. 27, pp. 865–873, September 1984.

[27] J. L. Bentley, "Multidimensional divide-and-conquer," *Comm. ACM*, vol. 23, no. 4, pp. 214–229, 1980.

[28] J. L. Bentley, "Programming pearls: Writing correct programs," *Comm. ACM*, vol. 26, pp. 1040–1045, 1983.

[29] J. L. Bentley, "Programming pearls: Thanks, heaps," *Comm. ACM*, vol. 28, pp. 245–250, 1985.

[30] J. L. Bentley, D. Haken, and J. B. Saxe, "A general method for solving divide-and-conquer recurrences," *SIGACT News*, vol. 12, no. 3, pp. 36–44, 1980.

[31] J. L. Bentley and T. A. Ottmann, "Algorithms for reporting and counting geometric intersections," *IEEE Trans. Comput.*, vol. C-28, pp. 643–647, Sept. 1979.

[32] M. d. Berg, O. Cheong, M. v. Kreveld, and M. Overmars, *Computational Geometry: Algorithms and Applications*. Springer-Verlag TELOS, 3rd ed., 2008.

[33] G. Booch, *Object-Oriented Analysis and Design with Applications*. Redwood City, CA: Benjamin/Cummings, 1994.

[34] A. Borodin and R. El-Yaniv, *Online Computation and Competitive Analysis*. New York: Cambridge University Press, 1998.

[35] R. S. Boyer and J. S. Moore, "A fast string searching algorithm," *Comm. ACM*, vol. 20, no. 10, pp. 762–772, 1977.

[36] G. Brassard, "Crusade for a better notation," *SIGACT News*, vol. 17, no. 1, pp. 60–64, 1985.

[37] G. Brassard and P. Bratley, *Fundamentals of Algorithmics*. Englewood Cliffs, NJ: Prentice Hall, 1996.

[38] D. Bressoud and S. Wagon, *A Course in Computational Number Theory*. Key College Publishing, 2000.

[39] E. O. Brigham, *The Fast Fourier Transform*. Englewood Cliffs, NJ: Prentice-Hall, 1974.

[40] T. Budd, *An Introduction to Object-Oriented Programming*. Reading, MA: Addison-Wesley, 1991.

[41] S. Carlsson, "Average case results on heapsort," *BIT*, vol. 27, pp. 2–17, 1987.

[42] J. L. Carter and M. N. Wegman, "Universal classes of hash functions," *Journal of Computer and System Sciences*, vol. 18, pp. 143–54, 1979.

[43] N. Christofides, "Worst-case analysis of a new heuristic for the traveling salesman problem," in *Sympos. on New Directions and Recent Results in Algorithms and Complexity* (J. F. Traub, ed.), (New York, NY), p. 441, Academic Press, 1976.

[44] V. Chvátal, "A greedy heuristic for the set-covering problem," *Math. Oper. Res.*, vol. 4, pp. 233–235, 1979.

[45] K. L. Clarkson, "Linear programming in $O(n3^{d^2})$ time," *Inform. Process. Lett.*, vol. 22, pp. 21–24, 1986.

[46] R. Cole, "Tight bounds on the complexity of the Boyer-Moore pattern matching algorithm," *SIAM Journal on Computing*, vol. 23, no. 5, pp. 1075–1091, 1994.

[47] D. Comer, "The ubiquitous B-tree," *ACM Comput. Surv.*, vol. 11, pp. 121–137, 1979.

[48] S. Cook, "The complexity of theorem proving procedures," in *30th ACM Symp. on Theory of Computing*, pp. 151–158, 1971.

[49] J. W. Cooley and J. W. Tukey, "An algorithm for the machine calculation of complex Fourier series," *Mathematics of Computation*, vol. 19, no. 90, pp. 297–301, 1965.

[50] T. H. Cormen, C. E. Leiserson, and R. L. Rivest, *Introduction to Algorithms*. Cambridge, MA: MIT Press, 1990.

[51] T. H. Cormen, C. E. Leiserson, R. L. Rivest, and C. Stein, *Introduction to Algorithms*. Cambridge, MA: MIT Press, 2nd ed., 2001.

[52] M. Crochemore and T. Lecroq, "Pattern matching and text compression algorithms," in *The Computer Science and Engineering Handbook* (A. B. Tucker, Jr., ed.), ch. 8, pp. 162–202, CRC Press, 1997.

[53] J. Culberson and J. Munro, "Analysis of the standard deletion algorithms in exact fit domain binary search trees," *Algorithmica*, vol. 5, pp. 295–311, 1990.

[54] G. B. Dantzig, *Linear Programming and Extensions*. Princeton, NJ: Princeton University Press, 1963.

[55] G. Di Battista, P. Eades, R. Tamassia, and I. G. Tollis, *Graph Drawing: Algorithms for Geometric Representations of Graphs*. Englewood Cliffs, NJ: Prentice Hall, 1998.

[56] E. W. Dijkstra, "A note on two problems in connexion with graphs," *Numerische Mathematik*, vol. 1, pp. 269–271, 1959.

[57] M. B. Dillencourt, H. Samet, and M. Tamminen, "A general approach to connected–component labeling for arbitrary image representations," *J. ACM*, vol. 39, pp. 253–280, Apr. 1992.

[58] J. R. Driscoll, H. N. Gabow, R. Shrairaman, and R. E. Tarjan, "Relaxed heaps: An alternative to Fibonacci heaps with applications to parallel computation.," *Comm. ACM*, vol. 31, pp. 1343–1354, 1988.

[59] R. Durstenfeld, "Algorithm 235: Random permutation," *Commun. ACM*, vol. 7, p. 420, July 1964.

[60] D. Easley and J. Kleinberg, *Networks, Crowds, and Markets: Reasoning about a Highly Connected World*. Cambridge University Press, 2010.

[61] H. Edelsbrunner, "A note on dynamic range searching," *Bull. EATCS*, vol. 15, pp. 34–40, 1981.

[62] H. Edelsbrunner, *Algorithms in Combinatorial Geometry*, vol. 10 of *EATCS Monographs on Theoretical Computer Science*. Heidelberg, West Germany: Springer-Verlag, 1987.

[63] J. Edmonds, "Matroids and the greedy algorithm," *Mathematical Programming*, vol. 1, pp. 126–136, 1971.

[64] J. Edmonds and R. M. Karp, "Theoretical improvements in the algorithmic efficiency for network flow problems," *Journal of the ACM*, vol. 19, pp. 248–264, 1972.

[65] D. F. Elliott and K. R. Rao, *Fast Transform Algorithms, Analyses, and Applications*. New York: Academic Press, 1982.

[66] I. Z. Emiris and V. Y. Pan, "Applications of FFT," in *Algorithms and Theory of Computation Handbook* (M. J. Atallah, ed.), ch. 17, pp. 17–1–17–30, CRC Press, 1999.

[67] D. Eppstein, "Linear probing made easy." http://11011110.livejournal.com/232567.html.

[68] S. Even, *Graph algorithms*. Cambridge University Press, 2nd ed., 2012.

[69] R. Fagin, J. Nievergelt, N. Pippenger, and H. R. Strong, "Extendible hashing—a fast access method for dynamic files," *ACM Trans. Database Syst.*, vol. 4, pp. 315–344, Sept. 1979.

[70] M. J. Fischer and M. S. Paterson, "String-matching and other products," tech. rep., Cambridge, MA, 1974.

[71] R. Fisher, F. Yates, *et al.*, *Statistical tables for biological, agricultural and medical research*. Oliver and Boyd, Edinburgh, 3rd ed., 1949.

[72] R. W. Floyd, "Algorithm 97: Shortest path," *Comm. ACM*, vol. 5, no. 6, p. 345, 1962.

[73] R. W. Floyd, "Algorithm 245: Treesort 3," *Comm. ACM*, vol. 7, no. 12, p. 701, 1964.

[74] L. R. Ford, Jr. and D. R. Fulkerson, *Flows in Networks*. Princeton, NJ: Princeton University Press, 1962.

[75] G. N. Frederickson, "Scheduling unit-time tasks with integer release times and deadlines," *Information Processing Letters*, vol. 16, no. 4, pp. 171–173, 1983.

[76] M. L. Fredman and R. E. Tarjan, "Fibonacci heaps and their uses in improved network optimization algorithms," *J. ACM*, vol. 34, pp. 596–615, 1987.

[77] H. Gabow and R. Tarjan, "A linear time algorithm for a special case of disjoint set union," *J. Comput. Syst. Sci.*, vol. 30, pp. 209–221, 1985.

[78] D. Gale and L. Shapley, "College admissions and the stability of marriage," *The American Mathematical Monthly*, vol. 69, no. 1, pp. 9–15, 1962.

[79] T. E. Gamal, "A public key cryptosystem and a signature scheme based on discrete logarithms," *IEEE Transactions on Information Theory*, vol. IT–31, no. 4, pp. 469–472, 1985.

[80] M. R. Garey and D. S. Johnson, *Computers and Intractability: A Guide to the Theory of NP-Completeness*. New York, NY: W. H. Freeman, 1979.

[81] A. M. Gibbons, *Algorithmic Graph Theory*. Cambridge, UK: Cambridge University Press, 1985.

[82] S. S. Godbole, "On efficient computation of matrix chain products," *IEEE Transactions on Computers*, vol. C-22, no. 9, pp. 864–866, 1973.

[83] A. Goldberg and D. Robson, *Smalltalk-80: The Language*. Reading, MA: Addison-Wesley, 1989.

[84] S. Golomb and L. Baumert, "Backtrack programming," *Journal of the ACM*, vol. 12, pp. 516–524, 1965.

[85] G. H. Gonnet and R. Baeza-Yates, *Handbook of Algorithms and Data Structures in Pascal and C*. Reading, MA: Addison-Wesley, 1991.

[86] G. H. Gonnet and J. I. Munro, "Heaps on heaps," *SIAM Journal on Computing*, vol. 15, no. 4, pp. 964–971, 1986.

[87] J. E. Goodman and J. O'Rourke, eds., *Handbook of Discrete and Computational Geometry*. CRC Press LLC, 1997.

[88] M. T. Goodrich, "Parallel algorithms in geometry," in *Handbook of Discrete and Computational Geometry* (J. E. Goodman and J. O'Rourke, eds.), ch. 36, pp. 669–682, Boca Raton, FL: CRC Press LLC, 1997.

[89] M. T. Goodrich, M. Handy, B. Hudson, and R. Tamassia, "Accessing the internal organization of data structures in the JDSL library," in *Proc. Workshop on Algorithm Engineering and Experimentation* (M. T. Goodrich and C. C. McGeoch, eds.), vol. 1619 of *Lecture Notes Comput. Sci.*, pp. 124–139, Springer-Verlag, 1999.

[90] M. T. Goodrich, J.-J. Tsay, D. E. Vengroff, and J. S. Vitter, "External-memory computational geometry," in *Proc. 34th Annu. IEEE Sympos. Found. Comput. Sci.*, pp. 714–723, 1993.

[91] R. L. Graham, "An efficient algorithm for determining the convex hull of a finite planar set," *Inform. Process. Lett.*, vol. 1, pp. 132–133, 1972.

[92] R. L. Graham and P. Hell, "On the history of the minimum spanning tree problem," *Annals of the History of Computing*, vol. 7, no. 1, pp. 43–57, 1985.

[93] R. L. Graham, D. E. Knuth, and O. Patashnik, *Concrete Mathematics*. Reading, MA: Addison-Wesley, 1989.

[94] L. J. Guibas and R. Sedgewick, "A dichromatic framework for balanced trees," in *IEEE Symp. Foundations of Computer Science (FOCS)*, pp. 8–21, 1978.

[95] Y. Gurevich, "What does $O(n)$ mean?," *SIGACT News*, vol. 17, no. 4, pp. 61–63, 1986.

[96] B. Haeupler, S. Sen, and R. Tarjan, "Rank-balanced trees," in *Algorithms and Data Structures* (F. Dehne, M. Gavrilova, J. Sack, and C. Toth, eds.), vol. 5664 of *LNCS*, pp. 351–362, Springer, 2009.

[97] N. J. Higham, "The accuracy of floating point summation," *SIAM Journal on Scientific Computing*, vol. 14, no. 4, pp. 783–799, 1993.

[98] K. Hinrichs, J. Nievergelt, and P. Schorn, "Plane-sweep solves the closest pair problem elegantly," *Inform. Process. Lett.*, vol. 26, pp. 255–261, 1988.

[99] D. S. Hirchsberg, "A linear space algorithm for computing maximal common subsequences," *Comm. ACM*, vol. 18, no. 6, pp. 341–343, 1975.

[100] C. A. R. Hoare, "Quicksort," *The Computer Journal*, vol. 5, pp. 10–15, 1962.

[101] D. Hochbaum (ed.), *Approximation Algorithms for NP-Hard Problems*. Boston: PWS Publishers, 1996.

[102] J. E. Hopcroft and R. E. Tarjan, "Efficient algorithms for graph manipulation," *Comm. ACM*, vol. 16, no. 6, pp. 372–378, 1973.

[103] J. E. Hopcroft and J. D. Ullman, "Set merging algorithms," *SIAM Journal on Computing*, vol. 2, no. 4, pp. 294–303, 1979.

[104] T. C. Hu, *Combinatorial Algorithms*. Reading, MA: Addison-Wesley, 1981.

[105] T. C. Hu and M. T. Shing, "Computations of matrix chain products, part i," *SIAM Journal on Computing*, vol. 11, no. 2, pp. 362–373, 1982.

[106] T. C. Hu and M. T. Shing, "Computations of matrix chain products, part ii," *SIAM Journal on Computing*, vol. 13, no. 2, pp. 228–251, 1984.

[107] B. Huang and M. Langston, "Practical in-place merging," *Comm. ACM*, vol. 31, no. 3, pp. 348–352, 1988.

[108] D. A. Huffman, "A method for the construction of minimum-redundancy codes," *Proceedings of the IRE*, vol. 40, no. 9, pp. 1098–1101, 1952.

[109] O. H. Ibarra and C. E. Kim, "Fast approximation algorithms for the knapsack and sum of subset problems," *Journal of the ACM*, vol. 9, pp. 463–468, 1975.

[110] J. JáJá, *An Introduction to Parallel Algorithms*. Reading, MA: Addison-Wesley, 1992.

[111] V. Jarnik, "O jistem problemu minimalnim," *Praca Moravske Prirodovedecke Spolecnosti*, vol. 6, pp. 57–63, 1930. (in Czech).

[112] D. S. Johnson, "Approximation algorithms for combinatorial problems," *J. Comput. Syst. Sci.*, vol. 9, pp. 256–278, 1974.

[113] M. Johnston, "Spike: AI scheduling for NASA's Hubble Space Telescope," in *6th Conf. on Artificial Intelligence Applications*, pp. 184–190, may 1990.

[114] R. E. Jones, *Garbage Collection: Algorithms for Automatic Dynamic Memory Management*. John Wiley and Sons, 1996.

[115] M.-Y. Kao and J. Wang, "Efficient minimization of numerical summation errors," in *Automata, Languages and Programming* (K. Larsen, S. Skyum, and G. Winskel, eds.), vol. 1443 of *Lecture Notes in Computer Science*, pp. 375–386, Springer, 1998.

[116] H. Kaplan, N. Shafrir, and R. E. Tarjan, "Union-find with deletions," in *19th ACM-SIAM Symposium on Discrete Algorithms (SODA)*, pp. 19–28, 2002.

[117] A. Karatsuba and Y. Ofman, "Multiplication of multidigit numbers on automata," *Doklady Akademii Nauk SSSR*, vol. 145, pp. 293–294, 1962. (In Russian).

[118] D. R. Karger, "Global min-cuts in RNC, and other ramifications of a simple min-cut algorithm," in *Proc. ACM-SIAM Symp. on Discrete Algorithms (SODA)*, pp. 21–30, 1993.

[119] D. R. Karger, P. Klein, and R. E. Tarjan, "A randomized linear-time algorithm to find minimum spanning trees," *Journal of the ACM*, vol. 42, pp. 321–328, 1995.

[120] D. R. Karger and C. Stein, "A new approach to the minimum cut problem," *J. ACM*, vol. 43, no. 4, pp. 601–640, 1996.

[121] N. Karmarkar, "A new polynomial-time algorithm for linear programming," *Combinatorica*, vol. 4, pp. 373–395, 1984.

[122] R. Karp, "Reducibility among combinatorical problems of computer computations," in *Complexity of Computer Computations* (E. Miller and J. W. Thatcher, eds.), pp. 88–104, New York: Plenum Press, 1972.

[123] R. M. Karp and M. O. Rabin, "Efficient randomized pattern-matching algorithms," *IBM Journal of Research and Development*, vol. 31, pp. 249–260, March 1987.

[124] R. M. Karp and V. Ramachandran, "Parallel algorithms for shared memory machines," in *Handbook of Theoretical Computer Science* (J. van Leeuwen, ed.), pp. 869–941, Amsterdam: Elsevier/The MIT Press, 1990.

[125] L. G. Khachiyan, "Polynomial algorithm in linear programming," *U.S.S.R. Comput. Math. and Math. Phys.*, vol. 20, pp. 53–72, 1980.

[126] P. Kirschenhofer and H. Prodinger, "The path length of random skip lists," *Acta Informatica*, vol. 31, pp. 775–792, 1994.

[127] P. N. Klein and N. E. Young, "Approximation algorithms," in *Algorithms and Theory of Computation Handbook* (M. J. Atallah, ed.), ch. 34, pp. 34–1–34–19, CRC Press, 1999.

[128] D. E. Knuth, "Big omicron and big omega and big theta," in *SIGACT News*, vol. 8, pp. 18–24, 1976.

[129] D. E. Knuth, *Fundamental Algorithms*, vol. 1 of *The Art of Computer Programming*. Reading, MA: Addison-Wesley, 3rd ed., 1997.

[130] D. E. Knuth, *Seminumerical Algorithms*, vol. 2 of *The Art of Computer Programming*. Reading, MA: Addison-Wesley, 3rd ed., 1998.

[131] D. E. Knuth, *Sorting and Searching*, vol. 3 of *The Art of Computer Programming*. Reading, MA: Addison-Wesley, 2nd ed., 1998.

[132] D. E. Knuth, J. H. Morris, Jr., and V. R. Pratt, "Fast pattern matching in strings," *SIAM Journal on Computing*, vol. 6, no. 1, pp. 323–350, 1977.

[133] N. Koblitz, *A Course in Number Theory and Cryptography*. Springer-Verlag, 1987.

[134] E. Koutsoupias and C. H. Papadimitriou, "On the k-server conjecture," *Journal of the ACM*, vol. 42, no. 5, pp. 971–983, 1995.

[135] D. C. Kozen, *The design and analysis of algorithms*. New York: Springer-Verlag New York, Inc., 1992.

[136] E. Kranakis, *Primality and Cryptography*. John Wiley and Sons, 1986.

[137] J. B. Kruskal, Jr., "On the shortest spanning subtree of a graph and the traveling salesman problem," *Proc. Amer. Math. Soc.*, vol. 7, pp. 48–50, 1956.

[138] H. T. Kung, F. Luccio, and F. P. Preparata, "On finding the maxima of a set of vectors," *J. ACM*, vol. 22, pp. 469–476, 1975.

[139] D. T. Lee, "Computational geometry," in *The Computer Science and Engineering Handbook* (A. B. Tucker, Jr., ed.), ch. 6, pp. 111–140, CRC Press, 1997.

[140] D. T. Lee and F. P. Preparata, "Computational geometry: a survey," *IEEE Trans. Comput.*, vol. C-33, pp. 1072–1101, 1984.

[141] L. A. Levin, "Universal sorting problems," *Problemy Peredachi Informatsii*, vol. 9, no. 3, pp. 265–266, 1973. (In Russian).

[142] R. Levisse, "Some lessons drawn from the history of the binary search algorithm," *The Computer Journal*, vol. 26, pp. 154–163, 1983.

[143] H. R. Lewis and C. H. Papadimitriou, *Elements of the Theory of Computation*. Upper Saddle River, NJ: Prentice-Hall, 2nd ed., 1998.

[144] B. Liskov and J. Guttag, *Abstraction and Specification in Program Development*. Cambridge, MA/New York: The MIT Press/McGraw-Hill, 1986.

[145] W. Litwin, "Linear hashing: a new tool for file and table addressing," in *6th Int. Conf. on Very Large Data Bases (VLDB)*, (Montreal), pp. 212–223, October 1980.

[146] L. Lovász, "On the ratio of optimal integral and fractional covers," *Discrete Math.*, vol. 13, pp. 383–390, 1975.

[147] J. Matoušek, "Geometric range searching," *ACM Comput. Surv.*, vol. 26, pp. 421–461, 1994.

[148] E. M. McCreight, "A space-economical suffix tree construction algorithm," *Journal of Algorithms*, vol. 23, no. 2, pp. 262–272, 1976.

[149] E. M. McCreight, "Priority search trees," *SIAM J. Comput.*, vol. 14, no. 2, pp. 257–276, 1985.

[150] C. J. H. McDiarmid and B. A. Reed, "Building heaps fast," *Journal of Algorithms*, vol. 10, no. 3, pp. 352–365, 1989.

[151] C. C. McGeoch, "Analyzing algorithms by simulation: Variance reduction techniques and simulation speedups," *ACM Computing Surveys*, vol. 24, no. 2, pp. 195–212, 1992.

[152] C. C. McGeoch, "Toward an experimental method for algorithm simulation," *INFORMS Journal on Computing*, vol. 8, no. 1, pp. 1–15, 1996.

[153] C. C. McGeoch, D. Precup, and P. R. Cohen, "How to find the Big-Oh of your data set (and how not to)," in *Advances in Intelligent Data Analysis*, vol. 1280 of *Lecture Notes in Computer Science*, pp. 41–52, Springer-Verlag, 1997.

[154] N. Megiddo, "Linear-time algorithms for linear programming in R^3 and related problems," *SIAM J. Comput.*, vol. 12, pp. 759–776, 1983.

[155] N. Megiddo, "Linear programming in linear time when the dimension is fixed," *J. ACM*, vol. 31, pp. 114–127, 1984.

[156] K. Mehlhorn, "A best possible bound for the weighted path length of binary search trees," *SIAM Journal on Computing*, vol. 6, no. 2, pp. 235–239, 1977.

[157] K. Mehlhorn, *Data Structures and Algorithms 1: Sorting and Searching*, vol. 1 of *EATCS Monographs on Theoretical Computer Science*. Heidelberg, Germany: Springer-Verlag, 1984.

[158] K. Mehlhorn, *Data Structures and Algorithms 2: Graph Algorithms and NP-Completeness*, vol. 2 of *EATCS Monographs on Theoretical Computer Science*. Heidelberg, Germany: Springer-Verlag, 1984.

[159] K. Mehlhorn, *Data Structures and Algorithms 3: Multi-dimensional Searching and Computational Geometry*, vol. 3 of *EATCS Monographs on Theoretical Computer Science*. Heidelberg, Germany: Springer-Verlag, 1984.

[160] K. Mehlhorn and A. Tsakalidis, "Data structures," in *Handbook of Theoretical Computer Science* (J. van Leeuwen, ed.), vol. A. Algorithms and Complexity, pp. 301–341, Amsterdam: Elsevier, 1990.

[161] D. R. Morrison, "PATRICIA—practical algorithm to retrieve information coded in alphanumeric," *Journal of the ACM*, vol. 15, no. 4, pp. 514–534, 1968.

[162] R. Motwani and P. Raghavan, *Randomized Algorithms*. New York: Cambridge University Press, 1995.

[163] D. R. Musser and A. Saini, *STL Tutorial and Reference Guide: C++ Programming with the Standard Template Library*. Reading, MA: Addison-Wesley, 1996.

[164] R. Neapolitan and K. Naimipour, *Foundations of Algorithms Using C++ Pseudocode*. Boston: Jones and Bartlett Publishers, 1998.

[165] J. O'Rourke, *Computational Geometry in C*. Cambridge University Press, 1994.

[166] J. Pach, ed., *New Trends in Discrete and Computational Geometry*, vol. 10 of *Algorithms and Combinatorics*. Springer-Verlag, 1993.

[167] R. Pagh and F. Rodler, "Cuckoo hashing," *Journal of Algorithms*, vol. 52, pp. 122–144, 2004.

[168] T. Papadakis, J. I. Munro, and P. V. Poblete, "Average search and update costs in skip lists," *BIT*, vol. 32, pp. 316–332, 1992.

[169] C. H. Papadimitriou and K. Steiglitz, "Some complexity results for the traveling salesman problem," in *Proc. 8th Annu. ACM Sympos. Theory Comput.*, pp. 1–9, 1976.

[170] C. H. Papadimitriou and K. Steiglitz, *Combinatorial Optimization: Algorithms and Complexity*. Englewood Cliffs, NJ: Prentice Hall, 1982.

[171] M. Patrascu and M. Thorup, "The power of simple tabulation hashing," in *43rd ACM Symp. on Theory of Computing (STOC)*, pp. 1–10, 2011.

[172] P. V. Poblete, J. I. Munro, and T. Papadakis, "The binomial transform and its application to the analysis of skip lists," in *Proceedings of the European Symposium on Algorithms (ESA)*, pp. 554–569, 1995.

[173] F. P. Preparata and M. I. Shamos, *Computational Geometry: An Introduction*. Springer-Verlag, 3rd ed., Oct. 1990.

[174] R. C. Prim, "Shortest connection networks and some generalizations," *Bell Syst. Tech. J.*, vol. 36, pp. 1389–1401, 1957.

[175] W. Pugh, "Skip lists: a probabilistic alternative to balanced trees," *Communications of the ACM*, vol. 33, no. 6, pp. 668–676, 1990.

[176] M. Raab and A. Steger, ""balls into bins" – a simple and tight analysis," in *Randomization and Approximation Techniques in Computer Science (RANDOM)* (M. Luby, J. Rolim, and M. Serna, eds.), vol. 1518 of *LNCS*, pp. 159–170, Springer, 1998.

[177] M. O. Rabin, "A probabilistic algorithm for testing primality," *Journal of Number Theory*, vol. 12, 1980.

[178] R. L. Rivest, A. Shamir, and L. Adleman, "A method for obtaining digital signatures and public-key cryptosystems," *Communications of the ACM*, vol. 21, no. 2, pp. 120–126, 1978.

[179] D. J. Rosenkrantz, R. E. Stearns, and P. M. Lewis, "An analysis of several heuristics for the traveling salesman problem," *SIAM J. on Computing*, vol. 6, pp. 563–581, 1977.

[180] H. Sackrowitz, "Refining the point(s)-after-touchdown decision," *Chance*, vol. 13, no. 3, pp. 29–34, 2000.

[181] H. Samet, *Applications of Spatial Data Structures: Computer Graphics, Image Processing, and GIS*. Reading, MA: Addison-Wesley, 1990.

[182] H. Samet, *The Design and Analysis of Spatial Data Structures*. Reading, MA: Addison-Wesley, 1990.

[183] D. Sankoff and J. B. Kruskal, *Time Warps, String Edits, and Macromolecules: The Theory and Practice of Sequence Comparison*. Addison-Wesley, 1983.

[184] J. E. Savage, *Models of Computation: Exploring the Power of Computing*. Addison-Wesley, 1998.

[185] R. Schaffer and R. Sedgewick, "The analysis of heapsort," *Journal of Algorithms*, vol. 15, no. 1, pp. 76–100, 1993.

[186] A. Schönhage and V. Strassen, "Schnelle multiplikation grosser zahlen," *Computing*, vol. 7, pp. 281–292, 1971.

[187] B. L. Schwartz, "Possible winners in partially completed tournaments," *SIAM Review*, vol. 8, no. 3, pp. 302–308, 1966.

[188] R. Sedgewick, *Algorithms*. Reading, MA: Addison-Wesley, 1st ed., 1983.

[189] R. Sedgewick, *Algorithms in C++*. Reading, MA: Addison-Wesley, 1992.

[190] R. Sedgewick and P. Flajolet, *An Introduction to the Analysis of Algorithms*. Reading, MA: Addison-Wesley, 1996.

[191] R. Seidel and C. Aragon, "Randomized search trees," *Algorithmica*, vol. 16, no. 4-5, pp. 464–497, 1996.

[192] R. Seidel and M. Sharir, "Top-down analysis of path compression," *SIAM Journal on Computing*, vol. 34, no. 3, pp. 515–525, 2005.

[193] S. Sen and R. E. Tarjan, "Deletion without rebalancing in balanced binary trees," in *Proc. ACM-SIAM Symposium on Discrete Algorithms (SODA)*, pp. 1490–1499, 2010.

[194] A. Shamir, "How to share a secret," *Comm. of the ACM*, vol. 22(11), pp. 612–613, 1979.

[195] M. Sipser, *Introduction to the Theory of Computation*. PWS Publishing Co., 1997.

[196] D. D. Sleator and R. E. Tarjan, "Amortized efficiency of list update and paging rules," *Comm. ACM*, vol. 28, pp. 202–208, 1985.

[197] D. D. Sleator and R. E. Tarjan, "Self-adjusting binary search trees," *J. ACM*, vol. 32, no. 3, pp. 652–686, 1985.

[198] D. K. Smith, "Dynamic programming and board games: A survey," *European Journal of Operational Research*, vol. 176, no. 3, pp. 1299–1318, 2007.

[199] D. A. Spielman and S.-H. Teng, "Smoothed analysis of algorithms: Why the simplex algorithm usually takes polynomial time," *J. ACM*, vol. 51, pp. 385–463, May 2004.

[200] G. A. Stephen, *String Searching Algorithms*. World Scientific Press, 1994.

[201] H. S. Stern, "American football," in *Statistics in Sport* (J. Bennett, ed.), Arnold, 1998.

[202] V. Strassen, "Gaussian elimination is not optimal," *Numerische Mathematik*, vol. 13, pp. 354–356, 1969.

[203] R. Tamassia, ed., *Handbook of Graph Drawing and Visualization*. Chapman and Hall/CRC, 2013.

[204] R. Tarjan and U. Vishkin, "An efficient parallel biconnectivity algorithm," *SIAM J. Comput.*, vol. 14, pp. 862–874, 1985.

[205] R. E. Tarjan, "Depth first search and linear graph algorithms," *SIAM Journal on Computing*, vol. 1, no. 2, pp. 146–160, 1972.

[206] R. E. Tarjan, "A class of algorithms which require nonlinear time to maintain disjoint sets," *J. Comput. System Sci.*, vol. 18, pp. 110–127, 1979.

[207] R. E. Tarjan, *Data Structures and Network Algorithms*, vol. 44 of *CBMS-NSF Regional Conference Series in Applied Mathematics*. SIAM, 1983.

[208] R. E. Tarjan, "Amortized computational complexity," *SIAM J. Algebraic Discrete Methods*, vol. 6, no. 2, pp. 306–318, 1985.

[209] R. E. Tarjan and J. van Leeuwen, "Worst-case analysis of set union algorithms," *J. ACM*, vol. 31, pp. 245–281, Mar. 1984.

[210] J. van Leeuwen, "Graph algorithms," in *Handbook of Theoretical Computer Science* (J. van Leeuwen, ed.), vol. A. Algorithms and Complexity, pp. 525–632, Amsterdam: Elsevier, 1990.

[211] J. S. Vitter, *Algorithms and Data Structures for External Memory*. Foundations and Trends in Theoretical Computer Science, Hanover, MA: Now Publishers, 2008.

[212] J. S. Vitter and W. C. Chen, *Design and Analysis of Coalesced Hashing*. New York: Oxford University Press, 1987.

[213] J. Vuillemin, "A unifying look at data structures," *Comm. ACM*, vol. 23, pp. 229–239, 1980.

[214] S. Warshall, "A theorem on boolean matrices," *Journal of the ACM*, vol. 9, no. 1, pp. 11–12, 1962.

[215] K. Wayne, "A new property and a faster algorithm for baseball elimination," *SIAM Journal on Discrete Mathematics*, vol. 14, no. 2, pp. 223–229, 2001.

[216] J. W. J. Williams, "Algorithm 232: Heapsort," *Comm. ACM*, vol. 7, no. 6, pp. 347–348, 1964.

[217] D. Wood, *Data Structures, Algorithms, and Performance*. Reading, MA: Addison-Wesley, 1993.

[218] F. F. Yao, "Computational geometry," in *Algorithms in Complexity* (R. A. Earnshaw and B. Wyvill, eds.), pp. 345–490, Amsterdam: Elsevier, 1990.

[219] C. K. Yap, *Fundamental Problems in Algorithmic Algebra*. Oxford University Press, 1999.