

Contents

| | |
|--|-----------|
| Preface | 15 |
| 1 Enigma 1225: Rows are Columns | 17 |
| 1.1 A Puzzle | 17 |
| 1.2 First Thoughts | 17 |
| 1.3 Symbolic Solutions | 18 |
| 1.4 Implementation Details | 20 |
| 1.4.1 Design Decisions | 20 |
| 1.4.2 Admissible Permutations | 21 |
| 1.4.3 Generating Symbolic Matrices | 21 |
| 1.4.4 Permuting Rows | 22 |
| 1.4.5 Transposing | 22 |
| 1.4.6 Most General Patterned Symbolic Matrices | 22 |
| 1.4.7 Distinct Rows | 24 |
| 1.4.8 Evaluating Patterns | 25 |
| 1.4.9 Computing Totals | 28 |
| 1.4.10 Complete Implementation | 28 |
| 1.5 Enhanced Implementation | 31 |
| 1.5.1 What is Wrong with the Present Implementation? | 31 |
| 1.5.2 Some Results from the Theory of Permutations | 32 |
| 1.5.3 Generating Representative Permutations | 35 |
| 1.5.4 Finishing Touches | 43 |

www.sylvania.com

We do not reinvent the wheel we reinvent light.

Fascinating lighting offers an infinite spectrum of possibilities: Innovative technologies and new markets provide both opportunities and challenges. An environment in which your expertise is in high demand. Enjoy the supportive working atmosphere within our global group and benefit from international career paths. Implement sustainable ideas in close cooperation with other specialists and contribute to influencing our future. Come and join us in reinventing light every day.

Light is OSRAM **OSRAM SYLVANIA**



| | | |
|----------|--|-----------|
| 2 | Blind Search | 47 |
| 2.1 | Digression on the Module System in Prolog | 47 |
| 2.2 | Basic Search Problem | 49 |
| 2.3 | Depth First Search | 52 |
| | 2.3.1 Naïve Solution | 54 |
| | 2.3.2 Incremental Development Using an Agenda | 54 |
| 2.4 | Breadth First Search | 67 |
| 2.5 | Bounded Depth First Search | 68 |
| 2.6 | Iterative Deepening | 72 |
| 2.7 | The Module <i>blindsearches</i> | 74 |
| 2.8 | Application: A Loop Puzzle | 76 |
| | 2.8.1 The Puzzle | 76 |
| | 2.8.2 A ‘Hand-Knit’ Solution | 77 |
| | 2.8.3 Project: Automating the Solution Process | 83 |
| | 2.8.4 Project: Displaying the Board | 89 |
| | 2.8.5 Complete Implementation | 91 |
| | 2.8.6 Full Board Coverage | 91 |
| | 2.8.7 Avoiding Multiple Solutions | 93 |
| | 2.8.8 Variants of the Loop Puzzle | 95 |
| 2.9 | Application: The Eight Puzzle | 99 |
| | 2.9.1 The Puzzle | 99 |
| | 2.9.2 Prolog Implementation | 100 |



360°
thinking.


Deloitte.


Discover the truth at www.deloitte.ca/careers

© Deloitte & Touche LLP and affiliated entities.

| | | |
|----------|--|------------|
| 3 | Informed Search | 103 |
| 3.1 | The Network Search Problem with Costs | 103 |
| 3.1.1 | Cost Measures | 104 |
| 3.1.2 | The A -Algorithm | 105 |
| 3.1.3 | Iterative Deepening A^* and its ϵ -Admissible Version | 108 |
| 3.2 | Case Study: The Eight Puzzle Revisited | 114 |
| 3.2.1 | The Heuristics | 114 |
| 3.2.2 | Prolog Implementation | 115 |
| 3.3 | Project: Robot Navigation | 118 |
| 3.4 | Project: The Shortest Route in a Maze | 121 |
| 3.4.1 | Suggested Implementation Details | 123 |
| 3.5 | Project: Moving a Knight | 128 |
| 4 | Text Processing | 133 |
| 4.1 | Text Removal | 133 |
| 4.1.1 | Practical Context | 133 |
| 4.1.2 | Specification | 134 |
| 4.1.3 | Implementation | 135 |
| 4.1.4 | Using a LINUX Shell Script | 139 |
| 4.1.5 | Application: Removing Model Solutions | 143 |
| 4.2 | Text Generation and Drawing with L ^A T _E X | 146 |
| 4.2.1 | Cycloids | 146 |
| 4.2.2 | Task | 147 |
| 4.2.3 | Solution | 148 |
| 4.3 | Exercises | 151 |

SIMPLY CLEVER





We will turn your CV into an opportunity of a lifetime

Do you like cars? Would you like to be a part of a successful brand?
 We will appreciate and reward both your enthusiasm and talent.
 Send us your CV. You will be surprised where it can take you.

Send us your CV on
www.employerforlife.com

| | |
|--|------------|
| A Solutions of Selected Exercises | 161 |
| A.1 Chapter 1 Exercises | 161 |
| A.2 Chapter 2 Exercises | 171 |
| A.3 Chapter 3 Exercises | 186 |
| A.4 Chapter 4 Exercises | 191 |
| B Software | 197 |
| References | 199 |
| Index | 201 |
| Errata to Volume 1 | 203 |

I joined MITAS because
I wanted **real responsibility**

The Graduate Programme
for Engineers and Geoscientists
www.discovermitas.com



Month 16
I was a construction
supervisor in
the North Sea
advising and
helping foremen
solve problems

Real work
International opportunities
Three work placements





List of Figures

| | | |
|------|--|----|
| 1.1 | A Feasible Solution | 18 |
| 1.2 | Hand Computations for Pattern Evaluation | 27 |
| 1.3 | Suggested Hand Computations for <i>total/2</i> | 28 |
| 1.4 | Generating Feasible Solutions by <i>square/5</i> | 29 |
| 1.5 | The Cycles τ_1 and τ_2 | 32 |
| 1.6 | Enumeration Scheme for $\{(m, n) : m, n = 0, 1, 2, \dots\}$. (See Exercise 1.12.) | 40 |
| 1.7 | Enumeration Scheme for $\{(m, n) : m, n = 0, 1, 2, \dots\}$. (See Exercise 1.13.) | 42 |
| 1.8 | Suggested Hand Computations for <i>split/4</i> | 45 |
| | | |
| 2.1 | A Network | 48 |
| 2.2 | The File <i>links.pl</i> | 49 |
| 2.3 | Fragment of the File <i>df1.pl</i> | 49 |
| 2.4 | The Search Tree | 50 |
| 2.5 | The Pruned Search Tree | 51 |
| 2.6 | Depth First Search – The Conduit Model | 53 |
| 2.7 | The File <i>naive.pl</i> | 54 |
| 2.8 | The File <i>df1.pl</i> | 56 |
| 2.9 | Illustrative Query for <i>depth_first/2</i> – First Version | 57 |
| 2.10 | The File <i>df2.pl</i> | 58 |
| 2.11 | Illustrative Query for <i>depth_first/2</i> – Second Version | 59 |
| 2.12 | The New Network Component | 59 |
| 2.13 | Hand Computations for the Query $?- \text{depth_first}(s, q, \text{Path})$ | 61 |

MASTER IN MANAGEMENT

Because achieving your dreams is your greatest challenge. IE Business School's Master in Management taught in English, Spanish or bilingually, trains young high performance professionals at the beginning of their career through an innovative and stimulating program that will help them reach their full potential.

- Choose your area of specialization.
- Customize your master through the different options offered.
- Global Immersion Weeks in locations such as London, Silicon Valley or Shanghai.

Because you change, we change with you.

www.ie.edu/master-management | mim.admissions@ie.edu |

| | | |
|------|---|----|
| 2.14 | The File <code>df3.pl</code> – Depth First with Closed Nodes and Open Paths | 63 |
| 2.15 | The File <code>df4.pl</code> – Depth First with Path Checking | 65 |
| 2.16 | The File <code>searchinfo.pl</code> | 65 |
| 2.17 | Interactive Session for <code>depth_first/4</code> – Path Checking | 66 |
| 2.18 | A Network (see Exercise 2.4, p. 67) | 67 |
| 2.19 | Breadth First | 68 |
| 2.20 | The File <code>bf.pl</code> – Breadth First with Path Checking | 69 |
| 2.21 | Interactive Session for <code>breadth_first/4</code> | 69 |
| 2.22 | The File <code>bdf.pl</code> – Bounded Depth First (for Exercise 2.7) | 72 |
| 2.23 | The File <code>iterd.pl</code> – Iterative Deepening | 73 |
| 2.24 | Sample Session – Iterative Deepening | 74 |
| 2.25 | Sample Session – Modified Iterative Deepening (for Exercise 2.8) | 75 |
| 2.26 | The File <code>netsearch.pl</code> (for Exercise 2.10) | 75 |
| 2.27 | Sample Session – The Loop Puzzle | 78 |
| 2.28 | The File <code>loop_puzzle1.pl</code> | 79 |
| 2.29 | Constructing a Solution of the Loop Puzzle | 80 |
| 2.30 | The File <code>hand_knit.pl</code> | 81 |
| 2.31 | The File <code>loop_puzzle1a.pl</code> | 83 |
| 2.32 | The File <code>automated.pl</code> | 84 |
| 2.33 | Constructing a Loop | 86 |
| 2.34 | Running the Automated Implementation of the Loop Puzzle | 87 |
| 2.35 | Semi-Automated Solution of the Loop Puzzle | 88 |
| 2.36 | Session for Displaying the Board | 89 |
| 2.37 | Illustrating Exercise 2.16 | 90 |
| 2.38 | Illustrating Exercise 2.17 | 91 |
| 2.39 | Solving the Puzzle Interactively. (See Exercise 2.18.) | 92 |
| 2.40 | Illustrating Exercise 2.19 | 93 |
| 2.41 | Some positions not visited | 94 |

“I studied English for 16 years but...
...I finally learned to speak it in just six lessons”
Jane, Chinese architect

ENGLISH OUT THERE

Click to hear me talking before and after my unique course download

2.42 All positions visited 94

2.43 Solving the Loop Puzzle – Variant One 97

2.44 Solving the Loop Puzzle – Variant Two 98

2.45 An Eight Puzzle 99

2.46 Solving the Eight Puzzle 101

3.1 A Network with Costs 103

3.2 Hand Computations: The Evolution of the Agenda for the *A*-Algorithm (from *d* to *c* in Fig 3.1) 107

3.3 An Interactive Session. (See Exercise 3.1.) 110

3.4 A Directed Network. (See Exercise 3.2.) 111

3.5 Adjacency matrix of the network in Fig. 3.4 111

3.6 Network for Exercise 3.3, Part (c) 113

3.7 Calculating the Manhattan Distance between the tile arrangements in Fig. 2.45 114

3.8 Solving the Eight Puzzle by Heuristic Search 116

3.9 Robot Navigation 119

3.10 Maze Search 122

3.11 Calculating the Euclidean Heuristic H_1 123

3.12 Calculating the Alternative Heuristic H_2 125

3.13 Search Graph for the Gates’ Position 126

3.14 Sample Session: Moving a Knight 129

3.15 The Knight Moves One Step 131

Excellent Economics and Business programmes at:



university of
 groningen



“The perfect start
 of a successful,
 international career.”

CLICK HERE
 to discover why both socially
 and academically the University
 of Groningen is one of the best
 places for a student to be

www.rug.nl/feb/education



4.1 Processing the File `exam.tex` 134

4.2 The File `with_waters` 135

4.3 The File `without_waters` 136

4.4 Running the Shell Script `sieve` 140

4.5 Another Run of the Shell Script `sieve` 142

4.6 The File `part_sln.tex` 143

4.7 Structure of the Printed Exam Script with Solutions 144

4.8 The File `part.tex` 145

4.9 Running the Shell Script `sieve` 145

4.10 Drawing a Cycloid ($\phi = \pi/2$) 146

4.11 Prolate Cycloid Drawn with `\writecurve` from Fig. 4.14 ($r = 5, a = 8, 3.5$ revs) 146

4.12 Curtate Cycloid Drawn with `\writecurve` similar to Fig. 4.14 ($r = 5, a = 3, 3.5$ revs) 147

4.13 Common Cycloid Drawn with `\writecurve` similar to Fig. 4.14 ($r = 5, a = 5, 3.5$ revs) 147

4.14 Generating the L^AT_EX Command `\writecurve` with `define_command/4` 148

4.15 ‘Quarter’ Cycloid Drawn with `\writecurve` ($r = 10, a = 4, 1/4$ revs) 151

4.16 Generating the L^AT_EX Command `\defcirc` with `circ_command/4` 151

4.17 Generating the L^AT_EX Command `\defcirc` with `circ_command/4` 152

4.18 Generating the L^AT_EX Command `\defcirc` with `imp_circ_command/4` 153

4.19 Polygon Drawn with `\halfcirc` 154

4.20 Logarithmic Spiral Drawn with `\spiral` 157

4.21 Growing Spirals 158

4.22 The File `spirals` 158

4.23 The File `spirals.tex` 159

4.24 Running the Shell Script `curves` 160

LIGS University

based in Hawaii, USA

is currently enrolling in the
Interactive Online **BBA, MBA, MSc,**
DBA and PhD programs:

- ▶ enroll **by October 31st, 2014** and
- ▶ **save up to 11%** on the tuition!
- ▶ pay in 10 installments / 2 years
- ▶ Interactive **Online education**
- ▶ visit www.ligsuniversity.com to find out more!

Note: LIGS University is not accredited by any nationally recognized accrediting agency listed by the US Secretary of Education. More info [here](#).





A.1 Hand Computations for *total/2* 164

A.2 Ferrers Diagrams and their Prolog Representations 166

A.3 Creating Distinct Temporary Predicate Names 167

A.4 Annotated Hand Computations for *split/4* 170

A.5 Hand Computations for the Query *?- depth_first(d,c)*. 172

A.6 Interactive Session for the Query *?- depth_first(d,c)*. 173

A.7 Hand Computations for the Query *?- depth_first(u,c)*. 173

A.8 Tree for Finding Successor Nodes in the New Component 173

A.9 Interactive Session for the Query *?- depth_first(u,c)*. 174

A.10 Sample Session for *depth_first/4* 176

A.11 Definition of *extend_path_dl/3* 177

A.12 New Clauses for *dfs_loop/4* 178

A.13 Updating of the Agenda by *dfs_loop/4* 178

A.14 Clauses Added to *bf.pl* 182

A.15 Definition of *b_dfs_loop/5* (Exercise 2.7) 183

A.16 Modified Version of *iterd.pl* (Exercise 2.8) 184

A.17 Automated Search 188

A.18 Hand Computations: The Evolution of the Agenda for the A-Algorithm (from node 1 to node 10 in Fig 3.4) 189

A.19 Interactive Session for Searching the Network in Fig. 3.6 190

.....Alcatel-Lucent 

www.alcatel-lucent.com/careers

What if you could build your future and create the future?

One generation's transformation is the next's status quo. In the near future, people may soon think it's strange that devices ever had to be "plugged in." To obtain that status, there needs to be "The Shift".



List of Tables

| | | |
|-----|---|-----|
| 1.1 | CPU times for Various Board Sizes | 31 |
| 1.2 | A Ferrers Diagram | 36 |
| 1.3 | Suggested Examples for Exercise 1.10 | 38 |
| 2.1 | CPU Times (in Seconds) for the Eight Puzzle with Blind Search | 100 |
| 3.1 | Straight Line Distances between Nodes in Fig. 3.1 | 104 |
| 3.2 | Node Co-ordinates in the Network in Fig. 3.4 | 110 |
| 3.3 | Node Co-ordinates in the Network in Fig. 3.6 | 113 |
| 3.4 | CPU Times (in Seconds) for the Eight Puzzle with Heuristic Search | 117 |
| A.1 | Partitions | 165 |
| A.2 | Example Paths and Prolog Implementations – Case One | 175 |
| A.3 | Example Paths and Prolog Implementations – Case Two | 176 |
| A.4 | Values of H | 187 |
| A.5 | Distances between Nodes (Edge Lengths) in Fig. 3.4 | 187 |
| A.6 | Results for the Eight Puzzle (Hill Climbing and Best First) | 190 |



Maastricht University *Leading in Learning!*

**Join the best at
the Maastricht University
School of Business and
Economics!**

Top master's programmes

- 33rd place Financial Times worldwide ranking: MSc International Business
- 1st place: MSc International Business
- 1st place: MSc Financial Economics
- 2nd place: MSc Management of Learning
- 2nd place: MSc Economics
- 2nd place: MSc Econometrics and Operations Research
- 2nd place: MSc Global Supply Chain Management and Change

Sources: Keuzegids Master ranking 2013; Elsevier 'Beste Studies' ranking 2012; Financial Times Global Masters in Management ranking 2012

Maastricht University is the best specialist university in the Netherlands (Elsevier)

Visit us and find out why we are the best!
Master's Open Day: 22 February 2014

www.mastersopenday.nl