

Index

■ A

Angry Birds, 19

■ B

Box2D engine, 39

animation

- constraint solver, 45
- integrator, 45
- updated init() function, 46
- world.ClearForces() function, 45
- world.DrawDebugData() function, 45
- world.Step() function, 45

body definition, 41

b2World object, 41

- allowSleep, 41
- creation, 41
- gravity, 41

contact listeners

- BeginContact(), 58
- createSimplyBody(), 59
- DrawDebugData() method, 61
- EndContact(), 58
- implementation, 58
- listenForContact(), 59
- PostSolve(), 58
- PreSolve(), 58
- watching collisions, 61

createBody() method, 42

createFixture() method, 42

createFloor() method, 42

DrawDebugData() method, 43

elements

- circular body, 49
- complex body, 52
- joints, connecting bodies, 54
- polygon-shaped body, 50
- rectangular body, 47

fixture definition, 42

fundamentals, 39

init() function, 43

SetAsBox() method, 43

setting up, 40

shapes, fixture, 42

tracking collisions and damage, 57

■ C

Combat system, 231

aircraft

- attack case, 245
- guard mode case, 245
- hunt case, 245
- order states, 242
- patrol case, 245
- processOrders() method, 245

bullets

- animate() method, 235
- animation sequences, 234
- default moveTo() method, 235
- drawingLoop() method, modify, 236
- findFiringAngle() method, 235
- loadItem() method, 236
- processOrders() method, 235
- properties, 234
- reachedTarget() method, 235
- references, 235

fog of war

- animate() and draw() method, 257
- animate() method, 256
- deploy grid, 261
- draw() method, 256
- fog object, 255
- hiding objects, 261
- initLevel() method, 256–257
- references, 257
- unbuildable, fogged areas, 259

Combat system (*cont.*)

- intelligent enemy, building, 251
 - showMessage() method, 253
 - timed triggers and hunt order, 251
- turrets
 - findTargetInSight() method, 239
 - ground turrets, 238
 - guard case modification, 240
 - isValidTarget() method, 239
 - map items, update, 241
- vehicles, 246

■ D

drawingLoop() method, 17

■ E, F

End level, game elements

- Message dialog box
 - CSS styles, 222
 - to game Object, 224
 - messageBoxOK() and messageBoxCancel() methods, 225
 - showMessageBox() method, 225
- trigger implementation
 - clearTimeout() method, 228
 - Conditional triggers, 225
 - end() method, 228
 - initTrigger() method, 228
 - runTrigger() method, 228
 - Timed triggers, 225

Entities, 125

- add() and remove() methods, 131
- aircrafts, 125
- aircraft sprite sheet, 149
- Box2D
 - adding references, 68
 - animate() and drawAllBodies(), 74
 - animation, 77
 - <head> section, 68
 - object creation, 68
 - setting up, 73
- buildings, 125
- collision damage, 86
- create() method, 70
- definition, 65, 125
- draw() and animate() methods, 132
- draw() method, 75
- game.resetArrays() method, 131
- ground turret, 142
- harvester buildings, 139
- items array, 130
- level ending screen, 84

levels.data array

- ground entities, 72
- hero and villain entities, 72
- rectangular block entities, 72

load-next-hero state

- ApplyImpulse() method, 83
- countHeroesAndVillains() method, 80
- fired, 81
- firing, 81
- handlePanning() method, 82
- mouseOnCurrentHero() method, 81
- wait-for-firing, 81

main base

- buildings object, 127
- loadItem() and addItem() methods, 128
- sprite sheet, 126

map definition, 129

name property, 65

objects, 66

references, 126

requirements property, 130

restartLevel() method, 91

select entities

- clearSelection() method, 159
- drag selection, 158
- drawLifeBar() method, 160, 162
- drawSelection() method, 159, 161
- enable click selection, 156
- itemUnderMouse() method, 157
- mouse.click() method, 157
- mouseup event handler, 157
- selectItem() method, 159

Slingshot band, 88

sound

- background music, 96
- break and bounce sounds, 93

starport building, 136

startCurrentLevel() method, 130

startNextLevel() method, 91

terrain, 125, 152

type property, 65

vehicles object, 125, 144

■ G

Game elements, 195

economic system

- harvest animation state, 199
- Loading Cash Amount, 196
- sidebar object, 197
- Starting Cash Amount, 195

End level, 221, 225

- Message dialog box, 221
- trigger implementation, 225

- purchase buildings and units
 - adding sidebar buttons, 201
 - at base, 214
 - disable sidebar buttons, 203
 - enable sidebar buttons, 203
 - vehicle and aircraft construction, 206
- Game world
 - animation
 - basic level, score bar, 33
 - CSS styling, 32
 - requestAnimationFrame polyfill function, 30
 - start() and animate() functions, 31
 - game states
 - final result, 37
 - finite state machine, 35
 - firing, 35
 - handlePanning() method, 37
 - load-next-hero, 35
 - panning, 35
 - panTo() method, 37
 - wait-for-firing, 35
 - HTML layout, 19
 - images, loading
 - CSS style, 26
 - game.init() method, 28
 - Image/Sound asset loader, 27
 - loadImage()/loadSound() method, 29
 - loading screen, 29
 - level selection
 - CSS styles, 25
 - game.init() method, 24
 - levels object, 23
 - screen, 26
 - showLevelScreen() method, 25
 - levels, loading, 29
 - mouse input handling, 33
 - splash screen and main menu
 - CSS styles, 21
 - game layers, 21
 - init() function, 22
 - JavaScript code, 22
 - jQuery hide() and show() functions, 22
 - js/game.js game object, 22
 - skeleton HTML file, 20
 - start screen and menu options, 23

H

HTML5

- audio element
 - <audio>Tag, multiple sources, 11
 - autoplay, 11
 - canplaythrough, 12
 - canPlayType(), 12
 - file formats, 11

- loading, 12
 - loop, 11
 - preload, 11
- canvas element
 - accessing, 2
 - arc, 5
 - beginPath(), 4
 - closePath(), 4
 - colors and transparency, 7
 - creation, 2
 - Drawing arcs, 5
 - fill(), stroke(), 4
 - full circle drawing, 6
 - getContext() method, 2
 - image drawing, 8
 - lineTo, 5
 - moveTo, 5
 - rectangles drawing, 3
 - Stroked triangle, 5
 - text drawing, 6
 - three-quarter arc drawing, 6
 - transformation and rotation, 9
- file skeleton, 1
- image element
 - image loading, 13-14
 - Sprite Sheets, 14
- timer and game loops
 - requestAnimationFrame, 16
 - with setInterval, 15
 - with setTimeout, 16

I, J, K

- Intelligent unit movement, 165
 - aircraft movement implementation
 - animate() method, 171
 - Default processOrders() method, 169
 - findAngle() method, 170
 - movement-related properties, 172
 - moveTo() method, 170
 - wrapDirection() method, 171
 - collision detection and steering
 - checkCollisionsObject() method, 185
 - default moveTo() method, 186
 - modify processOrders() method, 188
 - command units
 - click() method modification, 165
 - sendCommand() method, 167
 - Harvester vehicle deploy, 190
 - pathfinding
 - A* algorithm, 174
 - add() and remove() methods, 179
 - Dijkstra's algorithm, 174
 - mapGridWidth and mapGridHeight, 176
 - properties, 175

Intelligent unit movement (*cont.*)
 rebuildPassableGrid() method, 178
 startCurrentLevel() method, 176
 processOrders() method, 169
 sending and receiving commands
 getItemByUid() method, 168
 implementation of, 167
 processCommand() method, 168
 Single-Player sendCommand() method, 168
 smoother unit movement, 191
 vehicle movement implementation
 animate() method, 183
 AStar() method, 183
 findAngle() method, 183
 moveTo() method, 181
 pathfinding algorithm, 184
 processOrders() method, 181

■ L

Lock-step networking model, 319
 network latency
 finishMeasuringLatency() method, 320
 latency_ping message, 321
 measureLatency() method, 320
 starting and finishing measurement, 321
 sending commands
 browsers, 327
 from client, 324
 handling messages, 325
 sendCommand() method, 325
 setInterval() method, 327
 startGame() method, 325–326
 tickLoop() method, 325

■ M, N, O

Multiplayer game, 319
 ending the game
 connection errors, 333
 loseGame() and endGame() methods, 328
 player defeats, 328
 player disconnected, 331
 Server endGame() method, 329
 triggered events, 328
 type end_game, 330
 type lose_game, 329
 player chat
 Keydown events, 335
 message event handler, 336
 receive messages, 337
 styles, 335
 Multiplayer lobby screen
 CSS code, 300
 definition, 300

join(), leave() and cancel() methods, 306
 multiplayer object
 close event handler, 305
 connection request event handler, 305
 handleWebSocketMessage()
 method, 303
 message event handler, 305
 references, 303
 sendRoomList() method, 305
 start() method, 303
 updateRoomStatus() method, 303
 multiplayer server, 303
 sendWebSocketMessage() method, 307

■ P, Q

Physics engine, 39
 Purchase buildings and units, game elements, 200
 adding sidebar buttons, 201, 203
 CSS styles, 201
 enable and disable, 203
 to gameinterfacescreen, 201
 animate() method, 214
 cancelDeployBuilding() method, 219
 click Event, 214
 deploy grid, 216
 finishDeployBuilding() method, 219
 mouse.click() method, 217
 processOrder() method, 220
 rebuildBuildableGrid() method, 215
 vehicle and aircraft construction
 adding the Unit, 209
 click event, 206
 draw() method, 211
 init() method, 206
 processOrder() method, 207
 showMessage() method, 209
 Teleport action, 211–212

■ R

Real-time strategy (RTS) games, 101
 game interface screen
 animation and drawing loops, 115
 animationLoop() method, 116
 background, 115
 CSS styles, 114
 drawingLoop() method, 116
 gameAnimationLoop() method, 117
 HTML markup, 113
 init() method, 116
 layers, 113
 singleplayer.play() method, 117
 startCurrentLevel() method, 117
 start() method, 116

- Game Object init() method, 105
- HTML layout, 101
- map images
 - basic level metadata, 108
 - level-designing tool, 107
 - singleplayer array, 109
 - Tiled software, 107
- map panning implementation
 - calculateGameCoordinates() method, 120
 - click() method, 120
 - drawingLoop() method, 122
 - draw() method, 120
 - game.handlePanning() method, 123
 - handlePanning() method, 121
 - init() method, 120
 - mouse.draw() method, 123
 - mouse object, 118
 - panningThreshold and panningSpeed variables, 122
 - updated game.init() method, 121
- mission screen
 - advantages, 112
 - background, 110
 - CSS style sheet, 109
 - exit() method, 112
 - HTML code, 109
 - missionbriefing div, 109
 - singleplayer object, 110
 - startCurrentLevel() method, 112
 - start() method, 112
- requestAnimationFrame and asset loader, 103
- splash screen and main menu
 - gamecontainer and layers, 102–103
 - HTML file, 102
 - implementation, 103
 - JavaScript and CSS files, 102
- Starting Screen and Loading Screen
 - singleplayer.start() and multiplayer.start() methods, 107
 - style sheet, 105
 - with main menu, 107

■ S, T, U, V

- Single-player campaign
 - assault
 - air support, 281
 - ending mission, implementation, 290
 - Enemy Waves, 288
 - enemy waves and reinforcements, 280
 - mission brief, 276, 285
 - starports and refineries, 285
 - triggers, 286
 - triggers array, 279

- rescue
 - characters, 272
 - conditional trigger, 275
 - enemy and convoy, 273
 - isItemDead() method, 273
 - mission briefing, 272
 - scout-tanks, life of, 272
 - triggers array, 272
 - under seige, 282
- Stop calling drawingLoop(), 17

■ W, X, Y, Z

- WebSockets, 293
 - on Browser, 293
 - displayMessage() method, 295
 - elements, 295
 - handlers, 295
 - initWebSocket() method, 295
 - multiplayer game
 - in browser windows, 317
 - handleWebSocketMessage() method, 316
 - initGame() method, 312
 - initMultiplayerLevel() method, 316
 - levels, 310
 - message event handler, modify, 313
 - spawnLocations array, 312
 - startGame() method, 312
 - teamStartingItems array, 312
 - with Node.js, 293, 296–299
 - accept() method, 299
 - client and server interaction, 299
 - connectionIsAllowed() method, 299
 - HTTP server, 296
 - reject() method, 299
 - require() method, 298
 - send() method, 299
 - WebSocket server, 297
 - sendMessage() method, 295
 - server implementations, 295
 - WebSocket client, 293
- Wrapping Up, 263
 - adding sound
 - combat, 268
 - commands, 265
 - init() method, 264–265
 - messages, 268
 - objects, 263
 - play() method, 264
 - references, 264
 - single-player campaign
 - assault, 276
 - rescue, 269
 - under siege, 282