

Index

A

AcceptChanges() method, 348
Access. *See* Microsoft Access
AccessDataSource, 78
ACID, 525
ADD CONSTRAINT syntax, ALTER TABLE query, 485–489
Add New item dialog box, 20
Add New Player link (example), 400–403
Add() method
 ADO and, 11
 capabilities of, 12
 data providers, 13–17
 data source controls, 18
 handling transactions in, 525
 introduction to, 11–18
 using to cache objects, 514–515
ADO.NET, 11
ADO objects, 117
after action events, 368, 381
aggregate functions. *See* scalar functions
Allow Nulls, 40
AllowPaging property, 288–290
ALTER PROCEDURE query, 430–434
ALTER TABLE query, 52, 61–63, 475–480
 ADD CONSTRAINT syntax, 485–489
 DROP CONSTRAINT syntax, 489–490
 DROP FOREIGN KEY syntax, 489–490
AlternatingItemTemplate, 252, 255–259, 273, 280, 369
AlternatingRowStyle, 279
analysis stage, of software development life cycle, 548–553
 client requirements, 548–552
 tool selection, 552–553

AND operator, 110
appearance, customizing, 276–277, 281–285
application design, 110, 559–563
 structure definition, 561–563
 tier definition, 560–561
<appSettings>, 85
ArrayList, caching and, 519–520
AS keyword, 276
<asp.ButtonField> object, 329–335
ASP.NET
 added to HTML pages, 4
 ADO.NET and, 11
ASP.NET 2.0
 data source Web controls, 78–79
ASP.NET Development Server, 25
attributes. *See* columns
authentication strategies
 consideration of, during analysis stage, 550
 using cookies for, 5
Auto Format, 277
AutoGenerateColumns property, 89
AutoGenerateInsertButton property, 403
autonumbers, 582–583
AutoPostBack property, 104
AVG(column), 144

B

before action events, 368
BEGIN statement, 439
BEGIN TRANSACTION query, 526–527
BeginTransaction() method, 533
BETWEEN operator, 110–111
bigint type, 583

- binary data types, 588–589
 - Microsoft Access, 589
 - MySQL, 589
 - SQL Server, 588
 - binary type, 588
 - Bind() method, 370–371, 385
 - bit type, 583
 - blob type, 589
 - BoundField Web control, 89, 279, 369, 380
 - converting to TemplateField control, 407–411
 - database interactions using, 398
 - data validation and, 407
 - bug fixes, 567, 568. *See also* error handling
 - business rules tier, 560
 - ButtonField, 89, 279, 291–293
 - ButtonField columns, 329–335
 - ButtonType property, 330
- C**
- cache/caching, 514–523
 - adding objects to, 514
 - checking for objects, 515
 - a DataReader, 517–520
 - a DataSet, 520–521
 - example, 517–520
 - removing objects from, 515, 521–523
 - specifying life span of, 516
 - Web pages, 3
 - ChangeMode() method, 406
 - char type, 580
 - CheckBoxField, 89, 279, 369, 407
 - CheckBoxList, 236
 - class design, 561–563
 - Click event, 400–402
 - client requirements, 548–552
 - adapting to changing, 568
 - contents and functionality requirements, 549
 - future needs, 551–552
 - performance targets, 550–551
 - resource availability, 550–551
 - user roles and access requirements, 549–550
 - client-side validation, 319
 - Close() method, 150–151
 - Connection objects, 121, 124, 127
 - DataReader object, 159, 165–166, 187
 - OdbcConnection object, 124
 - SqlConnection object, 121
 - clustered indexes, 48
 - Codd, E. F., 42
 - code
 - implementation, 564–565
 - splitting into tiers, 560–561
 - code-free data access, 18
 - coding tips, 187
 - column list, 593
 - Column Name, 40
 - column value list, 593
 - columns, 29–30
 - accessing, 370
 - adding, 476
 - auto-incrementing, 40–41
 - ButtonField, 329–335
 - changing definitions of, 476–480
 - CommandField, 380–381
 - creating relationships between, 485–489
 - customizing, 276–277, 281–285
 - defining, 279–281, 471–475
 - deleting, 476
 - foreign keys, 56–57
 - formatting, 370
 - identity, 310
 - names, 30, 88
 - properties and constraints, 40–42
 - returning, 88
 - sorting, 99
 - specifying, when inserting data, 299
 - types, 89
 - Command and Parameter Editor, 378
 - command life cycle, 116
 - Command objects, 16, 128–143
 - ADODB.Command objects, 117
 - CommandText property, 142
 - CommandType property, 142

- creating, 129
- DataAdapter and, 346
- Execute methods, 143
- ExecuteRead() method, 130
- ExecuteScalar() method, 143–146
- filtering results, 130
- handling concurrency using, 499–507
- methods and properties, 142–143
- modifying the query, 130–138
- OdbcCommand object, 124
- returning results, 130
- SqlCommand object, 121, 128
- stored procedures and, 425–429, 441–445
- using parameters, 138–142
- CommandArgument, 266, 294
- CommandBuilder, 346, 354–356
- CommandField, 89, 279, 290, 380–381
- command-line tools, 459–465
 - mysql.exe, 463–465
 - SQLCMD, 460–463
- CommandName property, 266, 330
- commands
 - auto-generated, 377–379
 - creating manually, 364–365
- CommandText property, 142
- CommandType property, 142, 426, 429
- comma-separated values (CSVs), 9
- COMMIT TRANSACTION query, 526–527
- Commit() method, 533
- CompareValidator Web control, 319, 322, 326–327, 410–411
- comparison operators, 109
- Component Object Model (COM)
 - components, 12
- composite indexes, 48
- composite keys, 30, 472
- concurrency, 498–514
 - errors, 506, 510
 - problems, 335
 - using Command objects, 499–507
 - using SqlDataSource, 507–514
- Configure Data Source wizard, 22–25, 100–103, 377–379, 391
- connection life cycle, 116
- Connection objects, 16, 117–128
 - ADODB.Connection objects, 117
 - BeginTransaction() method, 533
 - connection pooling, 127–128
 - ConnectionString property, 127
 - methods and properties, 126–127
 - OdbcConnection object, 117, 121–24
 - OleDbConnection object, 117, 124–126
 - SqlConnection object, 117–121
 - State property, 127
- connection strings
 - creating, 80–86
 - Microsoft Access, 111–112
 - MySQL 5.0, 111–112
 - OdbcConnectionString, 123–124, 236
 - SQL Server, 119–121
 - storing, 87
- ConnectionString property, 85–87, 127, 231
- Connector/NET, 416–418, 453
- constraints, 592–595
 - column, 41
 - foreign key, 56–57
- content
 - quality and timeliness of, 3
 - requirements, 549
- ControlParameter, 105, 233
- controls, Tasks menus, 22
- ControlToValidate property, 320, 326
- Convert.ToString() method, 165
- CookieParameter, 105, 233
- cookies, identifying user using, 5
- COUNT scalar function, 449
- COUNT(*), 144–146
- COUNT(DISTINCT column), 144
- CREATE DATABASE query, 466–469
- CREATE INDEX query, 50–52, 480–483
- CREATE PROCEDURE query, 418–424
- CREATE TABLE query, 44, 469–475
- CreateCommand() method, 129

CreateParameter() method, 140
 CSVs (comma-separated values), 9
 CustomValidator Web control, 319–320, 323,
 326–328

D

data

- adding to database, 72–73, 298–319, 397–399
- associating to Web controls, 192–194
- context, 2
- customizing, 276–277
- deleting, 328–335, 385–387, 395–397
- disconnected, 12, 155, 168
- display, 294–295
- editing, 382–385
- editing, with DataSet, 346–365
- editing, in DetailsView, 392–395
- editing, in GridView, 371–385
- hierarchical, 78
- inserting without specifying columns, 299
- invalid, 307
- read-only, 77, 156
- set-based, 78
- showing no results to user, 369–370
- updating, 336–346
- validating, 307, 319–328

data access

- code-free, 18
- Connection objects, 117–128
- filtering results, 99–108
- history of, 11–13
- ordering results, 90–94
- SELECT queries, 79–81, 84–108
- showing all results, 106–108
- steps in, 6–8, 16
- tier, 560
- Web controls for, 78–79
- See also* data providers

Data Access Objects (DAO), 12

data binding, 130, 135, 157

- creating the association, 194
- data sources for, 193–194
- DataSet vs. DataReader, 294–295

- dummy entries and, 234–235
- inline vs. event-based binding, 269–270
- mixed types, 270
- multiple selection lists, 236–244
- SqlDataSource and, 191
- using name of field in, 199
- with code, 190–191

data concurrency. *See* concurrency

Data Control Language (DCL), 42, 459

data controls. *See* Web controls

Data Definition Language (DDL), 41, 459

Data Manipulation Language (DML), 42, 459

data modeling, speed issues and, 565

data providers, 13–17

- design considerations and, 565
- object methods and properties of, 16–17
- selection of, 553
- standard, 235

data retrieval. *See* data access

data source controls, 18, 24–25. *See also*
 Web controls

Data Source property, 86

data sources

- binding data to, 248–249
- configuring, 22–25
- connecting to. *See* connection strings
- for binding to Web controls, 193–194
- life cycle, 116
- selecting, 552–553
- types of, 8–11
- use of, by Web sites, 4–8
- Web controls, 78–79, 86–88

Data Type, 40

data types, 579–590

- binary, 588–589
- date, 586–588
- design considerations, 559
- enum('value1', 'value2', ...), 589
- money, 590
- numeric, 582–586
- set('value1', 'value2', ...), 590
- smallmoney, 590

- text types, 579–582
- time, 586–588
- uniqueidentifier, 590
- data validation
 - adding to DetailsView, 409–412
 - controls, 319–320
 - errors, 324
 - example, 321–328
 - of user responses, 406–412
 - postbacks, 319
 - validator properties, 325–326
- DataAdapter objects, 16, 116, 346–347
 - CommandBuilder and, 354
 - creating, 354
 - DataSet objects and, 170–172
 - Fill() method, 171–172, 347, 354
 - role of, 347–348
 - Update() method, 171–172, 347, 355–356
- data-aware Web controls, 191–192
- database design, 554–559
 - data types, 559
 - foreign keys, 559
 - naming considerations, 559
 - normalization, 555–559
 - views, 559
- database diagrams, 64–68
 - creating in SQL Server 2005, 64–68
 - using, to create new relationships, 66–68
- database indexes, 46–52
- database queries. *See* queries
- database rules, 300
- database scripts, using, 605–606
- database servers, 8–9
 - native XML, 9
 - object-oriented, 9
 - object-relational, 9
 - relational, 9
 - security layer, 68
- databases
 - cost of, 4
 - connections to, 80–86
 - creating, with DDL queries, 466–469
 - deleting, 493–496
 - deleting data from, 328–335
 - dependence on, 4
 - editing, using DataSet, 346–365
 - handling transactions in, 525
 - inserting data into, 298–319
 - poorly designed, 27
 - quality and content of, 3
 - querying, using command line, 461–465
 - relationships in, 376
 - samples, 597–604
 - saving changes to, 50, 355–356, 360
 - updating data in, 297–298, 336–346
 - uses of, in Web environment, 4–5
 - See also* relational databases
- DataBind() method, 130, 135, 257, 395–397
 - calling, 190–192, 200–201
 - SqlDataSource and, 191
- DataBinder.Eval() method, 199–200, 205, 208
- data-binding techniques, 189–194
 - categories of, 190
 - inline binding, 190, 194–205
 - line binding, 190
 - list binding, 211–244
 - table binding, 190, 247–295
- DataBound event, 108, 133–135, 220–225
- data-bound Web control, 190–191
- DataBound() method, 265
- DataColumn objects, 172, 175, 179–180
- data-driven Web pages
 - creation of (example), 18–26
 - workings of, 4–8
- data-driven Web sites
 - advantages of, 2–4
 - costs of, 4
 - development time, 3
 - maintenance of, 2
 - performance levels of, 3
 - popularity of, 1
 - pros and cons of, 2–3
 - reliance of, in data sources, 27
 - reusability of, 2
 - See also* Web sites

- DataField property, 89
 - DataFormatString property, 285
 - DataGrid control, 248
 - DataKeyNames property, 334–335, 380, 388, 391
 - DataKeys collection, 294
 - DataList Web control, 248–250, 270–273
 - data display using, 270–273
 - item templates, 250–251
 - templates, 249
 - DataMember property, 212
 - DataReader objects, 16, 116, 155
 - caching, 517–520
 - Close() method, 159, 165
 - vs. DataSet objects, 185–186, 294–295, 564
 - displaying data from, 206–208
 - inline binding to, 195–201
 - introduction to, 156–157
 - iterating through, 157–165
 - list binding and, 213
 - properties and methods, 165–168
 - pros and cons of, 156–157
 - Read() method, 158–159, 164
 - Repeater Web control and, 252–253, 257
 - SqlDataSource and, 185
 - using lookup lists and events with, 213–242
 - DataRelation objects, 172
 - DataRow objects, 172, 347
 - creating, 182–184
 - editing, 360
 - NewRow() method, 355
 - role of, 348
 - DataRowState, 347
 - DataRowVersion, 348
 - DataRowView, 268, 285
 - DataSet objects, 16, 116, 155
 - caching, 520–521
 - components, 172–173
 - creating DataRows, 182–184
 - creating, 169–170, 176–178
 - DataAdapter, 170–172, 346–348
 - vs. DataReader objects, 185–186, 294–295, 564
 - DataRow, 348
 - DataTable and, 175–181
 - deleting data using, 361–364
 - displaying data from, 208–211
 - editing data with, 346–365
 - filling, 169–170
 - inline binding to, 201–205
 - inserting data using (example), 348–356
 - introduction to, 168–169
 - iterating through, 173–176
 - setting up relationships in, 181–182
 - SqlDataSource and, 185
 - updating data using, 356–360
 - using lookup lists and events with, 225–229
- DataSourceID property, 104, 267
 - DataTable objects
 - adding new row to, 355
 - creating DataRows, 182–184
 - DataSet and, 172–181
 - editing DataRow, 360
 - inline binding and, 204
 - list binding and, 225–229
 - PrimaryKeys property, 354
 - relationship between, in a DataSet, 181–182
 - retrieving data from, 353–354
 - DataTextField property, 104, 218
 - DataTextFormatString property, 212
 - datetime type, 587
 - DataValueField property, 104, 218
 - date types, 586–588
 - DatSource, 130
 - DatSourceID property, 89
 - DbDataRecord, 268
 - DCL (Data Control Language), 42, 459
 - DCL queries, 45
 - DDL (Data Definition Language), 41, 459
 - DDL queries, 44–45
 - ALTER TABLE, 475–480, 485–490
 - CREATE DATABASE, 466–469

- CREATE INDEX, 480–483
 - CREATE TABLE, 469–475
 - DROP DATABASE, 493–496
 - DROP INDEX, 483–485
 - DROP TABLE, 490–493
 - debugging
 - enabling, 25, 84–85
 - stage, of software development life cycle, 548, 565–567
 - decimal types, 585
 - DEFAULT keyword, 299
 - DefaultValue parameter, 106
 - DELETE query, 43, 116, 329, 595
 - components of, 595
 - deleting players (example), 331–335
 - purpose of, 594
 - removing table rows with, 297
 - SqlDataSource and, 368
 - syntax, 594
 - Delete() method, 368, 386
 - DeleteCommand, 363, 368
 - DeleteParameters collection, 368, 386
 - DENY query, 45
 - DESC keyword, 592
 - design stage, of software development life cycle, 548, 553–563
 - application design, 559–563
 - database design, 554–559
 - DetailsView Web control, 248, 281, 367, 387
 - adding data in, 397–399
 - Bind() method, 370–371
 - configuration of, 395
 - data validation, 407–412
 - deleting data in, 395–397
 - Edit mode, 395, 399, 403
 - editing data in, 392–395
 - EmptyDataTemplate, 369–370
 - Eval() method, 370–371
 - Field controls, 369
 - Insert mode, 402–403
 - interaction between GridView and, 399–403
 - ReadOnly mode, 395
 - showing data in, 388–392
 - showing table results with, 369
 - development time, 3
 - development tools, 552–553
 - Direction property, 450
 - disconnected data, 155, 168
 - Display property, 325
 - distributed transactions, 534–535, 540–542
 - <div> tags, 257
 - DML (Data Manipulation Language), 42, 459
 - DML queries, 43–44
 - DROP CONSTRAINT syntax, ALTER TABLE query, 489–490
 - DROP DATABASE query, 493–496
 - DROP FOREIGN KEY syntax, ALTER TABLE query, 489–490
 - DROP INDEX query, 483–485
 - DROP PROCEDURE query, 431
 - DROP query, 45
 - DROP TABLE query, 490–493
 - DropDownList control, 100–104
 - data binding, 385
 - displaying, 384
 - list binding and, 213–219
 - populating, 383
 - setting DataBound event for, 222–225
 - showing all results, 106
 - SqlDataSource and, 231–232
 - DropDownList Tasks menu, 130
- E**
- ease of use, 553
 - e-commerce Web sites, 1
 - objects stored on, 10
 - timeliness of data in, 3
 - EditItemTemplate, 281, 369, 384, 399, 410
 - adding CompareValidator to, 410–411
 - adding RequiredFieldValidator to, 410–411
 - using with FormView, 404–406
 - EditRowStyle, 279
 - EmptyDataRowStyle, 279
 - EmptyDataTemplate, 369–370, 373, 389–390

- END statement, 439
 - enum('value1','value2',...) type, 589
 - error handling, 147–151
 - during database operations, 375
 - in GridView, 381, 387
 - INSERT query and, 307
 - transactions and, 523–542
 - ErrorMessage property, 326
 - errors
 - concurrency, 506, 510
 - exception throwing, 310
 - foreign keys constraint fails, 491
 - from invalid stored procedures, 421
 - returned by SQLCMD, 461
 - validation, 324
 - Eval() method, 258, 267–270, 370–371, 384, 405
 - event-based binding vs. inline binding, 269–270
 - events/event handling
 - after action, 368, 381
 - before action, 368
 - Click, 400–402
 - Data Reader, 220–225
 - DataSet, 225–229
 - GridView, 290–294
 - list binding, 219–235
 - Repeater control, 260
 - SqlDataSource, 229–235
 - exception handling, 310
 - exception objects, 16
 - Exception property, 381
 - ExceptionHandled property, 381
 - exceptions, invalid data and, 307
 - EXEC permission, 425
 - execute methods, 143
 - for queries, 429
 - stored procedures, 429–430
 - See also specific methods*
 - EXECUTE permission, 425
 - Execute Query, 379
 - ExecuteNonQuery() method, 116, 143, 318, 335, 345, 387, 429, 453, 593–594
 - ExecuteReader() method, 130, 134, 143, 429, 444, 591
 - Command object, 257
 - DataReader object, 157
 - executing stored procedures with, 453
 - query batches and, 542
 - ExecuteScalar() method, 116, 143–146, 310, 429, 453, 456, 591
 - External Transaction Manager, 525
- F**
- feature requests, 568
 - field data types, 300
 - Field Web controls, 369. *See also specific controls*
 - FieldCount property, 165, 168
 - Fields collection, 369, 392
 - fields. *See* columns
 - Fill() method, 184, 592
 - DataAdapter, 170–173, 347, 354
 - FillxxxTable() method, 182–184
 - Find() method, 359
 - FindControl() method, 268
 - first normal form (1NF), 555–556
 - flat files, 9–10
 - floating-point numbers, 586
 - FooterStyle, 279–280
 - FooterTemplate, 252, 256, 259, 280
 - FooterText, 280
 - Foreign Key Relationships dialog box, 58
 - foreign keys, 56–57, 300
 - constraints, 42, 56–57
 - design considerations, 559
 - DROP FOREIGN KEY syntax, 489–490
 - indexes and, 484
 - specifying, 472–473
 - Foreign Keys tab, 62–63
 - Formats
 - handling relationships with supported, 375–376
 - saving modified, 346

FormParameter, 105, 233
 FormView Web control, 248, 367, 403–404
 changing modes in, 406
 command buttons, 405–406
 data validation, 407
 using templates with, 404–406
 FROM clause, 98
 FROM keyword, 329, 595
 functionality
 changing, 568
 considerations, 553
 requirements, 549
 functions, scalar, 116, 143–146, 449
 future needs, 551–552

G

GenerateDataSet() method, 178
 GetOrdinal(string) method, 166–167
 GetXXX(int) method, 166–167
 globally unique ID fields (GUIDs), 582–583
 getResult variable, 241
 GRANT query, 45, 459
 GridView Web control, 25, 83, 88–90,
 248–250, 274–294
 adding styles with, 279
 auto-generated SQL queries, 377–379
 Bind() method, 370–371
 ButtonField columns, 329–335
 changing controls for editing, 382–385
 column types, 89
 customization, 276–286
 data validation, 407
 DataBind() method, 395, 397
 defining columns, 279–281
 deleting data in, 385–387
 Edit mode, 380
 editable SqlDataSource and, 379–380
 editing data in, 367–369, 371–385
 EmptyDataTemplate, 369–370
 error handling, 381, 387
 Eval() method, 370–371
 events, 290–294

field controls, 279–281, 369
 filtering data source, 104–106
 interaction between DetailsView and,
 399–403
 paging and sorting results, 286–290
 populating, 120, 130
 refreshing schema for, 96–97
 SelectedValue property, 391
 showing data in, 274–275
 showing table results with, 369
 SqlDataSource and, 96, 232–234
 styles, 277–278
 Tasks menu, 83
 templates, 369

GUIDs (globally unique ID fields), 582–583

H

HasRows property, 165–167, 187
 HeaderStyle, 279–280
 HeaderTemplate, 252–254, 257, 280
 HeaderText, 90, 280
 hierarchical data, 78
 <hr> tags, 257
 HtmlControl-derived Web controls, 191
 HyperLinkField, 89, 279

I

identity columns, 310
 Identity Increment, 41
 IDENTITY option, 472
 Identity Seed, 41
 identity values, 311–312
 IEnumerable interface, 193
 IList interface, 10
 image type, 588
 ImageField, 89, 279
 ImageUrl, 269, 285
 implementation stage, of product
 development life cycle, 548, 563–565
 code issues, 564–565
 prototypes, 563–564
 stored procedures, 564

- IN operator, 110–111
- indexes, 46–52
 - adding, in MySQL 5.0, 51–52
 - adding, in SQL Server 2005, 48–50
 - creating, 480–483
 - deleting, 483–485
 - multi-column, 485
 - naming, 480
 - types of, 48
- information retrieval
 - indexes, 46–52
 - using SELECT query, 591–593
 - See also* data access
- Initial Catalog property, 86
- inline binding, 190, 194–205
 - alternative to, 205–211
 - amount of data and, 193
 - to a DataSet, 201–205
 - to DataReader, 195–201
 - vs. event-based binding, 269–270
 - SqlDataSource and, 194
- INNER JOIN clause, 98–99, 276
- input parameters
 - creating stored procedures with, 434–441
 - using with MySQL 5.0, 445
 - using, with Command object, 441–444
- INSERT query, 43, 116, 298–299, 368, 593
 - adding data in DetailsView with, 397–399
 - adding new table rows with, 297
 - caching objects using, 514–516
 - components of, 593
 - database record insertion, 308–309
 - database rules and, 300
 - error handling, 307
 - inserting new player with (example), 300–310
 - parameters, 309
 - purpose of, 593
 - saving Formats with, 346
 - security and, 309
 - setting player's supported formats (example), 312–319
 - single tables and, 299
 - SqlDataSource and, 368
 - syntax, 593
- InsertCommand property, 356, 368
- InsertItemTemplate, 369, 399, 404–406
- InsertParameters collection, 368, 398
- InsertVisible property, 380, 399
- installation instructions
 - .NET Framework 2.0, 571
 - Microsoft Jet Engine, 571–572
 - MySQL 5.0, 576–577
 - MySQL Connector/NET 1.0, 578
 - MySQL Connector/ODBC 3.51, 578
 - MySQL Query Browser 1.1, 577–578
 - SQL Server 2005 Express Edition, 573–575
 - SQL Server 2005 Management Studio Express, 576
 - Visual Web Developer 2005 Express Edition, 572
- int type, 584
- integer types, 583–585
 - bigint, 583
 - bit, 583
 - int, 584
 - mediumint, 584
 - smallint, 584
 - tinyint, 585
- integers, auto-generated, 582–583
- interactive features, 286–290
- Internet service providers (ISPs), 4
- INTO keyword, 298, 593
- Is Identity, 41
- IS NULL operator, 109
- IsClosed property, 165, 168
- IsDBNull property, 187
- IsDBNull(int) method, 166–168
- IsPostBack property, 120
- issue tracking, 568
- IsValid check, 328
- Item property, 165
- item templates, 250–251
- ItemCommand event, 260–261, 265–266

ItemCreated event, 260
 ItemDataBound event, 260, 263–273
 ItemDeleted event, 396–397
 ItemDeleting event, 396–397
 ItemInserted event, 398
 ItemStyle, 280
 ItemTemplate, 252–259, 271–273, 280, 285, 369, 384
 operatorTemplate, 257
 using with FormView, 404–405
 ItemUpdated event, 393–395

J

Jet Engine, installation instructions, 571–572
 JOIN clause, 94, 98–99

K

keys
 multiple-column, 485
 See also foreign keys; primary keys
 Keys collection, 386

L

LAST_INSET_UD(), 311–312
 line binding, 190
 LinkButton, 400
 list binding, 190, 211–244
 amount of data and, 193
 DataReader and, 213
 establishing data source, 211–212
 events, 219–235
 multiple selection lists, 236–244
 using DataReader, 220–225
 using DataSet, 225–229
 using single-value look-up lists with DataReader, 213–219
 using SqlDataSource, 229–235
 Web controls and, 211–213
 ListBox
 list binding and, 216, 219
 multiple selection lists, 236–244
 list controls. *See* Web controls
 LoadManufacture() method, 501
 local transactions, 536–539

logical operators, 109
 longblob type, 589
 longtext type, 580
 lookup lists
 using single-value, with DataReader, 213–219
 using with DataReader, 220–225
 using with DataSet, 225–229
 using with SqlDataSource, 229–235

M

maintainability, 551
 maintenance
 considerations, 2, 552
 stored procedures and, 416
 maintenance stage, of software development
 life cycle, 548, 567–568
 bug fixes, 567–568
 feature requests, 568
 issue tracking, 568
 mandatory fields, 300
 many-to-many relationships, 55–56
 MAX(column), 144
 MDB files, creation of data-driven page
 (example), 19–25
 mediumblob type, 589
 mediumint type, 584
 mediumtext type, 580
 methods, 42
 Microsoft
 data access technologies from, 11
 UDA strategy of, 12
 Microsoft Access
 binary data, 589
 connecting to, 111–113
 identity values and, 311–312
 OleDbConnection object, 124–126
 parameters in, 112–113, 311
 queries in, 112–113, 311–312, 415
 Microsoft Data Access Components (MDAC), 571–572
 Microsoft Jet Engine, installation
 instructions, 571–572

- Microsoft SQL Server 2005 Express Edition, 28
 - MIN(column), 144
 - modeling, database, 554–559
 - money type, 590
 - multiple result sets, 542–545
 - myReader indexer, 165
 - MySQL 5.0, 28
 - adding data to, 73
 - adding indexes in, 51–52
 - adding table relationships in, 61–63
 - binary types, 589
 - configuring, for stored procedures, 416–417
 - connecting to, 111–113
 - creating stored procedures in, 422–424, 439–441, 448–450
 - creating tables in, 36–40, 473–475
 - creating user accounts in, 71–72
 - identity values and, 311–312
 - installation instructions, 576–577
 - modifying columns in, 476
 - modifying stored procedures in, 433–434
 - mysql.exe, 463–465
 - parameters for queries and, 112–113
 - parameters in, 311
 - queries in, 311–312
 - vs. SQL Server 2005, 40–41
 - using input parameters with, 445
 - using a script to build, 606
 - MySQL Connector/NET, 416–418, 578
 - MySQL Connector/ODBC 3.51, installation instructions, 578
 - MySQL Query Browser 1.1, 459, 489
 - adding indexes using, 51–52
 - adding table relationships using, 61–63
 - creating tables with, 36–40
 - installation instructions, 577–578
 - mysql.exe, 463–465
- N**
- name attribute, 85
 - Name property, parameters, 106
 - named parameters, 141, 311. *See also* parameters
 - namespaces
 - referencing, 120, 124
 - structure, 562
 - naming considerations, 559
 - NavigateUrl property, 258
 - navigation, site maps, 78
 - nchar/national char type, 580
 - .NET Framework, 13
 - .NET Framework 2.0
 - installation instructions, 571
 - .NET languages, 46
 - network traffic, reducing with stored procedures, 416
 - DataRow() method, 183, 355
 - NextResult() method, 166, 542–545
 - nonclustered indexes, 48
 - normalization, 555–559
 - first normal form, 555–556
 - second normal form, 557–558
 - third normal form, 558–559
 - NOT NULL option, 472
 - NOT operator, 110
 - ntext type, 581
 - NULL keyword, 299
 - numeric data types, 582–586
 - autonumbers, 582–583
 - decimal, 585
 - integer types, 583–585
 - variable-size floating-point numbers, 585–586
 - NUnit, 566
 - NUnitASP, 566
 - nvarchar/national varchar type, 581
- O**
- Object Explorer, 488
 - viewing indexes in, 50
 - viewing table relationships in, 60
 - ObjectDataSource, 78
 - object-oriented databases, 9
 - object-relational databases, 9

- objects
 - adding to the cache, 514
 - as data source, 10
 - checking cache for, 515
 - command, 16
 - connection, 16
 - exception, 16
 - removing from cache, 515, 521–523
 - specifying life span of cache, 516
 - types of, for data binding, 193–194
 - See also specific types*
 - ODBC (Open Database Connectivity), 11–13
 - Odbc data providers, 15
 - specifying ODBC driver with, 39
 - stored procedures and, 416
 - ODBC drivers
 - connection strings, 40
 - OdbcConnection object, 117, 121–124
 - OdbcCommand object, 124, 141
 - OdbcConnection object, 117, 121–124
 - OdbcConnectionString object, 112, 123–124, 236
 - OdbcDataReader object.
 - See DataReader object*
 - OleDb data providers, 15
 - connection strings, 40
 - specifying OLE DB driver with, 39
 - OLE DB databases, 12–13
 - OleDbCommand object, 141
 - OleDbConnection object, 117, 124–126
 - OleDbConnectionString object, 112
 - OleDbDataReader object.
 - See DataReader object*
 - OnDataBound property, 108
 - one-to-many relationships, 54
 - one-to-one relationships, 53
 - OnItemCommand property, 266
 - OnPreRender event, 402–403
 - Open Database Connectivity (ODBC), 11–13
 - Open() method
 - Connection objects, 127
 - OdbcConnection objects, 124
 - SqlConnection objects, 121
 - Operator property, 326
 - OR operator, 109
 - OR statement, SELECT query, 108
 - Oracle databases, data provider for, 15
 - ORDER BY clause, 79, 90–94, 99–100, 136
 - order column list, 592
 - output parameters, 434
 - returning data using, 445–449
 - using with SqlCommand object, 451–453
 - using with SqlDataReader, 453–455
- P**
- Page.IsValid check, 328
 - Page_Load event, 120, 125, 132–135, 150, 344, 375
 - PageIndexChanged event, 290
 - PageIndexChanging event, 290
 - PagerStyle, 279
 - paging results, 286–290
 - parameters
 - adding to UPDATE query, 345
 - creating stored procedures with input, 434–441
 - defining, with Command and Parameter Editor, 378
 - in Microsoft Access, 112–113, 311
 - in MySQL 5.0, 112–113, 311
 - INSERT query and, 309
 - named, 141, 311
 - output, 434, 445–455
 - passing, to stored procedures, 441–445
 - returning, from stored procedures, 450–455
 - security and, 309
 - using, in queries, 105–106, 138–142
 - Password property, 86
 - performance considerations, 552
 - performance level, of data-driven Web sites, 3
 - performance measurement, 566–567
 - performance targets, 550–551
 - permissions
 - consideration of, in analysis stage, 550
 - for stored procedures, 424–425

permissions setting, 68–72
 Persist Security Info property, 86
 preferences information, 5
 PreRender event, 401
 presentation tier, 560
 price considerations, 552
 PRIMARY KEY option, 472
 primary keys, 40, 300

- adding to tables, 485
- for tables, 30–31
- indexes and, 485
- specifying, 472–473

 PrimaryKeys property, 354
 prototypes, 563–564
 ProviderName property, 85, 235–236

Q

queries, 42

- auto-generated, 371, 377–379
- batches, 542–545
- command-line tools for, 460–465
- constructing with string concatenation, 137–138
- creating manually, 364–365
- DCL, 459
- DDL, 459
- defining, with SqlDataSource, 368
- DML, 459
- execution of, 368, 429
- for needed information only, 187
- in Microsoft Access, 311
- in MySQL 5.0, 311
- modifying, 130–138
- multiple, 311
- parameters for, 105–106, 112–113, 138–142
- protecting from SQL injection attacks, 140
- results from, 116
- sending multiple, 310
- SQL, 42–45
- using transactions with, 523–542

See also Command objects; *specific types*;
 stored procedures
 Query Builder, 230, 378
 QueryStringParameter, 105, 233, 267

R

RadioButtonList, 216, 219
 RangeValidator control, 319
 Read() method, 158–159, 164–166, 343–344
 read-only data, 77, 156
 ReadOnly mode, DetailsView, 395
 ReadOnly property, 380
 records. *See* rows
 registry, using caution with, 11
 regular expressions, defining, 327
 RegularExpressionValidator control, 319, 323, 327
 relational databases, 9, 27

- adding data to, 72–73
- indexes, 46–52
- queries, 42
- SQL, 42–45
- stored procedures, 42, 46
- tables, 28–42
- triggers, 74
- views, 74
- user accounts, 68–72

See also databases
 Remote Access Objects (RDO), 12
 Remove() method, 515, 521–523
 Repeater Web control, 248–269

- events, 260
- item templates, 250–251
- templates, 249–252
- using to display data, 252–269

 RequestQueryString property, 443
 RequiredFieldValidator control, 319, 323, 326, 410–411
 requirements gathering stage. *See* analysis stage
 resource availability, 550–551
 reusability issues, 2
 REVOKE query, 45
 ROLLBACK TRANSACTION query, 526–527
 ROW_COUNT() method, 449
 RowCommand event, 293–294, 330–335
 rowDataBound event, 285
 RowDeleted event, 374

- RowDeleting event, 385–386
- rows, 29
 - adding new, 355
 - checking for number of deleted, 335
 - editing, 360, 380–381
- RowState, 347
- RowStyle, 279
- RowUpdated event, 356
- RowUpdating event, 356
- runtime errors
 - invalid data and, 319
 - with stored procedures, 429
- S**
- Scalar commands, 143
- scalar functions, 116, 143–146, 449
- SCOPE_IDENTITY() method, 310–311
- scripts, using, 605–606
- search engines, 2
- second normal form (2NF), 557–558
- security issues
 - consideration of, in analysis stage, 550
 - design considerations and, 565
 - INSERT query and, 309
 - stored procedures and, 416
- select column list, 79, 592
- Select link, GridView, 391
- <SelectParameters> element, 105
- SELECT queries, 44–46, 79–81, 84–108
 - AS keyword, 276
 - combining multiple, 542–545
 - components of, 79, 592
 - configuring, for SqlDataSource, 229
 - data binding and, 193
 - filtering results, 99–108
 - GridView Web control, 88–90
 - ORDER BY clause, 90–94
 - purpose of, 591
 - querying multiple tables, 94–108
 - querying single table, 79–94
 - scalar functions and, 144
 - showing all results, 106–108
 - showing data using, 390
 - SqlDataSource and, 86–88, 368
 - syntax, 591–593
 - using, to edit data in DetailsView, 392–394
 - views and, 74
 - WHERE clause, 100, 187
- Select() method, 368
- SelectCommand property, 184, 232–233, 368
 - DataAdapter, 346
 - parameter types, 233
 - SqlDataSource, 87–88, 92, 244
- SelectedIndexChanged event, 131–137, 219–225, 234, 401–402
- SelectedRowStyle property, 279, 391
- SelectedValue property, 385, 391
- SelectParameters collection, 233, 368, 391
- SeparatorTemplate, 252, 255, 259
- ServerValidate event, 327
- services, as data source, 10–11
- SessionParameter, 105, 233
- SET keyword, 336, 345, 594
- set('value1', 'value2', ...) type, 590
- set-based data, 78
- simple indexes, 48
- site maps, 78
- SiteMapDataSource, 78
- smalldatetime type, 587
- smallint type, 584
- smallmoney type, 590
- software development life cycle, 548
 - analysis stage, 548–553
 - design stage, 548, 553–563
 - implementation stage, 548, 563–565
 - maintenance stage, 548, 567–568
 - testing and debugging stage, 548, 565–567
- software engineering, tenants of, 553
- Solution Explorer, 20
- Sorted event, 288
- SortExpression property, 90, 286–288
- Sorting event, 288
- sorting results, 90–94, 286–290

- speed issues, 416, 565
- SQL (Structured Query Language), 42
 - alternatives to, 46
 - data types, 579–590
 - keywords, 43
- SQL injection attacks, 137–140
- SQL queries, 42–45, 79
 - auto-generated, 377–379
 - DCL, 45
 - DDL, 44–45
 - DML, 43–44
 - parameters for, 105–106, 138–142
 - testing, 379
 - to create user accounts, 71–72
 - See also* queries; *specific types*
- SQL Server 2005
 - adding data to, 72
 - adding indexes in, 48–50
 - adding table relationships in, 58–61
 - binary types, 588
 - creating database diagrams in, 64–68
 - creating stored procedures in, 418–422, 436–439, 446–448
 - creating tables in, 31–36, 469–473
 - creating user accounts in, 69–71
 - data provider for, 15
 - modifying columns in, 476
 - modifying stored procedures in, 431–432
 - vs. MySQL 5.0, 40–41
 - querying, using command line, 461–463
 - SQLCMD, 460–463
 - SqlConnection object, 117–121
 - using a script to build, 605
 - using SELECT queries with, 79–108
- SQL Server 2005 Express Edition, installation instructions, 573–575
- SQL Server 2005 Management Studio Express Edition, 28, 459, 488
 - adding indexes using, 48–50
 - adding table relationships using, 58–61
 - creating database diagrams using, 64–66
 - installation instructions, 576
 - saving changes, 50
 - using, to create tables, 31–36
- SQL Server CE, data provider for, 15
- SQLCMD, 460–463
- SqlCommand object, 117, 121, 128
 - adding parameters to, 138–140
 - constructors, 129
 - ExecuteRead() method, 130
 - using output parameters with, 451–453
- SqlCommand() constructor, 129
- SqlCommand(string) constructor, 129
- SqlCommand(string, SqlConnection) constructor, 129
- SqlCommand(string, SqlConnection, SqlTransaction) constructor, 129
- SqlConnection object, 117–121
- ConnectionString, 120
- SqlDataReader object. *See* DataReader object
- SqlDataSource Web control, 22–24, 367
 - calling a stored procedure in, 430
 - Command and Parameter Editor, 378
 - connecting to other data sources, 235–236
 - data binding and, 191
 - DataReader and, 185
 - DataSet and, 185
 - defining queries with, 368
 - DELETE query and, 368
 - design considerations, 564
 - DetailsView and, 391
 - disadvantages of, 234, 243
 - DropDownList control and, 231–232
 - editable, and GridView, 379–380
 - filtering results, 100–102
 - GridView and, 96, 232–234, 379–380
 - handling concurrency using, 507–514
 - inline binding and, 194
 - INSERT query and, 368
 - properties, 92, 235–236, 378
 - Repeater Web control and, 266–267
 - SELECT queries, 80–88, 368
 - showing all results using, 106–107
 - Tasks menu, 80

- updatable features of, 368–369
- UPDATE query and, 368
- using input parameters with, 444–445
- using lookup lists and events with, 229–235, 242–244
- using output parameters with, 453–455
- SqlDataSource object, 78–79
- State property, 127
- store layout, using databases to change, 5
- stored procedures, 42, 46
 - advantages of, 415–416
 - altering and deleting, 430–434
 - calling, 425–430
 - configuring MySQL 5.0 to use, 416–417
 - creating, 418–424
 - creating with input parameters, 434–441
 - defined, 415
 - execute methods, 429–430
 - granting permissions for, 424–425
 - implementation, 564
 - passing parameters to, 441–445
 - replacing queries with, 455–456
 - returning data from, with output parameters, 445–449
 - returning parameters from, 450–455
 - using with other queries, 455–456
- string concatenation, SQL injection attacks and, 137–138
- StringBuilder, 241
- structure definition, 561–563
- style templates, 277–279
- SUM(column), 144
- support considerations, 553
- syntax
 - DELETE query, 594
 - INSERT query, 593
 - SELECT query, 591–593
 - UPDATE query, 594
- system administrator, 68
- System.Data.Odbc, 15, 235
- System.Data.OleDb, 15, 235

- System.Data.OracleClient, 15, 235
- System.Data.SqlClient, 15, 235
- System.Data.SqlServerCe, 15
- System.Object, 64–165
- System.Transaction namespace, 534–535

T

- table binding, 190, 247–295
 - amount of data and, 193
 - Bind() method, 370–371
 - DataList Web control, 270–273
 - Eval() method, 370–371
 - GridView Web control, 274–294
 - inline binding vs. event-based binding, 269–270
 - item templates, 250–251
 - Repeater Web control, 251–269
 - Web controls, 247–251
- table relationships
 - creating, 485–489
 - deleting, 489–490
- tables, 28–42
 - adding data to, 72–73
 - cascading changes between, 57
 - properties and constraints, 40–42
 - creating, in MySQL 5.0, 36–40
 - creating, in SQL Server 2005, 31–36
 - creating, with DDL queries, 469–475
 - customizing, with GridView, 276–286
 - deleting, 490–493
 - modifying, 475–480
 - naming, 30, 34
 - primary keys for, 30–31
 - querying multiple, with SELECT query, 94–108
 - querying single, 79–94
 - relationships between, 52–63
 - retrieving information from, 30
 - See also* columns; databases; rows
- Tasks menu, 22–24
- Team Foundation Server, 568

TemplateField control, 279–281, 285, 290, 369, 384, 393–394
 data validation and, 407
 defining templates in, 384
 templates supported by, 280
 TemplateField property, 89
 templates
 EmptyDataTemplate, 369–370
 GridView, 369
 item, 250–251
 Repeater, 252
 style, 277–279
 supported by TemplateField, 280
 using with FormView, 404–406
 Web control, 249
 test harnesses, 566
 testing and debugging stage, of software
 development life cycle, 548, 565–567
 performance measurement, 566–567
 unit testing, 566
 Text, 552
 Text property, 326
 text types, 579–582
 char type, 580
 longtext, 580
 mediumtext, 580
 nchar/national char, 580
 ntext, 581
 nvarchar/national varchar, 581
 text, 581
 tinytext, 582
 varchar, 582
 third normal form (3NF), 558–559
 tier definition, 560–561
 time types, 586–588
 timestamp type, 587
 tinyblob type, 589
 tinyint type, 585
 tinytext type, 582
 ToString() method, 164–165
 Transaction objects, 527–534

transactions, 523–542
 defining, 526–527
 distributed, 534–535, 540–542
 handling, 525
 implementing distributed, 534–535
 properties of, 525
 using local, 536–539
 triggers, 74
 try..catch..finally, 159, 312
 Type property, 327

U

Unified Modeling Language (UML), 550
 unique indexes, 48
 uniqueidentifier type, 590
 unit testing, 566
 Universal Data Access (UDA) strategy, 12
 UPDATE queries, 43, 116, 336
 adding parameters to, 345
 changing table rows with, 297
 components of, 594
 data concurrency and, 498–499, 505–507, 511
 editing data in DetailsView with, 392–394
 example, 336–345
 purpose of, 594
 SqlDataSource and, 368
 syntax, 594
 using stored procedure in place of, 455–456
 Update() method, 171–172, 347, 355–356, 360, 381, 593–594
 UpdateCommand property, 360, 368
 UpdateParameters collection, 368, 381, 394, 512
 use cases, 549–550
 USE query, 461–463
 user access requirements, 549–550
 user accounts, 68–72
 creating, in MySQL 5.0, 71–72
 creating, in SQL Server 2005, 69–71
 User ID property, 86

user input, validating, 307, 406–412
 user interface (UI)
 adding a Add New Player link, 400–403
 interactions between GridView and
 DetailsView, 399–403
 using cookies to change, 5
 user preferences information, 5
 user roles requirements, 54–550
 using statement, 539

V

validation
 data, 319–328
 of user responses, 307, 406–412
 ValidationSummary Web control, 326
 validators, properties of, 325–326
 VALUES keyword, 298, 593
 varbinary type, 588
 varchar type, 582
 variable-size floating-point numbers,
 585–586
 views, 74, 559
 Visual Studio Team System, 566
 Visual Web Developer 2005 Express Edition,
 19–20, 25, 28, 553
 connecting, to database, 34–35, 38–40
 enabling debugging, 25
 installation instructions, 572
 Toolbox, 22

W

WC3 (World Wide Web Commission), 46
 Web controls
 adding data-aware, 199
 associating data fields with, 199–200
 associating data to, 192–194
 data source, 78–79, 86–88
 data validation, 319–320
 properties of, 325–326
 data-aware, 191–192
 HtmlControl-derived, 191

list binding and, 211–213
 multiple selection lists, 236–244
 selection of, 306–307
 table-binding, 247–251
 validation, 326–328
See also specific controls

Web services, 10

Web site development. *See* software
 development life cycle

Web sites

 data retrieval by, 6–8
 e-commerce, 1
 use of data sources by, 4–8
 See also data-driven Web sites

Web.config files, 25

 connection strings and, 85–87, 112
 modifying, to enable debugging, 85

WHERE clause, 108–111, 136, 140, 233

 adding QueryString parameter to, 262
 BETWEEN operator, 110–111
 constraints, 329

 data concurrency and, 498–499, 506

 filtering results with, 130

 IN operator, 110–111

 SELECT query and, 79, 100, 104,
 107–108, 187

 UPDATE query and, 336, 345

 using comparison operators, 109

 using logical operators, 109

World Wide Web Commission (WC3), 46

WriteLine() method, 151

X

XML, 46

XML databases, 9

XmlDataSource, 78

Y

year type, 588