

Index

• *Symbols and Numerics* •

- \ (backslash), 200
- (decrement), 149–150
- (minus) operator, 148
- ' (single quotation mark), 143, 146
- , (comma), 339
- ! (not) operator, 159–160
- != (unequal) operator, 154
- “ (double quotation mark)
 - copying issues, 64
 - curly versus straight, 64
 - punctuation rules, 121
 - strings, using with, 119, 146
 - values, using with, 99
- % (remainder upon division) operator, 148
- %= (remainder equals) operator, 153
- && (logical and) operator, 157
- () (parentheses)
 - code, simplifying, 162
 - empty, 131
 - if statements, using with, 194
 - precedence, choosing with, 152, 162–163
 - punctuation rules, 121
 - * (multiply) operator, 148
- *= (multiply equals) operator, 153
- . (dot)
 - method names, 260
 - object fields, using with, 227
 - object methods, calling, 243
 - packages, using with, 122
 - varargs, using with, 341
- / (division) operator, 148
- /= (division equals) operator, 153
- ;(semicolon)
 - continue statements, using with, 210
 - punctuation rules, 121
 - return statement, using with, 176
 - statements, ending with, 232
- ? (question mark) icon, 131
- [] (brackets), 338
- _ (underscore character), 61–62, 140, 142
- { } (curly braces)
 - arrays, using with, 339
 - class body, using with, 112
 - consistent placement, 121
 - if statements, omission rules, 194–195
 - method body, using with, 117, 121
 - punctuation rules, 121
- || (logical or) operator, 158
- + (plus) operator, 148
- ++ (increment), 149–150
- < (less than) operator, 154
- < > (angle brackets), 327
- <= (less than or equal) operator, 154
- = (minus equals) operator, 153
- = (single equal) sign, 154, 193, 210, 227
- == (double equal) sign
 - definition, 154
 - if statements, testing with, 193
 - values, comparing with, 406
 - warning about using, 154–155
- > (greater than) operator, 154
- >= (greater than or equal) operator, 154
- 32-bit systems
 - consistency, importance of, 31
 - identifying, 31–35
 - Java and Android SDK software, matching
 - versions of, 34
 - Macintosh system information, 32–35
 - 64-bit versus, 31
 - Windows system information, 31–32
 - word length, 33
- 64-bit systems
 - consistency, importance of, 31
 - identifying, 31–35
 - Java and Android SDK software, matching
 - versions of, 34
 - Macintosh system information, 32–35
 - 32-bit versus, 31
 - Windows system information, 31–32
 - word length, 33

• A •

- AbstractCollection class, 337
- Access Token codes (OAuth), 361
- accessor methods, 255–257
- action element, 133–134
- actions (Eclipse workbench), 69
- active view (Eclipse workbench), 72–74
- activities
 - Activity class, using with, 297
 - activity element, adding, 410
 - creating/destroying, 136
 - definition, 134, 296
 - extending, 134
 - overriding, 134–135
- Activity class
 - Context class, relationship to, 346
 - declaring, 134
 - dependencies, 346
 - overview, 296–298
- activity elements
 - AndroidManifest.xml file, adding to
 - automatically, for main activity, 349
 - manually, for additional activities, 350, 410
 - overview, 104–105
- activity_main.xml file
 - Eclipse Editor, viewing in, 304
 - widgets, declaring in, 345
- ActivityNotFoundException error, 105, 410
- adb kill-server command, 93–94
- addAll method, 188
- addPoints method
 - advantages of, 185
 - compound assignment operators, using, 182
 - copying parameter values, 183–184
 - values, returning, 186–187
- adjustPan value, 355
- ADT (Android Development Toolkit), 26
- afterTextChanged method, 366–367
- alert method, 287, 295
- alertable method, 290
- AlphaAnimation, 399
- ancestors, 267
- Android
 - Activity class, built-in functions, 134
 - advantages versus disadvantages, 12
 - API levels, 14
 - code names, 14
 - devices, testing on, 92–94
 - history, 11
 - Java version choices, 16
 - platform numbers, 13
 - portability advantages, 23–24
 - portability versus features, balancing, 14
 - usage figures, 1
 - version choices, 14
 - version numbers, 13–14
- Android 4.2 branch, 100–101
- Android API, 343–344
- Android Application Development All-in-One For Dummies*, 346
- Android Debug Bridge, 18
- Android Development Toolkit (ADT), 26
- android: id attribute, 344, 387–388
- Android Java
 - standard Java versus, 62, 77, 177, 344
 - XML files, combining with, 133–134
- Android screen densities, 195–196
- Android SDK. *See* SDK
- Android versions
 - API, relationship to, 80
 - history of, 13
- Android Virtual Device (AVD)
 - creating, 50–52
 - error messages, resolving, 88
 - overview, 29, 50
- android.app.Activity class, 134, 298
- .android/avd subdirectory, 80, 90
- android:hint attributes, 365–366
- android.intent.action.MAIN, 105
- android.intent.category.LAUNCHER, 105
- AndroidManifest.xml file
 - action element, 133–134
 - activity element, adding
 - automatically, for main activity, 349, 355
 - manually, for additional activities, 350, 355
 - overview, 104–105

- app execution, starting, 133
 - contents of, 103–104
 - example, 104
 - onCreate method, 134
 - onCreateOptionsMenu method, 133–134
 - overview, 17
 - android:name attribute, 350
 - android.permission.INTERNET permission, 355
 - Android-x86, 23
 - angle brackets (< >), 327
 - AnimationListener interface, 400
 - animations
 - listeners, using, 406–407
 - view versus property, 399
 - annotations, 276–277
 - anonymous inner classes
 - advantages of, 317–318
 - named inner classes, converting from, 319
 - punctuation, 319
 - ANR (Application Not Responding), 90–91
 - API (Application Programming Interface)
 - Android versions, relationship to, 80
 - android.app.Activity class, 134
 - Eclipse errors, resolving, 49
 - levels, 14
 - target version, definition, 80
 - versions, choosing minimum and target, 14, 79–80
 - versions of, 26
 - .apk files, 22
 - Application Not Responding (ANR), 90–91
 - Application Programming Interface (API)
 - Android versions, relationship to, 80
 - android.app.Activity class, 134
 - Eclipse errors, resolving, 49
 - levels, 14
 - target version, definition, 80
 - versions, choosing minimum and target, 14, 79–80
 - versions of, 26
 - apps, creating
 - activity element, adding
 - automatically, for main activity, 349
 - manually, for additional activities, 350
 - Android devices, testing on
 - AndroidManifest.xml file, editing, 92
 - development computer, setting up, 92
 - Eclipse, running app from, 93
 - USB cable, connecting/disconnecting, 93
 - USB debugging, enabling, 92
 - AndroidManifest.xml file, editing, 349–350
 - API values, choosing, 79–81
 - console apps, 126
 - Eclipse, naming apps, 78
 - Eclipse, opening new projects, 78
 - emulators, running on, 83–87
 - example, 304–307
 - icons, adding, 133
 - main method, android equivalents, 344
 - naming, projects and packages, 78–79
 - New Android Application dialog box, recommended settings, 81–82
 - permissions, app installation, 17
 - permissions, internet, 355
 - XML code required, 132–134
- area (Eclipse workbench), 69
 - arithmetic
 - assignment operators, 152–153
 - binary versus decimal, 154–155
 - characters and strings, combining, 150–152
 - compound assignment operators, 153
 - operators, 148
 - order, importance of, 152
 - types, combining, 148–150
 - ArithmeticException class, 375
 - array initializers, 339
 - ArrayList class, 326–327
 - arrayList.add, 327
 - arrays
 - disadvantages, 338–339
 - indexes, using with, 337–338
 - initializers, creating, 339
 - number declarations, changing, 338
 - overview, 337
 - String values, 339
 - values, storing system, 327, 338, 408
 - assignments
 - compound operators, using, 152–153
 - constructors, using with, 237–239
 - initializing with, 143

assignments (*continued*)

- narrowing versus widening, 168–169, 174
- single equal sign, using, 154, 193
- strong typing rules, 167–169
- variables, changing values with, 141–142

AsyncTask class

- doInBackground method, using, 371
- generic type names, using, 372–373
- terminology, 368–369
- threads, rules for, 369–370

@Override, 135, 276–277

AVD (Android Virtual Device). *See* Android Virtual Device

• B •

backslash (\), 200

beep method, 295

beforeTextChanged method, 367

bits

- 8 versus 16 versus 32, 144
- definition, 138
- interpretation, listing of, 145
- Unicode, 144

body

- definition, 112
- punctuation rules, 121

boolean type, 147, 244

boolean variables

- characters, changing into values, 161–162
- definition, 148
- if statements, using with, 194
- overview, 153–154
- while statements, using with, 210

Boolean.parseBoolean method, 161–162

BorderLayout, 344

braces. *See* curly braces

brackets ([]), 338

branches

- Android 4.2 branch, 100–101
- gen directory, 100–101
- res directory
 - drawable subdirectory, 95–96
 - layout subdirectory, 97
 - subdirectory, 96–97
- src directory, 94–95
- working with, 42–46, 72, 82–83

break statements

- switch statements, using with, 201–203
- while statements, using with, 210

Burd, Barry, 282

Button class, 306, 315

buttons

- callbacks, using with, 286–289, 309–310
- clicks, responding to
 - classes, handling without, 320–323
 - inner classes, handling with, 316–320
 - listeners, using, 406–407
 - MyOnClickListener class, using for, 309–310
- Display, creating, 239–243
- Graphical Layout, creating automatically with, 313, 321–323
- layouts, adding to, 305
- listener methods, 367
- Twitter apps, 364–366

byte type (primitive), 147, 203, 244

Byte type (reference), 203

• C •

.cab files, 30

Calendar class, 293

Calendar.getInstance method, 293

callbacks

- creating, 286–289
- example, 309–310

calls (in methods)

- main method, 120
- overview, 117–118
- parameter compatibility issues, 170–174, 181
- parameters, 118–119

camel case, 140

CardLayout, 344

case clauses

- break statements, ending with, 201–203
- fall-through, using, 201–202
- switching with, 198–199

case-sensitivity

- class names, 114
- Java, 63
- keywords, 405
- matching, rules, 405
- XML documents, 99

- cast operators, 170
- casting
 - example, 315
 - generic types versus, 329–330
 - overview, 169–170
- catch clauses
 - Exception `e`, using, 378
 - parameter list, using, 377
 - sequence of use, 378
- category element, 133–134
- char type, 147, 244
- Character type, 203, 332
- characters
 - checking for input, 366–367
 - literals, using, 146
 - strings, combining with, 150–152
- CheckBox class, 315
- CheckBox method, 346
- checkboxes `[i].isChecked` method, 348–349
- checked exceptions, 376
- chevrons (Eclipse workbench), 74
- child, 267
- Chronometer class, 315
- class keyword, 112
- classes. *See also* collection classes;
individual classes by name
 - code, affected by, 222–223
 - constructor calls, 226
 - creating, 61
 - declarations
 - identifiers, 112–113
 - keywords, 112–113
 - Package Explorer, creating in, 307
 - definition, 111–112, 221–222
 - displaying, requirements for, 222
 - examples, 222–224, 227
 - extending, 134, 269–270, 298
 - factory classes, 374
 - final keyword, locking with, 278
 - hierarchies, 263
 - inner classes, 316–320
 - instances, 224–225
 - instantiating, 226
 - keywords and identifiers, 113
 - members of, 243
 - names, reusing, 227–229
 - naming conventions
 - blanks and digits, underscores, 61
 - case-sensitivity, 63, 114
 - declarations and identifiers, 112–113
 - fully qualified versus simple, 114, 118, 375
 - method declarations, 116–117
 - packages, 61–62, 114
 - objects
 - creating, 225–226
 - relationship to, 224–225
 - Ordered Pair, creating, 330–331
 - punctuation rules, 121
 - static members/fields
 - declaring, 257
 - referring to, 258
 - subclass, 267, 282
 - superclass, 267, 282
 - wrappers, 331–332
- code-number system, 102, 311–314
- collection classes
 - AbstractCollection class, inheriting
 - from, 337
 - creating, 330
 - custom, using, 331
 - definition, 326
 - example, 326–327
 - generic types, using, 327–330
 - HashMap, 336
 - HashSet, 336
 - index, 327
 - LinkedList, 336
 - listing of, 336
 - non-generics types, disadvantages of, 328
 - Ordered Pair class, creating, 330–331
 - PriorityQueue, 336
 - Queue, 336
 - Stack, 336
- comma (,), 339
- comments
 - definition, 123
 - end-of-line, 124
 - examples, 122–123, 125, 229
 - javadoc, 124–125
 - traditional, 123
- comparisons
 - boolean variables, using for, 153–154
 - comparison operators, using, 154

- compile-time errors
 - compile-time warnings, 67–68
 - finding, 65
 - fixing, 66
 - logic errors, 67
 - quick-fix suggestions, 65
 - red marks, 65
 - unchecked runtime exceptions, 67
 - compiling
 - .apk files, 22
 - Dalvik bytecode from Java, 22
 - Eclipse, using for Java, 20–22
 - error markers, red, 65
 - Java bytecode, 21
 - overview, 19–20
 - compound assignment operators, 152–153
 - compound statements, 195
 - compressed archive files, 30
 - concatenation, 151–152
 - conditions
 - definition, 154
 - if statements, punctuation of, 194
 - Console view
 - error messages, listing, 355
 - opening, 83–84
 - sending text to, 126
 - constructor calls
 - example, 226
 - objects, creating with, 230–231
 - constructors
 - assignments, using with, 237–239
 - declarations, creating automatically, 231
 - default, automatic creation of, 237
 - defining, 407
 - local variables, 237
 - methods, calling, 240–243
 - naming, 230–231
 - objects, creating, 230–231
 - parameters, declaring, 234–235
 - parameters, naming issues, 235–236
 - parameters, overloading, 235
 - this keyword, using with, 237–239
 - Consumer Key codes (Oauth), 361
 - Consumer Secret codes (Oauth), 361
 - context (apps), 346
 - Context class, 346
 - ContextThemeWrapper class, 298
 - continue statement, 210
 - countdown method, 128, 131
 - curly braces ({})
 - arrays, using with, 339
 - class body, using with, 112, 122
 - consistent placement, 121
 - if statements, omission rules, 194–195
 - method body, using with, 117, 121
 - punctuation rules, 121
 - currency, locale displays, 177
 - currentTimeMillis method, 293
- D •
- Dalvik bytecode
 - advantages of, 23
 - overview, 22–23
 - Dalvik virtual machine, 23–24
 - debugging bridge, 18
 - declarations
 - classes, 112
 - constructors, creating in, 230–231
 - headers
 - definition, 112, 117
 - syntax, 175
 - import declarations, 128–129
 - methods
 - definition, 116
 - naming conventions, 116–117
 - parameters, 131
 - type compatibility issues, 170–174, 181
 - packages, 114
 - punctuation rules, 121
 - statements, executing, 230–231
 - type declarations, 140
 - decrement (–), 149–150
 - default class, 249–250
 - default clauses, 199–203, 208
 - densities, 195–196, 388
 - densityCode, 198–199, 201
 - dependencies
 - Activity class, 346
 - catch clauses, 378
 - classes, extending, 267–270
 - projects, managing with Eclipse, 290–291
 - descendants, 267
 - development computer
 - emulators, setting up, 29
 - filename extensions, viewing, 29
 - software installation, 27–28
 - target device versus, 26

.dex files, 22. *See also* Dalvik bytecode

dialog boxes
 creating, 118, 127–131
 text input boxes, 157–158

digits
 Java Class naming conventions, 61
 Java Package naming conventions, 61–62
 variable names, using with, 140

Display object, 395

displayAsSentence method, 341

displays
 measuring, 395–397
 objects, methods from within, 240–242
 screen densities, 195–196

displayWidth method, 395

division (/) operator, 148

division equals (/=) operator, 153

do statements
 advantages of, 213
 syntax, 212
 while statements versus, 211–212

documentation, 123

doInBackground method, 371

dot (.)
 method names, 260
 object fields, using with, 227
 object methods, calling, 243
 packages, using with, 122
 varargs, using with, 341

double equal (==) sign
 definition, 154
 if statements, testing with, 193
 values, comparing with, 406
 warning about using, 154–155

double minus (–), 149–150

double plus (++), 149–150

double quotation mark (“)
 copying issues, 64
 curly versus straight, 64
 punctuation rules, 121
 strings, using with, 119, 146
 values, using with, 99

double type, 147, 244

double values, warning against comparing,
 155, 157

dragging and dropping, 344, 355

dx tool, 22

• E •

Eclipse
 ADT add-ons, 26
 Android SDK files, installing, 41
 android.id attribute, creating, 344
 branches, working with, 42–46, 72, 82–83
 classes, creating, 61
 compile-time errors, 65
 console view, 83–84, 126
 desktop terminology, 69–70
 downloading, 38–39
 files, importing, 46–49
 Graphical Layout view, 304
 import declarations, generating, 128–129
 Java Classes, naming conventions, 61
 Java code, spelling and syntax, 62–63
 Java Package naming conventions, 61–62
 Java program previews, 56
 launching, initial, 39–40
 layouts, creating, 343–344
 line numbers, showing, 65
 overview, 20–22
 Package Explorer, 55
 preferences, displaying, 42
 programs, running, 66
 projects, naming, 59
 SDK files, locating, 41–42
 setting up, 28–29, 39–42
 syntax highlighting, 63
 Unable to resolve target
 'android-15' error, resolving, 49
 views versus editors, 70–71
 Welcome Screen warning, 56
 Workspace Launcher, using, 54–55
 workspaces, creating, 58
 zip files, uncompressing, 30

Eclipse Editor
 AndroidManifest.xml file, adding
 activity elements, 349–350
 compile-time errors, 66
 compile-time warnings, 67–68
 error messages
 ActivityNotFoundException, 105
 Application Not Responding, 90–91
 Force Close, 90–91
 No compatible targets were found, 88

- Eclipse Editor, error messages (*continued*)
 - R cannot be resolved, 87–88
 - Unknown virtual device name, 89–90
 - The user data image is used by another emulator, 89–90
 - Windows can't stop your device, 93–94
- Java code, entering, 62
- Java code, syntax conventions, 62–63
- line numbers, showing, 65
- logic errors, 67
- red error markings, 64–68
- syntax highlighting, 63
- tabbed groups, 72
- tabs, changing with, 71–72
- terminology for, 73–74
- unchecked runtime exceptions, 67
- views versus editors, 70–71
- yellow warning markings, 67–68
- Eclipse Package Explorer
 - .jar files, creating and using, 352–354
 - Java Classes, 61
 - Java Packages, naming conventions, 61–62
 - Java program previews, 56
 - Java programs, running from, 56–57
 - libraries, adding with, 352–354
 - packages, naming conventions, 61–62
 - projects, naming conventions, 59
 - Referenced Libraries branch, adding, 353–354
 - src directory, 94–95
 - workspaces, creating, 58
- Eclipse workbench
 - active views/editors, 72
 - definition, 69
 - overview, 55
 - tabbed groups, 72
 - tabs, changing views with, 71–72
 - terminology, editors/views, 73–74
 - terminology, main view, 69–70, 74–75
 - views versus editors, 70–71
 - workspaces, selecting, 58
- editor. *See* Eclipse Editor
- editTextTweet, 367
- elements, 98–100
- else statements
 - curly braces, 194–195
 - if statement, omission rules, 195
- e-mail, author's account, 7, 57
- embedded processors, 15
- emulators
 - apps, keeping open between, 86
 - apps, testing, 83–86
 - changes not appearing, 91
 - definition, 29
 - Device Locked screen
 - unlocking, 86
 - waiting for, 84–85
 - .jar files, uploading to, 353
 - launching, 83–86
 - screen size, adjusting, 91
 - speeding up, 85
 - stalling during start-up
 - AVD, opening from, 89
 - re-starting from Package Explorer, 88
 - Twitter apps, problems with, 364
- enhanced for statements
 - overview, 334–335
 - variables, warning about, 335–336
- enum type
 - definition, 203
 - example, 203–204
- equal sign, double (==)
 - definition, 154
 - if statements, testing with, 193
 - warning about using, 154–155
- equal sign, single (=), 154, 193, 210, 227
- equality
 - double equal (==) sign, using for, 193
 - if statements, testing with, 193
- equals method, 193
- error message icon, creating, 128, 131
- error messages. *See also* compile-time errors
 - ActivityNotFoundException, 105
 - Application Not Responding, 90–91
 - Force Close, 90–91
 - listing of, 355
 - No compatible targets were found, 88
 - R cannot be resolved, 87–88
 - red error markings, 64–68
 - stack traces, diagnosing with, 377
 - Unknown virtual device name, 89–90
 - The user data image is used by another emulator, 89–90
 - Windows can't stop your device, 93–94
 - yellow warning markings, 67–68
- Exception class, 375

- Exception e catch clause, 378
- exceptions
 - checked versus unchecked, 376–377
 - definition, 375
 - Exception e catch clause, using, 378
 - finally clause, using with, 378–379
 - InterruptedException, 381
 - NullPointerException, 408–409
 - stack traces, diagnosing with, 377
 - Unhandled, 376
 - upstream methods, passing to, 379–381
- explicit intent objects, 346
- expressions, definition, 143
- extending
 - advantages of, 267
 - ancestor/descendent description, 267
 - classes, 134, 269–270, 298
 - classes, final, 278
 - definition, 134
 - examples, 266–267
 - inheritances, 268
 - methods, 298
 - parent/child description, 267
 - superclass/subclass description, 267
- extends keyword
 - inheritance, supplying, 298
 - overview, 267
- eXtensible Markup Language (XML).
See XML
- punctuation rules, 122
 - slashes, using with, 200
- final keyword
 - classes, locking with, 278
 - definition, 142
 - methods, locking with, 278
 - variables, locking with, 189
- finally clause, 378–379
- findViewById method
 - definition, 313
 - layouts, locating with, 345
 - overview, 315
 - widgets, locating with, 366
- finish method, 298
- float type
 - equality sign, warning about, 155
 - overview, 147–148, 244
- floating point types, 148
- FlowLayout, 344
- for statements
 - collections, stepping through, 333
 - counting with, 213
 - enhanced
 - advantages of, 334–335
 - variables, warning about, 335–336
 - example, 214–215
 - syntax, 216
- frame-by-frame animation, 399
- FrameLayout, 344

● F ●

- Facebook, author's account, 7
- factory classes, 374
- fall-through, 201–202
- fields
 - access modes, 279
 - definition, 223
 - input control, 223–224
 - methods, similarity to, 243
 - naming issues, 235–236
 - referring, rules for, 259–260
 - reusing, 229–230
 - static, declaration of, 257
 - static, referring to, 258
- filenames
 - Eclipse projects, 55
 - extensions, viewing, 29

● G ●

- gen directory, 100–101
- generic types
 - angle brackets, using, 327
 - casting versus, 329–330
 - overview, 327–328
- get method, 255
- getBoolean method, 402
- getCallingActivity method, 298
- getCallingPackage method, 298
- getCurrencyInstance (), 176–177
- getFloat method, 402
- getInt method, 402
- getParent method, 298
- getSharedPreferences method, 401
- getSingleton method, 374
- getSize method, 395–397

getter methods, 254–255
 getTimeInMillis method, 293
 getTitle method, 298
 getTitleColor method, 298
 getUserTimeline method, 376–377
 getWindow method, 298
 Gibibyte (GiB), 51
 Goodbye World app, 127–128
 Graphical Layout view

- buttons, creating automatically, 313, 321–323
- dragging and dropping, 344, 355
- opening, 304
- resizing, 304
- widgets, adding with, 305
- XML code, switching to, 304

 greater than (>) operator, 154
 greater than or equal (>=) operator, 154

• H •

hardcoding values, avoiding, 168, 176
 hardware requirements, 4
 HashMap class, 336
 HashSet class, 336
 headers

- definition, 112
- overview, 117
- syntax, 175

 Hello World app

- definition, 109
- example, console method, 126
- example, simple, 110–111

 hexadecimal notation

- code-number system, 102
- R.java file, used in, 311–314

 highlighting, Java code syntax, 63
 hint messages, 365–366
 HTML (HyperText Markup Language), 16
 Hungry Burds game

- animations, 399–400
- displays, measuring, 395–397
- features minimalized, 386–387
- objects, constructing, 397–398
- overview, 384–386
- random values, creating, 394–395
- shared preferences, 400–402

 HyperText Markup Language (HTML), 16

• I •

iconFileName, 201–202
 icons

- Android apps, creating, 133
- showMessageDialog method, calling with, 128–131
- used in book, 6–7

 IDE (integrated development environment). *See also* Eclipse

- description, 26
- downloading with Software Development Kit, 39
- word processors versus, 26
- .zip files, importing with, 26

 identifiers

- definition, 112
- Unicode usage, 145

 if statements

- boolean variables, using with, 194
- compound statements, 195
- curly braces, using, 194–195
- overview, 191–192
- parentheses, using with, 194

 image files, storing, 397–398
 ImageView class, 315
 implicit intent objects, 346
 import declarations

- definition, 128
- generating automatically, 129, 306
- Organize Imports, using for, 306

 increment (++), 149–150
 indexes

- arrays, using with, 337–338
- brackets, using, 338
- collection classes, using with, 327

 inflating, 299
 information icon, creating, 127, 131
 inheritance

- Java code functionality, 298
- multiples, forbidden, 282
- overview, 267–268, 282

 initialization

- arrays, 339
- declaration parameters, 182–183, 246
- definition, 141
- for loops, 210, 216
- single equal sign, using, 154

- inner classes
 - advantages of, 317
 - anonymous, 317–320
 - overview, 316
- instances
 - classes, relationship to, 224–225
 - creating, 225–226
 - overview, 224
- instantiation, 226
- int type, 139, 147–148, 244, 332
- Integer type, 147, 203, 332
- Integer.parseInt method, 158
- integral types, 147–148
- integrated development environment (IDE). *See also* Eclipse
 - description, 26
 - downloading with Software Development Kit, 39
 - word processors versus, 26
 - .zip files, importing with, 26
- Intent object, 346
- intent objects, explicit versus implicit, 346
- intent-filter element, 105
- interfaces
 - advantages of, 292
 - definition, 283, 293
 - examples, 284–285, 286–289
- internet permissions, 355
- InterruptedException, 380–381
- IOException class, 375
- iterations, 208–209
- iterator.hasNext method, 334
- iterator.next method, 333–334
- iterators
 - creating, 333
 - definition, 333
 - testing, 333–334
- 7 •
- .jar files
 - creating, 352–353
 - definition, 101–103
 - libraries, adding to, 353–354
- Java. *See also* Android Java; name
 - conventions; standard Java
 - 32-bit versus 64-bit installations, 31, 37
 - case-sensitivity, 63, 114
 - code
 - organizing, 281–282
 - spelling and syntax, 62–63
 - compiling
 - creating .apk files, 22
 - Java versus Dalvik bytecode, 21–22
 - overview, 19–21
 - downloading, 36
 - Eclipse
 - running project code, 56–57
 - setting version in, 43–46
 - errors, red marks, 65, 67–68
 - history, 14–15
 - import declarations, 128–129
 - item number syntax, 348
 - older versions, removing, 37–38
 - Oracle programs, running, 53
 - portability advantages, 23–24
 - programs
 - creating, 59
 - issues, resolving, 57
 - running from Eclipse, 56–57
 - separate workspaces for, 58
 - projects, naming, 59
 - punctuation rules, 121–122
 - quotations marks, curly versus straight, 64
 - src directory, 94–95
 - syntax highlighting, 63
 - versions
 - for Android, 16
 - checking, 387
 - history of, 15–16
 - recommended, 36
 - XML veresus, 17
- Java classes. *See* classes
- Java ME (Java Mobile Edition), 15
- Java Mobile Edition (Java ME), 15
- Java Programming for Android Developers For Dummies*, website for, 26–27
- Java Runtime Environment (JRE)
 - definition, 26
 - download site, 27
 - version, checking, 43–46
- Java source code, 19–20
- Java types. *See* types
- Java Virtual Machine (JVM), 27
- javac, 22

javadoc comments, 124–125
 JOptionPane.showInputDialog method,
 157–158
 JOptionPane.showMessageDialog
 method
 android use, missing from, 62, 299
 dialog boxes, creating, 118
 fully qualified name, 129
 JRE (Java Runtime Environment). *See* Java
 Runtime Environment
 JVM (Java Virtual Machine), 27

• K •

kernel, 18
 keywords
 definition, 112
 final, using with variables, 142
 listing, complete, 113
 syntax, 405
 KiB (Kibibyte), 51
 Kibibyte (KiB), 51

• L •

Launcher element, 133
 layout directory, 97–100
 LayoutParams class, 396
 LayoutParams.WRAP_CONTENT, 396
 layouts (Android API)
 definition, 343
 layout types, 343
 ListActivity distinctions, 348
 standard Java versus, 344
 layouts (Eclipse workbench), 74
 leftMargin, 396
 less than operator (<), 154
 less than or equal (<=) operator, 154
 libraries
 Eclipse Package Explorer, adding with,
 352–354
 .jar files, adding to, 353–354
 Referenced Libraries branch, adding to
 Eclipse Package Explorer, 353–354
 lifecycles
 apps activities, 344
 definition, 135
 example, 136

line numbers, viewing, 65
 LinearLayout, 343
 LinkedList class, 336
 Linux
 Android, advantages for, 18
 overview, 18
 Linux shell, 18
 ListActivity class
 overview, 347
 parameters, 348
 listeners, using, 406–407
 literals
 character versus string, 146
 definition, 143
 local variables, 237
 Locale, 177
 localization, 97
 LogCat view, 71, 355
 logic errors, 67
 logical and (&&) operator, 157
 logical operators
 ! operator, 159
 && operator, 157
 || operator, 159
 definition, 148
 multiples, using, 161–162
 logical or (||) operator, 158
 logical type, 148
 long type, 147, 149, 244
 looping statements
 definition, 208
 do statements, 211–213
 initialization, 210
 while statements, 208–210
 lowercase
 final variables, 142
 method names, 173
 variable names, 140, 142, 173

• M •

Macintosh systems
 Android development, version issues,
 35–36
 Eclipse, setting Java version, 43–46
 Java updates, installing, 36
 operating system version, identifying, 35
 processor identification, 32–34

- SDK files, locating, 41–42
 - zip file uncompression, 48
- MAIN activity, 389–390
- MAIN activity (Android XML code), 133
- main method
 - Android app replacement for, 132–133
 - importance of, 119–120
 - public class, declaring, 250
 - punctuation rules, 121
 - starting with, 132
- MainActivity class
 - creating, 344–345
 - description, 134
 - inheritance rules, 298
- MainActivity.java file
 - Java, created by, 132
 - saving work to, 306
- marker bars (Eclipse workbench), 74
- markup, definition, 16–17
- MATCH_PARENT, 396
- mathematics. *See* arithmetic
- Mebibyte (MiB), 51
- members
 - access possibilities, 250–254
 - default/private/public/protected, 250–251
 - definition, 243
 - referring, rules for, 259–260
 - static, declaration of, 257
 - static, referring to, 258
- method calls
 - call/parameter compatibility,
 - 170–174, 181
 - constructors, calling from, 240–243
 - definition, 166
 - no parameters, 131
 - parameters, calling, 166
 - parameters, passing issues, 182–185
 - pass-by values, 181–182
 - syntax, 117–118
- methodName method, 175
- methods. *See also individual methods by name*
 - access modes, 279
 - body, definition, 112
 - body, punctuation rules, 121
 - constructors, calling from, 240–243
 - declarations
 - definition, 116
 - naming conventions, 116–118
 - no parameters, 131
 - definition, 111
 - fields, similarity to, 243
 - header syntax, 175
 - headers, definition, 112, 117
 - headers, syntax, 175
 - modifiers, 117
 - names
 - fully-qualified versus simple, 114, 118
 - lowercase, use of, 173
 - overloading, 129–131, 177–181
 - overriding
 - access rules, 281
 - advantages of, 276
 - definition, 134–135
 - example, 270–275
 - overview, 114–116
 - parameters
 - calling, 166
 - overloading, 129–131
 - overview, 118–119, 131
 - syntax, 174
 - punctuation rules, 121–122, 173
 - recipe metaphor, 165–166
 - statements, purpose of, 166
- MiB (Mebibyte), 51
- minus (-) operator, 148
- minus equals (=) operator, 153
- modifiers (in declarations), 117, 142
- monthlyPayment method, 173–174
- multiply (*) operator, 148
- multiply equals (*=) operator, 153
- multi-threading
 - code handling sequences, 368–369
 - diagram of, 371
 - framework for, 368
 - overview, 367–368, 371
 - rules, 369–370
 - UI versus background threads, 369
- MyListActivity class, 347
- MyOnClickListener class, 306
- MyTextWatcher
 - character input, checking for, 366–367
 - creating, 366

• N •

name conventions

- case-sensitivity, 63, 114
 - classes
 - blanks, digits, underscores, 61
 - declarations and identifiers, 112–113
 - fully qualified versus simple, 114, 118, 375
 - constructors, 230
 - import declarations, 128–129
 - keywords and identifiers, 113
 - members, rules for, 259–260
 - methods
 - calls, 117–118
 - declarations, 116–117
 - fully qualified versus simple, 118, 144
 - lowercase, use of, 173
 - modifiers, 117
 - packages, 61–62
 - parts of names, 118
 - public classes, 250
 - punctuation rules, 121–122
 - shadowing issues, 235–236
 - variables, lowercase, 173
- narrowing, 168–169, 174
- New Android Application dialog box, recommended settings, 81–82
- new keyword, 230
- nextDouble method, 395
- nextInt method, 395
- not (!) operator, 159–160
- null parameter, effects of, 118–119
- NullPointerException, 408–409

• O •

Oauth

- access tokens, 360–361
- overview, 359–360

object-oriented programming

- advantages of, 265, 269–270
- class extensions, 269–270
- definition, 111
- overriding
 - advantages of, 276
 - definition, 134–135
 - example, 270–275

objects. *See also* collection classes

- Character class, 332
- classes, relationship to, 224–225
- constructor calls, creating with, 230
- creating, 225–226, 397–398
- displaying from within, 240–242
- explicit versus implicit intent, 346
- fields versus methods, 243
- members, 243
- Ordered Pair class, 332
- overview, 224
- passing to methods, 231–233
- positioning warning, 397
- onAnimationEnd method, 390–391
- onBackPressed method, 298
- onClick method
 - overview, 320–323
 - Twitter app example, 367
- onClickListener interface, 406–407
- onCreate method
 - field changes, watching for, 366
 - inheritance rules, 298
 - lifecycles, part of, 135–136
 - MyTextWatcher, creating, 366
 - onResume method versus, 391
 - overriding, 135
 - starting apps with, 134
 - widgets, locating, 366
- onCreateOptionsMenu method
 - inheritance rules, 298
 - overriding, 135
 - starting apps with, 133–134
- onDestroy method, 136
- onKeyDown method, 298
- onKeyLongpress method, 298
- online resources
 - Android Development Toolkit, 38–39
 - Android emulator issues, 89
 - author
 - e-mail address, 7
 - social media accounts, 57
 - author's e-mail, 7
 - Dedexer programmer, 20
 - Dummies articles, 7
 - Eclipse IDE, 38–39
 - Hello World app, 109
 - InfoQ site, 412
 - Java API classes, 124
 - Java documentation, 119

- Java language specifications, 163
- Java programmers and developers, 411
- Java Programming for Android Developers For Dummies* code, 26–27
- Java Runtime Environment download, 27
- Java virtual machine, 27
- JavaRanch, 412
- precedence rules, 163
- SDK (Software Development Kit), 38–39
- SDK download, 27
- security, passwords/usernames, 359
- Slashdot, 412
- SourceForge, 412
- Twitter developers site, 360
- Twitter libraries, 352–354
- Unified Modeling Language, 224
- onPause method, 136
- onPreExecute method, 371
- onResume method
 - description, 136
 - onCreate method versus, 391
- onStart method, 136
- onStop method, 136
- onTextChanged method, 367
- onTimelineButtonClick method, 367
- onTweetButtonClick method, 367
- operating system, 18
- operators
 - arithmetic signs, 148
 - casting, 169–170
 - incrementing and decrementing, 149
 - types, combining with, 148–149
- Oracle Java. *See* standard Java
- Ordered Pair class
 - creating, 330
 - objects, storing in, 331
- Organize Imports
 - imports, generating automatically, 129, 306
 - shortcut keys for, 306
- OverlayLayout, 344
- overloading
 - constructors, using with, 235
 - methods without parameters, 180–181
 - overview, 129–131
 - parameters, calling versus copying, 180
 - type matching issues, 181
- @Override annotation, 135, 276–277

- overriding
 - access rules, 281
 - advantages of, 276
 - definition, 134–135
 - example, 270–275
 - methods, declaring final, 278
 - syntax, 275

● p ●

- Package Explorer (Eclipse)
 - Console view, opening, 83–84
 - Console view, sending text to, 126
 - .jar files, creating and using, 352–354
 - Java Classes, creating, 61
 - Java Classes, naming conventions, 61
 - Java Packages, naming conventions, 61–62
 - Java program previews, 56
 - Java programs, running from, 56–57
 - libraries, adding with, 352–354
 - packages, naming conventions, 61–62
 - projects, naming conventions, 59
 - Referenced Libraries branch, adding, 353–354
 - src directory, 94–95
 - workspaces, creating, 58
- packages
 - definition, 118
 - name conventions, 61–62, 114, 298
 - overview, 61
 - package declarations, 114
 - punctuation rules, 122
- parameters
 - call compatibility issues, 170–174, 181
 - calling versus copying, 180
 - constructors, using with, 234–235
 - declarations versus calls, 175
 - dot (.), using in varargs, 341
 - empty parentheses, using, 131
 - example, 118
 - final keyword, using with, 189
 - methods, calling from, 166
 - naming issues, 235–236
 - objects, passing, 246
 - overloading, 129–131, 177–181
 - passing issues, 182–185
 - positions, importance of, 173

- parameters (*continued*)
 - primitive values, passing, 181–183, 246
 - punctuation rules, 121
 - values, effects of, 118–119
- parent/child inheritance, 267, 282
- parentheses (`()`)
 - code, simplifying, 162
 - empty, 131
 - if statements, using with, 194
 - precedence, choosing with, 152, 162–163
 - punctuation rules, 121
- pass-by reference
 - definition, 246
 - effects of, 245
 - pass-by value versus, 246–248
- pass-by value
 - overview, 181–183
 - pass-by reference versus, 246
- passing
 - activities, 346
 - objects to methods, overview, 231–233
 - parameters, issues with, 185
- permissions. *See also* OAuth
 - Android apps, 17
 - internet, 355
 - overview, 408–409
 - social media, limiting for, 361
 - social media, revocable, 359
- perspective layout (Eclipse workbench), 75
- plus (`+`) operator, 148
- .png files, 200, 388, 397–398
- Point class, 396
- pointing (referring), 243–245
- portability, Android advantages, 23
- postdecrementing, 149–150
- postincrementing, 149–150
- precedence rules
 - online resources, 163
 - overview, 162–163
 - parentheses, bypassing with, 152, 162–163
- predecrementing, 149–150
- preincrementing, 149–150
- primitive types
 - definition, 146, 331
 - floating point, 148
 - integral, 147–148
 - listing of, 147
 - logical, 148
 - pass-by values, 181–182
 - passing issues, 182–185
 - reference types versus, 181, 244, 332
 - switch statements, 203
 - syntax, 332
 - traffic metaphor, 138
- PriorityQueue class, 336
- programming, Android version choices, 14
- protected keyword, 279–281
- public class
 - default class versus, 249
 - definition, 248
 - naming conventions, 250
- public static void main
 - (string[] args) checkbox, 61
- punctuation
 - anonymous inner classes, 319
 - arrays, 339
 - camel case, 140
 - character literals, 146
 - characters, 143
 - class body, 112
 - code, simplifying, 162
 - consistent placement, 121
 - continue statements, 210
 - if statements, 194–195
 - method body, 117, 121
 - method names, 121–122, 173, 260
 - naming conventions, 61–62
 - object fields, 227
 - object methods, 243
 - package names, 61, 122
 - precedence rules, 152, 162–163
 - return statement, 176
 - rules, listing of, 121–122
 - statements, 232
 - string literals, 146
 - strings, 119, 146
 - values, 99
 - varargs, 341
 - variable names, 140, 142, 173

• **Q** •

question mark (?) icon, 131
 Queue class, 336
 quick fixes, 65
 quotation mark, double (“ ”)
 copying issues, 64
 curly versus straight, 64
 punctuation rules, 121
 using with strings, 119, 146
 values, using with, 99
 quotations mark, single (‘ ’), 143, 146

• **R** •

Random class, 394–395
 random values
 generating, 395
 pseudorandom versus, 394
 .rar files, 30
 RatingBar class, 315
 red error markings, 64–68
 reference types
 definition, 146, 181, 331
 passing, effects of, 246–247
 primitive types versus, 181, 244, 332
 strings, 147
 switch statement, using in, 203
 Referenced Libraries branch (Package Explorer), 352–354
 referring (pointing), 243–245
 RelativeLayout element, 344, 387–388
 RelativeLayout.LayoutParams
 class, 396
 remainder equals (%=) operator, 153
 remainder upon division (%) operator, 148
 repeating, 204–208
 res directory, 95–97
 return statement
 definition, 171
 values versus types, 175
 void, replacing with, 175
 returnType method, 175

R.java file
 auto-generated, unchangeable, 100–101, 313
 code-number system, 311–314
 error messages, 87
 hexadecimal notation in, 102
 names, checking, 315
 replacing, 88
 RotateAnimation, 399

• **S** •

savedInstanceState, 299
 ScaleAnimation, 400
 screen densities, 195–196, 388
 ScrollingMovementMethod method, 367
 SD (secure digital) card, virtual, 50
 SDK (Software Development Kit)
 32-bit versus 64-bit installations, 31
 download site, 27
 Eclipse, installing in, 41
 file directory, locating in Eclipse, 41–42
 history, 14–16
 overview, 26
 setting up, 38–39
 testing tools, 39
 secure digital (SD) card, virtual, 50
 security
 social media apps
 OAuth, using for, 359–361
 twitter4j.properties file, using for, 359
 username/password issues, 359
 semicolon (;)
 continue statements, using with, 210
 punctuation rules, 121
 return statement, using with, 176
 statements, ending with, 232
 set method, 255
 setContentView method, 299
 setListAdapter method, 348
 setMovementMethod method, 367
 setOnClickListener method, 309–310
 setter methods, 254–255
 setTitle method, 298

- SGML (Standard Generalized Markup Language), 17
- shadowing (names), 235–236
- shared preferences
 - creating, 401–402
 - overview, 400
- SharedPreferences.Editor class, 401
- Short type, 203
- short type, 147, 244
- showMessageDialog method, 118, 128, 130–131
- showScores method, 402
- single equal (=) sign, 154, 193, 210, 227
- single quotation mark ('), 143, 146
- 64-bit systems
 - consistency, importance of, 31
 - identifying, 31–35
 - Java and Android SDK software, matching versions of, 34
 - Macintosh system information, 32–35
 - 32-bit versus, 31
 - Windows system information, 31–32
 - word length, 33
- sleep method, 286
- social media app. *See* Twitter app
- Software Development Kit (SDK). *See* SDK
- spaces
 - Java Class names, avoiding in, 61
 - Java code, using in, 64
 - variable names, using with, 140
- SQLException class, 375
- SQLite database, 400
- src directory
 - description, 132
 - MainActivity.java file, creating, 132
 - overview, 94–95
 - Package Explorer, editing in, 306, 358
 - twitter4j.properties file, creating, 358–361
- Stack class, 336
- stack traces, 377
- Standard Generalized Markup Language (SGML), 17
- standard Java (desktop)
 - Android Java versus, 62, 77
 - limitations of, 53
- startActivity method, 298, 346
- statements. *See also individual statements by name*
 - assignments, changing values with, 141–142
 - compound assignments, purpose of, 153
 - compound statements, 195
 - definition, 118, 121
 - looping, 208
 - punctuation, 121
 - purpose of, 166
 - values, assigning with, 158
- static declaration
 - definition, 257
 - Java loophole, 261
 - referring, rules for, 259–260
- static keyword, 257
- statuses, 375
- String type
 - arrays, using with, 339
 - declaring, 158
 - switch statements, using with, 204
- strings
 - characters, changing into numbers, 158
 - characters, combining with, 150–152
 - concatenation, 151–152
 - equality sign, warning about, 155
 - Java SE 7, missing from, 16
 - literals, using, 146
 - quotation marks, straight versus curly, 64
 - strings.xml files, retrieving from, 96–97
 - values, adding to, 150–152
- strings.xml files, 96–97
- strong typing rules
 - accuracy, assuring, 167
 - definition, 169
 - incompatibility, 169
 - widening versus narrowing, 168–169, 174
- subclass, 267, 282
- super keyword, 295–296
- superclass, 267, 282
- switch statement
 - break statements, 201–203, 406
 - case clauses, 198–199
 - default clauses, 202, 208
 - fall-through, 201–202, 406

- String type, using with, 204
- syntax, 203
- syntax
 - character strings, 146
 - declaration headers, 175
 - do statements, 212
 - Eclipse, highlighting in, 63
 - Java code, entering, 62–63
 - keywords, 405
 - matching, rules, 405
 - method calls, 117–118
 - method headers, 175
 - method names, 173
 - method parameters, 174
 - overriding, 275
 - primitive types, 332
 - for statements, 216
 - switch statements, 203
 - try/catch statements, 377
 - varargs, 341
 - variable names, 173
 - warning about, 114
 - while statements, 208
 - wrapper type, 332
- System.out.print, 327
- System.out.println
 - overview, 126
 - System.out.print versus, 327
- T •
- tabs (Eclipse workbench)
 - changing views with, 71–72
 - tabbed groups, 72
- tags
 - definition, 16
 - description, 98–100
 - layout directory, residing in, 97
- takeANap method, 380–381
- target device, development computer
 - versus, 26
- .tar.gz files, 30
- terminal app, 18
- testing
 - Android devices, 92–94
 - AVDs, 50–52
 - emulators, 83–86
 - SDK (Software Development Kit), tools
 - for, 39
 - stack traces, 377
 - System.out.println, using for, 126
 - trial programs, using, 163
 - Twitter apps, warnings about, 364
- TextChangedListener class, 366
- TextView class
 - text, displaying, 311–314
 - View class, extending, 315
- textViewCountChars, 367
- 32-bit systems
 - consistency, importance of, 31
 - identifying, 31–35
 - Java and Android SDK software, matching
 - versions of, 34
 - Macintosh system information, 32–35
 - 64-bit versus, 31
 - Windows system information, 31–32
 - word length, 33
- this keyword, 237–239, 291–292
- Thread class, 286
- threads
 - definition, 368
 - multi-threading
 - AsyncTask class, managing with, 368, 370–371
 - code handling sequences, 368–369
 - diagram of, 371
 - framework for, 368
 - overview, 271, 367–368
 - rules, 369–370
 - UI versus background, 369
- TimerCommon class, 286–290
- tokens (OAuth), 359–361
- Toolkit class, 295
- Toolkit.getDefaultToolkit method, 295
- topMargin, 396
- TranslateAnimation, 400

- true or false conditions, 153–154
- try clauses, 377–378
- try/catch statements
 - clauses, sequence of use, 378
 - eliminating, 379–381
 - Exception e clause, using with, 378
 - finally clause, using with, 378–379
 - syntax, 377
- tweeting animation, 399
- tweets
 - recent, listing, 366
 - sending/receiving, 365
- Twitter, author's account, 57
- Twitter app
 - Android, native support lacking, 352
 - button, creating, 360
 - character input, checking for, 366–367
 - consumer key, definition, 360
 - consumer secret, definition, 360
 - context, importance of, 351–352
 - emulators, problems with, 364
 - hint messages, 365–366
 - internet permissions, 355
 - .jar files, creating, 352–354
 - layout file example, 356–357
 - libraries, 352
 - objects, 374
 - online resources, 352, 360
 - overview, 351
 - permissions
 - overview, 408–409
 - revocable, 359
 - posting statements, 351
 - security
 - OAuth, using for, 359–361
 - username/password issues, 359
 - tasks, possibilities for, 351
 - tweets
 - recent listing, 366
 - sending/receiving, 365
- twitter4j.properties file
 - description, 358
 - location, 358
 - OAuth codes, obtaining, 359–361
 - username/password issues, 359
- twitter.getUserTimeline calls, 352
- twitter.updateStatus calls, 352
- username/password issues, 359
- varargs, using with, 374
- twitter4j.properties file
 - description, 358
 - location, 358
 - OAuth codes, obtaining, 359–361
 - username/password issues, 359
- TwitterException class, 375
- TwitterFactory class, 374
- twitter.getUserTimeline calls, 352
- twitter.updateStatus calls, 352
- type declarations, 140
- types. *See also individual types by name*
 - (int), 170
 - arithmetic, combining with with, 148–150
 - assignments
 - changing values with, 141–142
 - type declarations versus, 141
 - assignments versus type declarations, 141
 - call/parameter compatibility, 170–174, 181
 - declarations of, 140
 - final variable, 142
 - generic, using with AsyncTask class, 372–373
 - initialization, 141
 - modifiers, 142
 - names of, 140–141
 - overview, 139–140
 - primitive versus reference, 146, 181, 332
 - switch statement, using in, 203–204

• U •

- UML (Unified Modeling Language), 224
- unchecked exceptions, 376
- unchecked runtime exceptions, 67
- uncompressing, 30
- underscore character (_), 61–62, 140, 142
- unequal (!=) operator, 154
- Unicode, discussion of, 144
- Unified Modeling Language (UML), 224

unzipping, 30
updateStatus method, 374
uses-permission element, 355
uses-sdk element, 387

• U •

values

addPoints method, using with, 186–187
boolean, 153–154, 161
casting, 169–170
comparing, 406
conditions, 154
double, warning against comparing, 155, 158
equality statements, 154
final keyword, using with, 189
float, warning against comparing, 155
hardcode, avoiding, 168, 176
incompatibility, 169
incrementing and decrementing, 149–150
logical operators, using with, 156–158
long type, 149
method calls, compatibility issues, 170–173
operator rules, 148–150
pass-by, 181–182
strings, adding to, 150–152
types, 158, 166–168
widening
 example, 149
 narrowing versus, 168–169
varargs
 dot (.), using with, 341
 example, 339–341
 syntax, 341
 Twitter app, using with, 374
variable names
 overview, 140
 punctuation rules, 140, 142
variables
 enhanced for statements, using with, 335–336
 local, 237
 primitive versus reference, 244
 reusing, 227–229
 storing versus referring, 243–245
 types, overview, 139–140

version, checking for, 387

view animation

AlphaAnimation, description, 399
frame-by-frame, 399
property versus, 399
RotateAnimation, description, 399
ScaleAnimation, description, 400
TranslateAnimation, 400
 tweening, 399
View class, 315
View.GONE, 131
View.INVISIBLE, 131
views (Eclipse workbench)
 editors versus, 71
 tabbed groups, 72
 tabs, changing with, 71–72
views (text), 311–314
View.VISIBLE, 131
virtual machines, 22–24
void, 175

• W •

W3C (World Wide Web Consortium), 17
warning icon, creating, 128, 131
websites
 author, contacting, 7
 InfoQ site, 412
 Java programmers and developers, 411
 Java Programming for Android Developers For Dummies code, 26–27
 JavaRanch, 412
 Oauth, 359
 Slashdot, 412
 SourceForge, 412
 Twitter developers site, 360
 Twitter libraries, 352
whenButtonClicked method, 321
while statements
 boolean variables, using with, 210
 break statements, ending with, 210
 default clauses, using with, 208
 do statements versus, 211–212
 repeating with, 206–208
 syntax, 208
widening
 example, 149
 narrowing versus, 168–169, 174

widgets

Graphical Layout, adding with, 305

layouts, 343–346

text views, associating with, 311–314

window (Eclipse workbench), definition, 69

Windows

Eclipse, setting Java version, 43–46

processor identification, 31–32

SDK files, locating, 41–42

system information, obtaining, 43–46

USB cable, disconnecting safely, 93–94

windowsSoftInputMode attribute, 355

word length

hardware versus operating system versus software, 33

software issues, 34

workbench. *See* Eclipse workbench

Workspace Launcher (Eclipse)

filenames, 55

overview, 54

workspaces, 54, 58

World Wide Web Consortium (W3C), 17

WRAP_CONTENT, 396

wrapper type

overview, 331–332

syntax, 332

• X •**XML (eXtensible Markup Language)**

activity_main.xml file, 312

Android apps, required for, 17, 133

AndroidManifest.xml, 133

compiling for Android, 22

history, 16–17

Java, connecting files to, 311–314

Java versus, 17

method overriding, calling for, 135

software tools, composing with, 17

tags and elements, describing, 98–100

• Y •

yellow warning markings, 67–68

• Z •

.zip files, 26, 30, 48