

# Index

## Symbols

`:first-line` pseudo-element 159-161  
3D transforms 227, 228  
1140 CSS Grid  
  URL 89  
`<address>` element, HTML5 semantic elements 109  
`<article>` element, HTML5 semantic elements 105  
`<aside>` element, HTML5 semantic elements 105  
`<a>` tag 102  
`<audio>` tag 126  
`<b>` element, HTML5 text-level semantics 117  
`<body>` tag 148  
`#content` div 67  
`<div>` tags 24  
`<em>` element, HTML5 text-level semantics 117  
`@font-face` CSS rule  
  web fonts, implementing 162-165  
`@font-face` font 166, 167  
`@font-face` method 168  
`@font-face` rule  
  about 176  
  used, for sizeable icons 206  
`#footer` div 67  
`<footer>` element, HTML5 semantic elements 108  
`<h1>` tag 106  
`<header>` element, HTML5 semantic elements 108  
`<head>` tag 86

`<hgroup>` element, HTML5 semantic elements 106  
`<i>` element, HTML5 text-level semantics 117  
`@import` command 41  
`@keyframes` declaration 229  
`<li>` tag 73  
`<meta>` tag 51  
`<nav>` element, HTML5 semantic elements 105  
`#navigation` div 67  
`<section>` element, HTML5 semantic elements 104  
`<video>` tag 126  
`#wrapper` div 66, 82

## A

adaptive images 84-86  
ai-cache 85  
Alexander Farkas  
  URL 258  
AList Apart  
  url 63  
alpha channels 172, 173  
Android browser  
  front page, viewing 272  
And The Winner Isn't  
  URL 270  
AND THE WINNER ISN'T text 92  
animation-delay property 230  
animation-fill-mode property 230  
animation-play-state property 230  
animation property 233, 234

**ARIA**  
landmark roles, implementing 120-123  
roles, styling 123  
URL 121

**aspect-ratio** 39

**audio**  
adding, HTML5 way 123-125

**autocomplete, HTML5 forms** 243

**autofocus attribute, HTML5 forms** 243

**autoplay attribute** 124

**auto-resize page, mobile browsers**  
stopping 50-52

## B

**background gradient**  
about 262, 185  
linear background gradients 185-188  
radial background gradients 189, 190

**background gradient patterns** 194, 195

**background-gradient property** 213

**background-image linear-gradient property** 28

**background images**  
about 203, 204  
position 205  
shorthand 205  
size 204, 205

**background positions**  
URL 205

**background sizing**  
URL 205

**beginning with, substring matching**  
attribute selector 147

**border-radius property** 27

**box shadows**  
about 181, 182  
inset shadow 182, 183  
multiple shadows 184, 185

## C

**CACHE: section** 133

**Candidate Recommendation.** *See* CR

**Cascading Style Sheets.** *See* CSS

**CDN** 129

**closet-corner** 190

**closet-side** 190

**color** 40

**color-index** 40

**color input type, HTML5** 251

**component parts, HTML5 forms** 240

**conditional comments** 285

**contain** 191

**contains an instance of, substring matching**  
attribute selector 147

**Content Delivery Network.** *See* CDN

**controls attribute** 124

**cover** 191

**CR** 36

**CSS**  
about 24  
CSS-based design 24

**CSS 2.1** 25

**CSS3**  
about 24, 25  
animations 31  
background gradient patterns 194, 195  
background-image linear-gradient property 28  
border-radius property 27  
box shadows 181, 182  
button, in same browser 28, 29  
button, in same browser (Chrome v16) 27  
features 205  
for frontend developers 138  
headerLeft.png 25  
headerRight.png 25  
HTML5 forms, styling 259-264  
linear-gradient property 28  
properties, merging 198-202  
property 26  
pseudo class selectors, form specific 265, 266  
repeating background gradients, creating 192-194  
responsive considerations 196-198  
rounded corners property 27  
sliding doors technique, URL 25  
support, in Internet Explorer version 6 138  
support, in Internet Explorer version 7 138  
support, in Internet Explorer version 8 138  
text shadows, creating 176

- transformations 30
- used, for designing pages 139
- used, for developing pages 139
- used, for solving issues 25-28
- uses 29, 31
- CSS3 2D transforms module**
  - about 216
  - matrix transform 217
  - rotate transform 217
  - scale transform 217
  - skew transform 217
  - translate transform 217
- CSS3 3D transforms**
  - 3D effect, breaking 224-227
  - about 221, 222
- CSS3 animations**
  - @keyframes declaration 229
  - about 228
  - and CSS3 transformations, merging 232-235
  - animation-delay property 230
  - animation-fill-mode property 230
  - animation-play-state property 230
  - components 228
  - example 231
  - keyframe declaration 228
  - keyframe declaration, in animation property 228
  - keyframe rule 228
  - latest developments, URL 232
  - reusing, on other elements 231
- CSS3 attribute selectors**
  - about 146
  - substring matching 147
- CSS3 attribute selectors, substring matching**
  - beginning with 147
  - contains an instance of 147
  - ends with 148
- CSS3, color formats**
  - about 169
  - alpha channels 172, 173
  - fallback color values 172
  - HSL color 170, 171
  - RGB color 169, 170
- CSS 3D transforms**
  - latest W3C developments, URL 228
- CSS3 rule**
  - anatomy 139
- CSS3 selectors**
  - about 146
  - attribute selectors, substring matching 147
  - structural pseudo-classes 149, 150
- CSS3 structural pseudo-classes**
  - :last-child selector 150-152
  - about 149, 150
  - negation (:not) selector 158
  - nth-based rules 155-158
  - nth-child selectors 154
- CSS3 transformations**
  - and CSS3 animations, merging 232-235
- CSS3 transitions**
  - about 210, 211
  - default state 211
  - fun transitions, for responsive web sites 215
  - hover state 211
  - hover state, adding 211
  - limitations 213
  - properties 212
- CSS3 transitions, properties**
  - different properties, over different periods of time 213
  - shorthand property 212, 213
  - timing functions 214, 215
  - transition-delay 212
  - transition-duration 212
  - transition-property 212
  - transition-timing-function 212
- CSS3, tricks**
  - about 142
  - CSS3 multiple columns, for responsive designs 142-144
  - gap and column divider, adding 144, 145
  - word wrapping 145, 146
- CSS Grid frameworks.** *See* **CSS Grid systems**
- CSS Grid systems**
  - 1140 CSS Grid, URL 89

- about 89
- less framework, URL 89
- semantic, URL 89
- site, building with 90-95
- skeleton, URL 89
- CSS Transforms Module Level 3**
  - URL 36
- CSS universal selector 215**
- Cufón**
  - URL 161
- custom web typography**
  - @font-face CSS rule 161, 162
  - about 161
  - web fonts, implementing with @font-face CSS rule 162-165

## D

- date and time inputs**
  - about 252
  - date 252
  - datetime and datetime-local 254-256
  - month 253
  - range 256, 257
  - time 254
  - week 253
- date input type, HTML5 252**
- datetime and datetime-local input type, HTML5 254, 256**
- device-aspect-ratio 40**
- device-height 39**
- device-width 39**
- Doctype (Document Type Declaration) 22**
- drop menu**
  - navigation links, changing to 287-291

## E

- email input type, HTML5 245**
- Embedded OpenType (EOT) font 161**
- ems**
  - about 76
  - used instead of pixels, for typography 75, 76
- ends with, substring matching attribute selector 148**
- Explorer Developer Toolbar, URL 12**
- extra.css, CSS file 286**

## F

- Fallback**
  - for older browsers 126
- FALLBACK: section 133**
- farthest-corner 191**
- farthest-side 191**
- Filament Group's**
  - Responsive Images, URL 84
- Firesizer**
  - URL 12
- FitVids plugin**
  - URL, for downloading 129
- fixed layout**
  - about 62
  - context 72-74
  - formula 63-65
  - to proportional layout, design amending 63
- Flash fallback 126**
- fluid grids**
  - and media queries, merging 88, 89
- fluid images**
  - about 77
  - max-width property 82, 83
  - scale, creating with viewport 77-79
  - specific rules, for specific images 79, 81
- fluid layout 59**
- Font Deck**
  - URL 162
- fonts 163**
- Font Squirrel**
  - URL 162
- footerBackground class 203**
- formula**
  - target ÷ context = result formula 75

## G

- Golden Ratio**
  - URL 70
- Google Chrome v16**
  - front page, viewing 273
- graceful degradation 274**
  - versus progressive enhancement 274
- grid 40**

## H

**headerLeft.png** 25

**headerRight.png** 25

**height** 39

**height attribute** 128

**HEX** 176

**high-resolution devices** 292-295

**hover state** 211

**HSL** 170, 171, 176

**HTML 4.01** 22

**HTML 4.01 Doctype** 22

**HTML5**

<a> tag 102

about 22, 97

alternate source files, adding 125

Doctype (Document Type Declaration) 22

economies, for using 101

features 103

markup 102

media, embedding 123

new semantic elements 104

outline algorithm 106

pages writing, procedure 99, 100

polyfill 98

semantic elements 103

structural elements 109-116

tag elements 23, 24

text-level semantics 117

used, for saving time 22

uses 31, 98

**HTML5 forms**

about 238-240

autocomplete 243

autofocus attribute 243

component parts 240

list attribute 244

placeholder attribute 241

required attribute 241, 242

styling, with CSS3 259-264

**HTML5, input types**

about 245

color 251

email 245

number 246, 247

pattern 250, 251

search 250

tel 248, 249

url 247, 248

## I

**IDEs** 140

**IE Tester**

URL 277

**image resizing** 83, 84

**inline elements** 117

**inset shadow** 182, 183

**Integrated Development Environments.** *See*

**IDEs**

**Internet Explorer**

importance 8, 9

older versions, fixing 275

statistics 276

**Internet Explorer 6**

CSS3 support 138

fallback color value for 172

max media query capability, adding 283

min media query capability, adding 283

**Internet Explorer 7**

CSS3 support 138

fallback color value for 172

max media query capability, adding 283

min media query capability, adding 283

**Internet Explorer 8**

CSS3 support 138

fallback color value for 172

front page, viewing 273

max media query capability, adding 283

min media query capability, adding 283

**iPad**

front page, viewing 272

**iPhone**

front page, viewing 271

## J

**jQuery**

URL 12

## K

### keyframe declaration

- about 228
- in animation property 228
- keyframe rule 228

## L

### Lea Verou

- CSS3 background patterns, URL 196

### Lea Verou's -prefix-free script

- URL 176

### less framework

- URL 89

### linear background gradients

- about 185-188
- syntax 188

### linear-gradient property 28

### list attribute, HTML5 forms 244

## M

### manifest file

- about 133
- pages loading automatically, to offline manifest 133

### matrix transform

- about 217-219
- for cheats and dunces 220

### max media query capability

- adding, for Internet Explorer 6 283
- adding, for Internet Explorer 7 283
- adding, for Internet Explorer 8 283

### max-width property 82, 83

### media queries

- about 35
- and fluid grids, merging 88, 89
- fixed-width design 42-46
- loading, for responsive designs 41
- need for, by responsive web design 36
- syntax 36-38
- testing for 39, 40
- used, for altering design 40

### media queries, testing for

- aspect-ratio 39
- color 40
- color-index 40

device-aspect-ratio 40

device-height 39

device-width 39

grid 40

height 39

monochrome 40

orientation 39

resolution 40

scan 40

width 39

### Microsoft prefix (-ms-) 140

### min media query capability

- adding, for Internet Explorer 6 283
- adding, for Internet Explorer 7 283
- adding, for Internet Explorer 8 283

### mobile browsers

- auto-resize page, stopping 50-52

### modernizr

- about 99, 277, 278
- conditional loading 285, 286
- conditional loading, URL 286
- custom production version 282
- development version 278
- Firefox v9.01, example 279
- HTML5 element support, adding in old IE 282

max media query capability, adding for Internet Explorer 6 283-285

max media query capability, adding for Internet Explorer 7 283-285

max media query capability, adding for Internet Explorer 8 283-285

min media query capability, adding for Internet Explorer 6 283-285

min media query capability, adding for Internet Explorer 7 283-285

min media query capability, adding for Internet Explorer 8 283-285

production version 278

quiz page, URL 279

styling issues, fixing 279-281

URL 258

URL, for downloading 278

### monochrome 40

### month input type, HTML5 253

### Multi-column Layout Module

- URL 145

## N

### navigation links

changing, to drop menu 287-291

negation (:not) selector 158

NETWORK: section 133

nth rules 155, 156

number input type, HTML5 246, 247

## O

offline.manifest file 134

### offline Web applications

about 131

in nut shell 131

manifest file 133

offline.manifest file 132

site, viewing offline 134

troubleshooting 135

URL 135

web pages, working offline 131, 132

onchange attribute 257

only all 286

orientation 39

oscar.png image scale 82

outline algorithm, HTML5 106

## P

pattern input type, HTML5 250, 251

phone.css file 40

placeholder attribute, HTML5 forms 241

### polyfills

about 32, 98

for non-supporting browsers 258, 259

Webshims Lib, URL for downloading 259

PR 36

### progressive enhancement

about 274

reality 274, 275

versus graceful degradation 274

### proportional layout

context, setting for 66-72

need, for responsive web design 62, 63

Proposed Recommendation. *See* PR

PSD 90

### pseudo class selectors, form specific

in CSS3 265, 266

input:focus:invalid 265

input:focus:valid 265

input:required 265

### pseudo-elements

:first-line pseudo-element 159-161

about 159

## Q

queries, media 35

### quiz page

URL 279

## R

### radial background gradients

about 189

breakdown 190, 191

online gradient generators, URL 192

syntax 189

W3C specification, URL 191

### radial background gradients, sizes

closet-corner 190

closet-side 190

contain 191

cover 191

farthest-corner 191

farthest-side 191

range input type, HTML5 256, 257

REC 36

required attribute, HTML5 forms 241, 242

required field browser 242

### ResizeMe

URL 12

resolution 40

### Respond.js tool

URL 41, 283

respond.min.js file 286

### responsive design

sizeable icons 206

### Responsive Menu script

URL 290

### responsive web design

about 41

alternatives 10

content 55

content areas, resetting 57

- content clipping, in smaller viewports 48, 49
- content, moving above navigation area 54
- defining 10, 11
- Ethan Marcotte, list apart article 10
- examples 11
- fixed-width design 42-46
- guidelines, for clients 34
- images, working with 46, 47
- in nutshell 11
- markup, altering 55
- media queries, loading for 41
- media queries, need for 36
- need for 11
- proportional layouts, need for 62, 63
- techniques, critics 70
- responsive web design, examples**
  - online sources 21
  - viewport testing tools 12, 13
- RGB**
  - about 176
  - color 169, 170
- rotate transform 217, 218**
- rounded corners property, CSS3 27**

## S

- Scalable Vector Graphics. See SVG**
- scale transform 217**
- scan 40**
- screen size**
  - or viewport 13
- SDK 51**
- search input type, HTML5 250**
- Select a page button 289**
- semantic**
  - URL 89
- semantic elements, HTML5**
  - <address> element 109
  - <article> element 105
  - <aside> element 105
  - <footer> element 108
  - <header> element 108
  - <hgroup> element 106
  - <nav> element 105
  - <section> element 104
  - about 103, 104

- shorthand property, CSS3 transitions 212, 213**

- sIFR**

- URL 161

- site**

- testing, accross multiple browser 277

- sizeable icons**

- for responsive design 206

- skeleton**

- URL 89

- skew transform 217, 218**

- sliding doors technique**

- URL 25

- smart phones**

- importance 8, 9

- Software Development Kit . See SDK**

- Spackling Paste 98**

- span element 257**

- structural pseudo-classes 159**

- SVG 161, 295**

## T

- tag elements, HTML5 23, 24**

- target ÷ context = result formula 75**

- tel input type, HTML5 248, 249**

- text-level semantics, HTML5**

- <b> element 117

- <em> element 117

- <i> element 117

- about 117

- applying, to markup 118, 119

- text shadow**

- em 177, 178

- embossed text-shadow effect, creating 180, 181

- left and top shadows 180

- multiple text shadows 181

- pixels 177, 178

- preventing 178, 179

- rem 177, 178

- syntax 176

- text-shadow property 176**

- THESE SHOULD HAVE WON button 47**

- time input type, HTML5 254**

- timing functions, CSS3 transitions 214, 215**

- transform-origin property 221**



**transition-delay property** 212  
**transition-duration property** 212  
**transition-property** 212  
**transition-timing-function property** 212  
**translate transform** 217

**Typekit**

URL 162

**typography**

about 161

ems used, instead of pixels 75, 76

## U

**url input type, HTML5** 247, 248

## V

**vendor prefixes** 139, 140, 176

**vh unit (viewport height)** 168

**video**

adding, HTML5 way 123-125

**viewport**

300 pixels, reducing to 20

about 8

content clipping 48, 49

Explorer Developer Toolbar, URL 12

Firesizer, URL 12

fluid images scale, creating 77-79

jQuery, URL 12

larger than 930 pixels 15

less than 480 pixels, reducing to 20

less than 600 pixel, reducing to 17

less than 720 pixels, reducing to 20

less than 880 pixels 16

or screen size 13

page, viewing 14

ResizeMe, URL 12

site, example 18

site, viewing 15

testing, tools 12

width, design fixing for 53, 54

**vm unit (viewport minimum)** 168

**vw unit (viewport width)** 168

## W

**W3C** 24, 100

**W3C documentation**

on multiple background elements, URL 205

**W3C HTML5 validator**

URL 23

**W3C Recommendation.** *See* REC

**WAI-ARIA**

used, for adding accessibility to site 119

**WD** 36

**Web Hypertext Application Technology**

**Working Group.** *See* WHATWG

**Webkit (-webkit-)** 140

**Web Open Font Format (WOFF)** 161

**Webshims Lib**

URL for downloading 259

**web typography** 161

**week input type, HTML5** 253

**WHATWG** 97

**width** 39

**width attribute** 128

**word wrapping** 145, 146

**Working Draft.** *See* WD

## Y

**YepNope.js**

URL 285