

# Index

*Note:* Page numbers followed by “*f*” and “*t*” refer to figures and tables, respectively.

## A

- Abiotic stresses, 93
- Active packaging (AP), 172, 175–176
  - application of AP in foods, 176–181
- AD. *See* Anaerobic digestion (AD)
- Aerobic composting, 384*t*, 385–386
- Aerobic respiration, 101–102
- African Postharvest Loss Information System, 107
- Agricultural/agriculture
  - commodity, 90, 93–95
  - intensification, 62
  - land, 38–39, 230
  - management systems, 67–68
  - practices for sustainable agriculture, 46–63, 48*t*
    - agroecological approach, 54–63
    - conservation agriculture, 47–54
  - practices optimization
    - climate changes and potential impacts
      - on crop postharvest, 110–113
    - food loss, 91*t*
    - harvest systems, 98–105
    - on-farm postharvest systems, 105–108
    - preharvest systems, 93–98
  - production
    - food loss causes in, 91*t*
    - system boundary, 90–92
  - products, 142, 240
    - losses/waste, 4
  - sector, 371–372
  - stage, 320–324
  - systems, 56
- Agro-food waste management, 143
- Agrochemicals, 47, 98
- Agroecological/agroecology, 46, 54–55, 235
  - approach, 54–63
    - adopting agroecological management at landscape level, 62–63
    - agroecological practices, 56–57
    - crop management, 57–62
    - practices, 35, 57
- Agroecosystems, 55
- Agroforestry, 61–62
- Air-blast freezing method, 125
- Alicyclobacillus acidoterrestris*, 154
- Allelopathy, 44
- $\alpha$ -amylase, 294
- $\alpha$ -Lactalbumin, 291–292
- Aluminum, 372
- Anaerobic digestion (AD), 376–377, 385
- Anaerobic soil disinfestation, 44–45
- Animal bones, 289
- Animal waste valorization, 281, 284–292.
  - See also* Plant-origin waste valorization
  - dairy, 284, 291–292
  - meat and poultry, 284–289
  - seafood, 284, 290–291
  - strategies, 284–292, 295*t*
- Anthocyanins, 302
- Antifreeze proteins, 126, 291
- Antimicrobial activity, 177
- Antioxidants, 132, 144
  - activity, 144
  - in food, 133–137
    - cereal products protection, 134
    - fats and oils protection, 133–134
    - fruits and vegetables protection, 135
    - meat products protection, 135–136
    - nuts and oil seeds protection, 134
    - packaged foods protection, 136–137
- phenols, 302
- types, 131–132, 131*f*

AP. *See* Active packaging (AP)  
 Appearance, 349–350  
 Arabinoxylans, 299  
 Ascorbic acid, 136  
 Ascorbyl palmitate, 131  
*Aspergillus*, 52–53  
 Avure Technologies (Sweden), 148–149

## B

*Bacillus thuringiensis*, 52–53  
 Barilla Centre for Food and Nutrition (BCFN), 282  
 Basket of products (BoP), 318  
   composition, 319*t*  
   LCI datasets, 321*t*  
   life cycle stages and related activities in, 320*t*  
 BCFN. *See* Barilla Centre for Food and Nutrition (BCFN)  
 $\beta$ -carotene, 136  
 $\beta$ -glucosidase, 294  
 $\beta$ -Lactoglobulin, 291–292  
 Betanin, 302  
 BHA. *See* Butylated hydroxyanisole (BHA)  
 BHT. *See* Butylated hydroxytoluene (BHT)  
 Bibliometric analysis of FLW  
   distribution of countries, 7, 8*f*  
   food supply chain coverage, 8–9  
   temporal trend for year of publications and estimation, 7, 8*f*  
   type of publications, 6, 7*f*  
*Bifidobacterium*, 144–145  
 Bill Emerson Good Samaritan Food Donation Act, 382  
 Bioactive proteins, 292  
 Biodegradability, 186  
 Biodegradable polymers, 174  
 “Biological soil disinfestation”.  
   *See* Anaerobic soil disinfestation  
 Biomacromolecules, 190  
 Biopolymers, 173, 192–193, 292  
   films, 187  
   materials, 299  
 Biorefinery, 279–280  
 Biosensors, 236  
 Biotechnological processing, 292  
 Biotic stresses, 93  
 Biovalorization of cereal waste, 294  
 Biowaste, 300

Blanching, 146  
 Blending with materials, 193–194  
 Blood protein derivatives, 289  
 Boiling point, 185  
 BoP. *See* Basket of products (BoP)  
 Botulinum toxins (Bt toxins), 69, 122  
 Bovine serum albumin, 291–292  
 Bovine spongiform encephalopathy (BSE), 285  
 Bran, 294  
 Brazil, Russia, India, China (BRIC), 25  
*Brevicoryne brassicae*, 45–46  
 Brewer’s spent grain, 299  
 BRIC. *See* Brazil, Russia, India, China (BRIC)  
 BSE. *See* Bovine spongiform encephalopathy (BSE)  
 Bt toxins. *See* Botulinum toxins (Bt toxins)  
 Burning bush (*Kochia scoparia*), 68–69  
 Business opportunity, 359–360  
 Butterfly (*Pieris rapae crucivora*), 45–46  
 Butylated hydroxyanisole (BHA), 131, 133, 136  
 Butylated hydroxytoluene (BHT), 133–134, 179  
 By-product, 279–280

## C

CA. *See* Conservation agriculture (CA)  
 Calcium (Ca), 97–98  
 Carbohydrates, 101–102, 174  
 Carbon, 373  
 Carbon dioxide (CO<sub>2</sub>), 39  
 Carboxyl groups, 190  
 Carotenoids, 132, 302  
 Cassava, 293  
   starch antimicrobial films, 186  
   starch films, 186  
 Cavitation, 126–127, 154–156  
 CEE. *See* Curcuma ethanol extract (CEE)  
 Cell wall polysaccharides, 300  
 Cellophane, 187  
 Cellular fraction of blood, 289  
 Cellular Manufacturing, 252  
 Cellulase, 294  
 Cellulose nanocrystals (CNC), 193  
 Cereal(s), 292, 294–299  
   cereal-based products, 332  
   protection, 134  
   waste, 299

- CFD technique. *See* Computational fluid dynamics technique (CFD technique)
- Channeling configuration, 207–209
- Chelating agents, 131, 136–137
- Chemical methods, 187–190
- Chitinolytic enzymes, 291
- Chitinous materials, 290
- Chlorophylls, 302
- Cholesterol, 289
- Citric acid, 294
- Citrus waste, 302
- City of Frankfurt, 324–325
- Climacteric respiratory rate, 102
- Climate change(s), 34–35, 39, 146, 230, 241–244  
and potential impacts on crop postharvest, 110–113
- Closed storage systems, 108
- Clostridium botulinum*, 121–122, 145
- CNC. *See* Cellulose nanocrystals (CNC)
- Cognitive collaboration, 239
- Cold chain, 204–217, 205*f*  
commercial transportation, 207–210  
display at retail, 214–215  
in northern communities, 220–221  
precooling, 205–207  
storage at distribution center, 210–213  
transportation and storage by consumers, 215–217  
around world  
food loss and waste in different countries, 219–220  
refrigeration capacities, 217–219
- Cold pasteurization method, 147
- Cold plasma treatment (CP treatment), 192
- Collagen, 285–289
- Colorado potato beetle (*Leptinotarsa decemlineata*), 45–46
- Commercial sterilization, 122
- Commercial transportation  
intermodal transportation, 209–210  
rail transportation, 209  
sea transportation, 207–209
- Commodity crops, 374
- Communication, 351–352, 354–355
- Communities of practice and learning alliances, 240
- Complete hand harvesting, 99
- Complete sterilization, 122
- Compost(ing), 237, 294
- Computational fluid dynamics technique (CFD technique), 207–209
- Conservation agriculture (CA), 46–54  
adoption, 50–51  
no-till  
farming, 51–54  
and organic agriculture, 54
- Conservation tillage. *See* Conservation agriculture (CA)
- Consumer(s), 142  
behavior, 219  
consumer-retailer interface, 348–349  
clusters of factors causing consumer-related food waste, 353*f*  
interactions at, 351–355  
food  
losses, 232  
waste, 4, 19–22  
waste behavior, 237  
perception of suboptimal food, 355–358, 356*f*  
response to retailer actions, 363–365  
transportation and storage by, 215–217
- Consumption, 349–350
- Conventional agriculture, 56
- Conventional extraction methods, 143
- Conventional pasteurization processes, 156–157
- Conventional preservation technique.  
*See* Thermal processing—of foods
- Conventional thermal pasteurization, 153  
processes, 160
- Cooling/chilling technology, 122–124
- Cooperative collaboration, 239
- Corn borer (*Ostrinia nubilalis*), 52–53
- Corporate social responsibility (CSR), 359
- COST Network, 117–118
- CP treatment. *See* Cold plasma treatment (CP treatment)
- Creatine, 290
- Crop(ping)  
biodiversity to reducing losses and increasing yields  
benefits of varietal mixture to cope, 63–65  
cropping perennial crops, 65–67  
climate changes and potential impacts on crop postharvest, 110–113

Crop(ping) (*Continued*)

- diversifying crop production, 96–97
  - growth management, 40–41
  - loss, 35
  - management, 57–62
  - rotation, 58
  - yields, 34
  - Cropping perennial crops, 65–67
  - Cross-contamination, 145
  - Crustacean cells, 291
  - Cryogenic freezing method, 125
  - Crystallization temperature, 185
  - CSR. *See* Corporate social responsibility (CSR)
  - Cultivar and environment, 93–95
  - Curcuma ethanol extract (CEE), 178–179
- D**
- 2,4-D, 68–69
  - D* value. *See* Decimal reduction time (*D* value)
  - Dairy, 203, 284, 291–292
    - supply chain characteristics, 256–260, 257*t*
  - Date label, 349–350
  - DC. *See* Distribution center (DC)
  - Decimal reduction time (*D* value), 120
  - Decomposition process, 186
  - Dehydrofreezing, 126
  - Denitrification, 371–372
  - Dialdehyde polysaccharides, 190
  - Diamondback moth (*Plutella xylostella*), 45–46
  - Diaries method (D method), 11
  - Dicamba, 68–69
  - Diesel-powered machinery, 371–372
  - Dietary shift scenarios, 327–330, 331*t*, 336–338, 337*t*
  - Direct compression, 147
  - Direct seeding. *See* Conservation agriculture (CA)
  - Disperse phase, 155
  - Distribution center (DC), 204
  - Domestic labor, 380–381
  - Double Pyramid* model, 282
  - Downstream supply chain, 231–232
    - consumer and postconsumer food losses, 232
    - food losses of retailers, 232
  - Dry animal feed production, 387
  - Durables, 90–92

**E**

- EB. *See* Elongation at break (EB)
  - EC. *See* European Commission (EC)
  - Ecological theory, 369–370
  - Economic allocation, 322–324
  - Electric fields, 160
  - Electric pulse intensity, 161
  - Electroheating technologies, 120
  - Electroporation, 157–158
  - Elongation at break (EB), 183
  - Embanox 10, 134
  - Emissions, 332
    - from agriculture, 320–322
    - from food waste treatment, 327
  - End of life (EoL), 316, 325–326
  - Enthalpy
    - of crystallization, 185
    - of melting, 185
  - Environmental impact calculation of food consumption, 319–326
  - Environmental Protection Agency, 376–377, 377*f*
  - Environmental sustainability, 70, 283
  - Enzymatic/enzymes, 121, 132
    - browning, 135
    - inactivation, 142–143, 154–155
    - methods, 191
  - EoL. *See* End of life (EoL)
  - Escherichia coli*, 142–143
  - Essential oils (EOs), 135, 176–178
  - Estrogen, 289
  - Ethanol, 161
  - Ethylene (C<sub>2</sub>H<sub>4</sub>), 102
  - European Circular Economy Action Plan, 315–316
  - European Commission (EC), 315–316
  - European corn borer (*Ostrinia nubilalis*), 45–46
  - European food waste program, 117–118
  - Exopolysaccharides, 292
  - Extraction techniques, 143, 146, 151–152, 155–156, 160–161
- F**
- FAO. *See* Food and Agriculture Organization (FAO)
  - Farm losses/waste, 4, 16
  - Farmer organization, 108–110

- Fats  
 fat-containing foods, 131  
 protection, 133–134
- Feed  
 animals, 382–384  
 hungry people, 382
- Ferulic acid, 299
- FFVs. *See* Fresh fruits and vegetables (FFVs)
- Fibers, 144, 299
- Fibrinogen, 289
- Fibrinolysin, 289
- Films, 185  
 film-forming processes, 174  
 strategies to improving properties, 187–194  
 blending with materials, 193–194  
 chemical methods, 187–190  
 enzymatic methods, 191  
 physical methods, 191–193  
 researches in improvement of biopolymeric films, 188*t*
- First Expiry First Out strategy, 236
- Fish, 203  
 filleting, 322–324  
 meal, 290  
 myofibrillar protein films, 191  
 oils, 135–136  
 processing, 322–324  
 waste, 290
- 5-Stages Universal Recovery Process, 304
- Flame soil disinfection technique, 45
- Flour derived from plasma, 289
- FLW. *See* Food losses and waste (FLW)
- FLWR, 22–23, 22*f*
- Food and Agriculture Organization (FAO), 2, 4, 89–90, 146, 219, 233, 375
- Food consumption and waste  
 avoidable food waste, 328*t*  
 baseline results, 332, 333*t*  
 contributions of different life cycle phases, 334*f*  
 dietary shift scenarios, 327–330, 336–338  
 environmental impacts of food consumption of EU-28 average citizen, 334*f*  
 materials and methods, 318–330  
 basket of representative products, 318  
 environmental impact calculation, 319–326  
 quantification, 327  
 reduction, 327–330, 332–336, 335*f*
- Food loss(es), 34, 171–172, 211, 227–229, 231*f*, 375  
 in food industry, 229–232  
 in downstream supply chain, 231–232  
 in upstream supply chain, 229–231  
 reduction, 233–244  
 primary production solutions, 233–235  
 solutions at handling, storage, processing, and distribution stage, 235–236  
 solutions at retailers stage, 236–238  
 supply chain solutions, 238–244
- Food losses and waste (FLW), 1–4, 89–90, 249–250, 375  
 causes in agricultural production and postharvest management, 91*t*  
 comparison for different development levels of countries, 22–23  
 consumer food waste, 19–22  
 data acquisition, 250–251  
 in different countries, 219–220  
 farm losses and waste, 16  
 food  
 commodity groups, 5  
 supply chain, 4, 5*f*  
 geographical and temporal boundary, 5  
 grouping of countries development level, 6*t*  
 identification and destinations along dairy value chain, 264–270, 265*t*  
 distribution, 270  
 farmer level, 267–268  
 processor level, 268–270  
 implications for future, 22–23  
 management, 376–386  
 aerobic composting, 385–386  
 feed animals, 382–384  
 feed hungry people, 382  
 industrial uses, 385  
 source reduction, 378–382  
 postharvest losses and waste, 16–18, 18*f*  
 quantification, 10*t*  
 advantages and disadvantages, 12–15, 14*t*  
 bibliometric analysis of literature, 6–9

- Food losses and waste (FLW) (*Continued*)  
 methods for, 9–12, 12*f*  
 stakeholder adoption of lean  
 manufacturing practices for, 251  
 tackling, 250  
 VSM as hot spot identification approach  
 for, 252–255
- Food packaging, 172, 181–186  
 barrier properties, 183–184, 183*f*  
 biodegradability, 186  
 inhibitors, 132*f*  
 innovations in  
 AP, 175–176  
 application of AP in foods, 176–181  
 IP, 175  
 strategies to improving properties of  
 films, 187–194  
 sustainable packaging, 172–174  
 mechanical properties, 182–183, 183*f*  
 microstructural properties, 186  
 optical properties, 184  
 packaging functions and properties, 182*f*  
 solubility in water, 184–185  
 thermal properties, 185
- Food preservation technologies, 117–118  
 cooling/chilling technology, 122–124  
 freezing technology, 124–127  
 hurdle concept, 137  
 inhibition of oxidation in foods, 130–137  
 antioxidant, 131–132, 131*f*  
 using antioxidants in food, 133–137  
 microwave heating, 128–129  
 Ohmic heating, 127–128  
 radio frequency heating, 129–130  
 thermal food preservation, 119–122
- Food Recovery Hierarchy, 376–377
- Food Recycling Law, 21–22
- Food Use for Social Innovation by  
 Optimizing Waste Prevention  
 Strategies project (FUSIONS  
 project), 2–3
- Food waste (FW), 34, 141, 205, 227–228,  
 229*t*, 231–232, 279–281, 370,  
 375–376  
 initiatives, 359–360  
 management options, 387  
 quantification, 316  
 recovery hierarchy model, 233, 233*f*  
 reduction  
 in hospitality and institutions, 380–382  
 in households, 379–380  
 retailer actions against, 359–363  
 to suboptimal food, 347–348
- Food waste valorization  
 development and implementation,  
 303–306  
 feasibility study, 305–306  
 output definition, 303–304  
 process design, 304–305  
 waste characterization, 303  
 priorities in, 281–282  
 sources and targets, 281, 286*t*  
 strategies, 280, 282  
 and sustainability, 283
- Food(s)  
 additives, 143  
 AP application in, 176–181  
 EOs, 177–178  
 modified atmosphere, 180–181  
 natural extracts, 178–180  
 balance method, 11, 15  
 by-product, 279–280  
 chain, 141  
 commodity groups, 5  
 composition, 149–150, 154–155,  
 157–159  
 contamination sources, 145–146  
 DCs, 213  
 degradation, 171–172  
 and drink loss, 227  
 food-grade enzymes, 191  
 handling processes, 211  
 industry, 229–232  
 intrinsic quality, 350  
 lives, 210  
 matrix characteristics, 150  
 production systems, 117–118, 243  
 products, 204–205, 282  
 quality, 144  
 security, 35  
 enhancement by reducing yield loss,  
 33–35  
 quantitative and qualitative dimensions,  
 37*f*  
 yield loss and, 35–38  
 shelf-life extension, 146  
 supply chain, 4, 5*f*, 117–118, 315–316  
 coverage, 8–9

- Foodborne diseases, 117–118  
Forced-air cooling, 206  
Free amino acids, 290  
Free radical chain reaction, 130  
Freezing technology, 124–127  
    antifreeze protein and nucleation protein, 126  
    dehydrofreezing, 126  
    high pressure freezing, 125–126  
    ultrasound-assisted freezing, 126–127  
Fresh fruits and vegetables (FFVs), 204–205  
Fruits, 144, 203, 293, 302–303  
    protection, 135  
Fungal spores, 52–53  
Furfural, 299  
*Fusarium*, 52–53  
FUSIONS project. *See* Food Use for Social Innovation by Optimizing Waste Prevention Strategies project (FUSIONS project)  
FW. *See* Food waste (FW)
- G**  
GA. *See* Glutaraldehyde (GA)  
Gall bladder, 289  
Gamma-ray dosages, 192–193  
Garbage collection method (G method), 11  
Gas  
    barriers, 184  
    indicators, 236  
GDP. *See* Gross domestic product (GDP)  
Gelatin, 285–289  
    gelatin-based films, 183  
Gelling agent, 300, 302  
Genetic diversity, 59  
Genetically modified crops (GM crops), 35, 68–70  
GHGs. *See* Greenhouse gas emissions (GHGs)  
Glass transition temperature, 185  
Global warming scenarios, 110–111, 110*f*  
Glucagon, 289  
Glucoamylase, 294  
Glutaraldehyde (GA), 187  
GM crops. *See* Genetically modified crops (GM crops)  
Gold nanoparticles, 184  
Google Scholar, 6  
Grapefruit (*Citrus paradise*), 95  
Graphical mapping technique, 252  
Great tit (*Parus major* L.), 62–63  
Green extraction methods, 143  
“Green payments” for soil conservation, 54  
Green Revolution, 41, 63  
Green technologies, 304–305  
Greenhouse gas emissions (GHGs), 33–34, 370–371. *See also* Emissions  
Greenhouse gases, 110–111, 111*f*, 146  
Gross domestic product (GDP), 2, 23  
Ground rosemary leaves, 135
- H**  
Harvest systems, 98–105  
    and handling techniques, 99–101  
    harvesting maturity, 101–105, 104*r*  
HDPE. *See* High-density polyethylene (HDPE)  
Heating pressure medium, 147  
Heavy metals, 131, 136–137, 302  
Herbicide-resistant crops (HR crops), 50, 52, 68–69  
Herbicides, 47–48, 50, 52–53, 58, 68–69, 71  
High frequency, 142–143  
High intensity, 142–143  
High pressure freezing, 125–126  
High pressure processing (HPP), 142, 148*f*  
    advantages and limitations, 151  
    effect on food composition, microorganisms, and applications, 149–150  
    as extraction method, 151–152  
    technological fundamentals, 147–149  
High yield varieties (HYV), 38–39, 45  
High-density polyethylene (HDPE), 187  
High-intensity US, 142–143  
High-quality food products, 142, 234–235  
Hiperbaric (Spain), 148–149  
Homogeneity, 193  
Horizontal configuration, 207–209  
Hormones, 289  
Horticultural maturity of agricultural commodities, 101  
Household food waste, 19  
HPP. *See* High pressure processing (HPP)  
HR crops. *See* Herbicide-resistant crops (HR crops)

HTST process, 128  
 Hurdle concept, 137  
 Hydrocooling, 206  
 Hydrogen bonds, 149–150  
 Hydroperoxide, 130  
   deactivators, 131  
 Hydroperoxyl radicals, 130  
 Hydrophobic interactions, 149–150  
 Hydroxyapatite, 289  
 HYV. *See* High yield varieties (HYV)

## I

IAASTD project, 70  
 Ice  
   cooling, 206  
   ice-nucleation protein, 126  
 Icebox refrigerators, 216  
 Immersion freezing method, 125  
 Immunoglobulins, 289  
 “In package” processing technology,  
   153–154  
 In-vessel composting, 386  
 Indirect compression, 147  
 Induction period, 131–132  
 Infectious bacteria, 145  
 Insulin, 289  
 Integrated nutrient management, 49  
 Integrated pest  
   control, 46  
   and disease management, 95–96  
 Integrated pest management (IPM), 46, 56–57  
 Intelligent packaging (IP), 175  
 Intensification of agriculture, 39, 45  
 Intercropping system, 58, 59*f*  
 Intermodal transportation, 209–210  
 Internal organs and glands, 289  
 Ionic bonds, 149–150  
 IP. *See* Intelligent packaging (IP)  
 IPM. *See* Integrated pest management (IPM)

## J

Joule heating. *See* Ohmic heating  
 Just-In-Time, 252

## K

Kaizen, 252  
 Kalikreninsa, 289  
 Kanban, 252  
 Kefiran biopolymer, 192–193

## L

Lactic acid, 294  
 Lactitol, 292  
*Lactobacillus*, 144–145  
 Lactoferrin, 176, 291–292  
 Lactoperoxidase, 291–292  
 Lactose, 292  
 Lactulose, 292  
 Land availability, 39–41  
 Land equivalent ratio (LER), 60  
 Landscape heterogeneity, 62–63  
 LCA. *See* Life cycle assessment (LCA)  
 LCI model. *See* Life cycle inventory model  
   (LCI model)  
 LDPE. *See* Low-density polyethylene  
   (LDPE)  
 Le Chatelier’s principle, 147  
 Lean, 241  
   LeanPath, 380–381  
   metrics, 271–272  
   philosophy, 241  
 Learning alliances, 240  
 LER. *See* Land equivalent ratio (LER)  
 Life cycle assessment (LCA), 250–251,  
   282, 316, 371  
   and systems analysis of food waste  
   management options, 387  
 Life cycle inventory model (LCI model),  
   318, 321*t*, 322  
   cultivation of plant-based products or  
   main ingredients, 323*t*  
   farming phase of animal-derived products,  
   324*t*  
 Lipases, 291  
 Lipid(s), 149–150, 173. *See also* Protein(s)  
   lipid-soluble antioxidants, 131, 133–134  
   oxidation, 187  
   soluble antioxidant, 135–136  
 Lipoxygenases, 132, 135  
 Liquid fraction, 174  
*Listeria monocytogenes*, 142–143, 145  
 Literature data (L), 11  
 Liver extract, 289  
 Livestock, 50  
 Localization of food production, 373  
 Logistics, 324–325  
 Low-density polyethylene (LDPE), 187  
 Lycopene nanocapsules, 186  
 Lysozyme, 176

**M**

- Macro-environment, 352–353
  - Maillard products, 135–136
  - Mammalian collagen, 285–289
  - Marama beans (*Tylosema esculentum*), 96–97
  - Marginal waste abatement curve, 376–377, 378*f*
  - Market
    - access, 108–110
    - market-oriented approaches, 234
  - Mass loss, 185
  - MC. *See* Moisture content (MC)
  - Measurable, reportable, and verifiable principle (MRV principle), 25
  - Meat
    - and bone meals, 285
    - consumption, 332
    - and poultry, 284–289
    - products, 203
    - protection, 135–136
  - Mechanical assisted harvesting, 99
  - Mediterranean diets, 330
  - Melting point, 185
  - Mesophiles, 124
  - Methyl bromide, 44
  - Methylcellulose films, 187–190
  - Microbial, 142–143
    - activity, 187
    - counts of gram-positive, 144–145
    - fermentation, 294
    - inactivation, 128
    - vacuum, 44
  - Microbiological
    - growth, 171–172
    - organisms, 90
  - Micronutrients, 144
  - Microorganisms, 149–150, 154–155, 157–159, 203–204
  - Microsoft Visio 2016, 256
  - Microstructural properties of polymers, 186
  - Microwave heating, 128–129
  - Milk
    - functional aspects, 158
    - products, 251
  - Milpa* system, 59
  - Mineral balance hypothesis, 45–46
  - Minerals, 144, 373
  - Minimum tillage, 42–43, 46, 51–53
  - Modeling (M), 11
  - Modified atmosphere, 180–181
  - Moisture content (MC), 90–93, 102–103
  - Mosaic landscape, 62–63
  - Motivation, 355, 357
  - MRV principle. *See* Measurable, reportable, and verifiable principle (MRV principle)
  - Multicropping system, 58
  - Mycotoxigenic plant pathogens, 95–96
  - Myzus persicae*, 45–46
- N**
- Natural antioxidants, 131
  - Natural compounds, 177
  - Natural extracts, 178–180
  - Natural resources, 33–34, 89–90
  - Neophobia, 305
  - NGOs. *See* Non-governmental organizations (NGOs)
  - Nisin, 292
  - Nitrogen, 45, 373
  - Nitrogen, phosphorus, and potassium (NPK), 97–98
  - Nitrous oxide (N<sub>2</sub>O), 371–372
  - No-till agriculture, 54
  - No-till farming, 46–47, 51–54
  - Non-governmental organizations (NGOs), 359–360
  - Nonclimacteric respiratory rate, 102
  - Noncovalent bonds, 149–150
  - Nonpolar antioxidants, 136–137
  - Nonproteolytic enzymes, 291
  - Nonthermal food processing/preservation technologies
    - food contamination sources, 145–146
    - nonthermal emerging processing technologies, 146–161
      - high pressure processing technology, 147–152
      - pulse electric fields, 156–161
      - ultrasounds, 153–156
    - quality indicators for processed food, 143–145
  - Nordic Nutrition Recommendations, 329–330
  - Northern communities, cold chain in, 220–221
  - NPK. *See* Nitrogen, phosphorus, and potassium (NPK)

- Nucleation protein, 126
- Nutraceuticals, 143
- Nutrient  
loss, 252–255  
nutrient-dense foods, 37–38
- Nuts, protection of, 134
- O**
- Oat mill waste, 299
- Observation, 11
- Ohmic heating, 127–128
- Oil(s)  
crops and pulses, 293, 300–301  
extraction, 142–143  
protection, 133–134
- Olive pomace, 293
- On-farm postharvest systems, 105–108  
farmer organization, value addition, training,  
and access to market, 108–110  
on-farm handling and storage, 107–108
- Open storage system, 108
- Optimality, respective decisions on,  
349–351
- Organic acids, 294
- Organic agriculture, 47, 54
- Organoleptic characteristics, 142
- Out-of-home food waste, 20
- Oxidation  
of food products, 132  
oxidized starch, 190  
process, 171–172, 178, 180
- Oxygen  
absorbers, 136  
interceptors, 136
- Ozone (O<sub>3</sub>), 39  
depletion, 332
- P**
- PA. *See* Precision agriculture (PA)
- Packaging, 324–325, 325*t*, 349–350  
development, 171–172  
protection of packaged foods, 136–137  
sector, 172–173
- Packing material, 150
- Pascal's isostatic principle, 147
- Pasteurization, 120–121, 121*f*, 146, 150  
liquid eggs, 159
- PE. *See* Polyethylene (PE)
- Pectin, 302
- PEF. *See* Pulse electric fields (PEF)
- Peptides, 292
- Perishable food products, 215–216
- Perishable organic materials, 371
- Perishables product, 90–92
- Pest(s)  
control protocols, 95–96  
synthetic fertilizer effects on, 45–46
- Pesticide treadmill, 64
- Petroleum-based polymers, 173
- pH variations, 175
- PHFL. *See* Postharvest food loss (PHFL)
- Phosphorous, 373
- Physical injuries, 93
- Physical methods, 191–193
- Physical quenchers, 132
- Physiological maturity of agricultural  
commodities, 101
- Pigweed (*Amaranthus* spp.), 68–69
- Pineal gland, 289
- Plant-origin waste valorization, 281,  
292–303. *See also* Animal waste  
valorization  
cereals, 292, 294–299  
fruit and vegetables, 293, 302–303  
oil crops and pulses, 293, 300–301  
roots and tubers, 292–293, 299–300  
strategies, 294–303
- Plasma, 289
- Plasminogen, 289
- Plasticizer–polymer chains, 193
- Plate freezing method, 125
- Ploughing, 47
- Polyethylene (PE), 173, 299
- Polyethylene terephthalate, 173
- Polyhydroxyalkalonates, 299
- Polymers, 173
- Polypropylene (PP), 173, 299
- Polysaccharides, 173
- Polystyrene (PS), 173
- Polyunsaturated fatty acids (PUFA), 290
- POs. *See* Producer organizations (POs)
- Postconsumer food losses, 232
- Postharvest. *See also* On-farm postharvest  
systems; Preharvest systems  
food loss causes in postharvest  
management, 91*t*  
handling, storage, processing, and  
distribution, 231

- losses/waste, 4, 16–18, 18*f*
  - processing and transport solutions, 235–236
  - storage and handling solutions, 235
  - Postharvest food loss (PHFL), 228
  - Potato beans (*Apios americana*), 96–97
  - Power US. *See* High-intensity US
  - PP. *See* Polypropylene (PP)
  - Precision agriculture (PA), 67–68. *See also* Conservation agriculture (CA)
  - Precision farming, 35
  - Precooling, 205–207
  - Preharvest systems, 93–98
    - cultivar and environment, 93–95
    - diversifying crop production, 96–97
    - factors affecting postharvest quality of agricultural production, 94*t*
    - improving agronomic and cultural practices, 97–98
    - integrated pest and disease management, 95–96
  - Prescription farming. *See* Precision agriculture (PA)
  - Pressure, 150
    - boost, 147
    - maintaining, 147
    - relief, 147
  - Price
    - actions, 361
    - price-reduction of suboptimal food, 364–365
  - Primary production
    - food losses in, 230
    - solutions, 233–235
      - agroecology, 235
      - collaboration and collective action at producers stage, 234
      - training of producers, 234
      - value-added and high-quality products, 234–235
  - Priorities in food waste valorization, 281–282
  - Producer organizations (POs), 234
  - Product
    - labeling modification, 236–237
    - product-specific handling requirements, 211, 212*f*
    - stewardship, 242
    - value chain, 90
  - Profitability, 67
  - Progesterone, 289
  - Prooxidants, 135
  - Proteases, 294
  - Protecting Americans from Tax Hikes Act (2015), 382
  - Protein(s), 149–150, 173. *See also* Lipid(s)
    - amine groups, 136–137
    - protein–lipid interactions, 149–150
  - Proxy data (P), 11
  - PS. *See* Polystyrene (PS)
  - Psychrophiles, 124
  - Psychrotrophs, 124
  - PUFA. *See* Polyunsaturated fatty acids (PUFA)
  - Pulse electric fields (PEF), 142, 156, 157*f*
    - advantages and limitations, 160
    - effect on food composition, microorganisms, and applications, 157–159
    - as extraction method, 160–161
    - technological fundamentals, 156–157
  - Purchase, 349–350
  - Push–pull strategy, 57
- Q**
- $Q_{10}$  concept, 123, 123*f*
  - Quality indicators for processed food, 143–145
- R**
- Radio frequency (RF), 120
    - heating, 129–130
  - Rail transportation, 209
  - Reduced tillage, 49, 56
  - Reductive soil disinfection. *See* Anaerobic soil disinfection
  - Reefers. *See* Specialized refrigerated containers
  - ReFED, 370, 376–377
    - Restaurant Solution Matrix, 381–382, 381*f*
  - REFRESH project. *See* Resource Efficient Food and dRink for Entire Supply cChain project (REFRESH project)
  - Refrigerants, 325
  - Refrigeration, 204
    - capacities, 217–219
    - sea transportation, 207–209
    - warehouse capacity, 217, 217*t*

- Renewable energy sources, 219
- Resilience supply chain, 242–244
- Resource Efficient Food and dRink for Entire Supply Chain project (REFRESH project), 2–3
- Respiration rate, 102–103, 103t
- Retail(er), 324–325
  - actions
    - consumer response to, 363–365
    - against food waste, 359–363
  - display at, 214–215
  - food losses, 232
  - solutions at retailers stage, 236–238
  - change of consumers food waste behavior, 237
  - donations, recycling, and composting, 237
  - modification of product labeling, 236–237
  - technological investments, 237–238
- RF. *See* Radio frequency (RF)
- Rice blast fungus (*Pyricularia oryzae*), 64–65
- Rice bran, 299
- Ridge tillage, 49, 53–54
- Road transportation, 210
- Room cooling, 206
- Roots, 292–293, 299–300
- Rosemary oleoresin, 134–135
- 4993 Rosmanox E, 134
- 4942 Rosmanox, 134
- S**
- Salmonella* spp., 145
  - S. typhimurium*, 142–143
- SCC. *See* Supply chain collaboration (SCC)
- SDGs. *See* Sustainable Development Goals (SDGs)
- Sea transportation, 207–209
- Seafood, 284, 290–291
- Seed
  - certification schemes, 95–96
  - oil, 302
- Self-cooling system, 175
- Self-heating system, 175
- Semicontinuous processes, 147–148
- Semistructured questionnaire, 256
- Serotonin, 289
- Shelf life, 203
  - of product, 179–180
- Shell waste, 290
- Singlet oxygen quenchers, 131
- Site-specific crop management.
  - See* Precision agriculture (PA)
- Small-scale anaerobic digestion, 237
- Smoke, 135–136
- SOC. *See* Soil organic carbon (SOC)
- Social sustainability, 283
- Soil
  - amendment practice, 294
  - compaction, 35–36, 51–52
  - and crop management
    - agricultural practices for sustainable agriculture, 46–63
    - cropping biodiversity to reducing losses and increase yields, 63–67
    - food security enhancement by reducing yield loss, 33–35
    - preserving soil health, 38–43
    - technological approaches, 67–70
    - unsustainable agricultural practices and effect on yield loss, 43–46
    - yield loss and food security, 35–38
  - degradation, 34–35, 39
    - SOM role in preventing, 41–43
  - erosion, 41, 43f
    - control, 47–48
  - fatigue and yield decline, 43–45
  - flooding, 44
  - fumigants, 44
  - no-till farming impact on soil ecology, 52
  - organisms, 44
  - quality, 39–41
  - sterilization, 44
  - tillage, 41
- Soil health
  - preservation, 38–43
    - land availability and soil quality, 39–41
    - SOM role in preventing soil degradation and maintaining yields, 41–43
    - synthetic fertilizer effects on, 45–46
- Soil organic carbon (SOC), 42–43, 53, 65–66
- Soil organic matter (SOM), 35
- Soilborne plant pathogens, 44
- Solarization, 45
- Solubility in water, 184–185

- SOM. *See* Soil organic matter (SOM)
- Sonochemical reaction, 154–155
- Sonorex Super Ultrasonic Baths, 153–154, 153*f*
- Sound(s), 153
  - crop rotations, 44
  - nonchemical methods, 44
- Soy pulp (Okara), 293
- Soybeans, 293
- Specialized refrigerated containers, 207–209
- Squash, 56, 59, 206
- Stakeholder adoption of lean manufacturing practices for FLW, 251
- Starch–protein complex disintegration, 142–143
- Sterilization, 121–122, 146
- Storage
  - by consumers, 215–217
  - at distribution center, 210–213
- Suboptimal food, 347–349
  - consumer perception, 355–358, 356*f*
  - decisions on optimal vs. suboptimal food by consumers, 350*f*
  - definition and major categories, 351*f*
  - food waste to, 347–348
  - price-reduction, 364–365
  - and respective decisions on optimality, 349–351
- Succinic acid, 294
- Sulfur dioxide (SO<sub>2</sub>), 159
- Sunflower (*Helianthus annuus*), 66, 293
- Supply chain, 204, 227–228
  - solutions, 238–244
    - awareness of changing food standards and regulations, 238–239
    - collaboration across, 239–240
    - developing resilience supply chain, 242–244
    - formation of communities of practice and learning alliances, 240
    - implement sustainability across supply chain, 241–242
    - technological and infrastructural solutions, 240
    - TQM and lean, 241
  - Supply chain collaboration (SCC), 239
  - Surveys method (S method), 11
  - Sustainability, 233, 242, 283
    - agricultural practices for sustainable agriculture, 46–63
    - development, 146
    - diets, 316
    - food supply chain, 241–242
    - packaging, 172–174
    - across supply chain, 241–242
- Sustainable agricultural practices, 37. *See also* Unsustainable agricultural practices
- Sustainable Development Goals (SDGs), 1–2, 250, 315–316
- Swedish nutrition recommendations, 329–330
- Sweet clover (*Melilotus officinalis*), 60
- Sweet potato weevil, 95–96, 96*f*
- Swine Health Protection Act, 383
- Switchgrass (*Panicum virgatum*), 66
- Synergies, 56, 235
- Synergists, 131, 133–134
- Synthetic agrochemicals, 56
- Synthetic antioxidants, 131, 133
- Synthetic fertilizers, 46
  - effects on pests and soil health, 45–46
- T**
- Tangerine (*Camellia reticulata*), 95
- Taurine, 290
- TBHQ. *See* Tertbutylhydroquinone (TBHQ)
- Technological approaches in agricultural practices, 67–70
  - genetically modified crops, 68–70
  - precision agriculture, 67–68
- Temperature, 150, 175, 203
- Tensile strength (TS), 182
- Tertbutylhydroquinone (TBHQ), 131, 133–134
- Texture traits, 93
- TGA. *See* Thermogravimetric analysis (TGA)
- TGs. *See* Transglutaminases (TGs)
- Thermal destruction of microorganisms, 120
- Thermal food preservation, 119–122
  - pasteurization, 120–121
  - sterilization, 121–122
- Thermal processing, 122
  - of foods, 119
- Thermal resistance constant (*z* value), 120
- Thermogravimetric analysis (TGA), 185
- Thermophiles, 124

- Time temperature indicator (TTI), 236
- Time/temperature food product profiles, 214–215
- Tocomin D, 134
- Tocopherols, 131–134, 136
- Total quality management (TQM), 238, 241
- Traditional agroforestry systems, 60
- Traditional intercropping systems, 58–59
- Transaction collaboration, 239
- Transglutaminases (TGs), 191, 291
- Transport(ation), 204–205
  - methods, 236
  - solutions, 235–236
  - and storage by consumers, 215–217
- Treatment time, 150, 160
- TS. *See* Tensile strength (TS)
- TTI. *See* Time temperature indicator (TTI)
- Tubers, 292–293, 299–300
- U**
- UHDE High Pressure (Germany), 148–149
- Ultra-high temperature milk (UHT milk), 256–260, 269–270
  - aseptic tank holding, 264, 270
  - current state map for production, 260–264, 261*f*
  - distribution, 264
  - farmer level, 260–262
  - processor level, 262–264
  - packaging, 264, 270
  - sterilization + homogenization, 263–264, 269
  - storage, 264, 270
- Ultrasounds (US), 142
  - advantages and limitations, 155
  - effect on food composition, microorganisms, and applications, 154–155
  - technical fundamentals, 153–154
  - ultrasound-assisted freezing, 126–127
  - ultrasounds as extraction technique, 155–156
- United Nations Environment Programme (UNEP), 2–3
- United States (US)
  - agricultural system, 373–375
  - US Federal Drug Administration, 383
- United States Department of Agriculture (USDA), 41
  - Economic Research Service, 375
- United States Department of Agriculture Economic Research Service (USDA-ERS), 2
- Unsustainable agricultural practices, 36*f*, 37–38
  - and effect on yield loss, 43–46
  - soil fatigue and yield decline, 43–45
  - synthetic fertilizer effects on pests and soil health, 45–46
- Unsustainable soil management, 42
- Upstream supply chain, 229–231
  - food losses
    - in postharvest handling, storage, processing, and distribution, 231
    - in primary production, 230
- US. *See* Ultrasounds (US)
- USDA. *See* United States Department of Agriculture (USDA)
- USDA-ERS. *See* United States Department of Agriculture Economic Research Service (USDA-ERS)
- Use phase, 325–326
- UV light, 192
- V**
- Vacuum precooling, 207
- Valorization, 279–280. *See also* Food waste valorization
  - of animal waste, 284–292
  - of plant-origin waste, 292–303
- Value
  - addition, 108–110
  - perceptions, 355, 357
  - value-added product, 234–235
- Value stream mapping (VSM), 252
  - current state map for production of yogurt and ultra-high temperature milk, 260–264
  - dairy supply chain characteristics, 256–260, 257*t*
  - as hot spot identification approach for FLW assessments, 252–255
  - hotspots and wastes and causes derived from agrifood studies, 253*t*
  - identification of FLW and destinations, 264–270
  - methodology, 255–256
- Vanillin, 299
- Variable rate technology. *See* Precision agriculture (PA)

Vegetables, 144, 203, 293, 302–303  
 protection, 135  
 Vegetarian diets, 330  
 Vermicomposting, 386  
 Viable materials, 291  
*Vicia faba*, 64–65  
 Vitamins, 144  
 vitamin C, 159  
 VSM. *See* Value stream mapping (VSM)

## W

Waste  
 hierarchy, 282  
 management approach, 369–370,  
 373–374  
 Waste and Resources Action Programme  
 (WRAP), 2  
 Water, 161  
 activity, 106  
 content of foods, 136–137  
 solubility in, 184–185  
 soluble antioxidant, 135–136  
 Water vapor permeability (WVP), 184  
 Web of Science, 6  
 Weeds ecology, 52  
 Weighing method (W method), 11  
 Wet animal feed production, 387  
 Wheat (*Triticum aestivum*), 36, 39, 58,  
 90–92, 374  
 bran, 299  
 respiration rates, 102–103  
 rust, 64–65  
 Wheatgrass (*Thinopyrum intermedium*), 66  
 Whey  
 isolate, 291  
 permeate, 292  
 powder, 291  
 protein concentrate, 291  
 valorization, 292  
 Windrow composting, 386  
 WRAP. *See* Waste and Resources Action  
 Programme (WRAP)  
 WVP. *See* Water vapor permeability (WVP)

## X

Xanthan, 190, 300  
 gum, 292  
 Xylitol, 299

## Y

Yehub nut (*Cordeauxia edulis*), 96–97  
 Yield loss  
 food security, 35–38  
 enhancement by reducing, 33–35  
 unsustainable agricultural practices, 36f  
 and effects, 43–46  
 Yields  
 soil fatigue and yield decline, 43–45  
 SOM role in maintenance, 41–43  
 Yogurt, 268–269  
 cooling, 263, 269  
 current state map for production,  
 260–264, 261f  
 distribution, 264  
 farmer level, 260–262  
 processor level, 262–264  
 fermentation, 263, 268  
 mixing, 262, 268  
 packaging, 263, 269  
 pasteurization + homogenization,  
 262–263, 268  
 storage, 263, 269

## Z

Zero tillage. *See* Conservation agriculture  
 (CA)  
 Zero waste (ZW), 369  
 FW, 375–376  
 hierarchy of options for managing food  
 losses and wastes, 376–386  
 LCA and systems analysis of food waste  
 management options, 387  
 US agricultural system, 373–375  
 Zero Waste Systems (ZWS), 369  
 Zucchini, 206  
 ZW. *See* Zero waste (ZW)  
 ZWS. *See* Zero Waste Systems (ZWS)