


Contents lists available at [ScienceDirect](https://www.sciencedirect.com)

Annals of Tourism Research

journal homepage: www.elsevier.com/locate/annals

Mental health rescue effects of women's outdoor tourism: A role in COVID-19 recovery

Ralf Buckley^{a,*}, Diane Westaway^b^a *International Chair in Ecotourism Research (Emeritus), Griffith University, 4222, Australia*^b *Coastrek, Wild Women on Top, Brookvale 2100, Australia*

ARTICLE INFO

Associate editor: Muzaffer Uysal

KEYWORDS:

Therapy
Wellbeing
Adventure
Recovery
Coronavirus
COVID

ABSTRACT

Mental and social health outcomes from a portfolio of women's outdoor tourism products, with ~100,000 clients, are analysed using a catalysed netnography of > 1000 social media posts. Entirely novel outcomes include: psychological rescue; recognition of a previously missing life component, and flow-on effects to family members. Outcomes reported previously for extreme sports, but not previously for hiking in nature, include psychological transformation. Outcomes also identified previously include: happiness, gratitude, relaxation, clarity and insights, nature appreciation, challenge and capability, and companionship and community effects. Commercial outdoor tourism enterprises can contribute powerfully to the wellbeing of women and families. This will be especially valuable for mental health recovery, following deterioration during COVID-19 coronavirus lockdowns worldwide.

Introduction

Leisure tourism is a discretionary activity to improve individual wellbeing. Worldwide, poor mental health and wellbeing impose large social and economic costs on human civilisations (McDaid, Park, & Wahlbeck, 2019; Patel et al., 2018). These costs amounted to ~10% of global GNP prior to the 2019/20 COVID-19 coronavirus pandemic. They are increasing currently through COVID-19 lockdown, isolation and quarantine measures (Brooks et al., 2020). By improving wellbeing, tourism can reduce these costs. This generates an economic value within the healthcare sector, additional to that within the tourism sector. In particular, exposure to nature generates a substantial and diverse set of mental health benefits (Bratman et al., 2019; Frumkin et al., 2017). These confer an additional economic value on national parks, estimated at > US\$6 trillion p.a. worldwide (Buckley et al., 2019). This health services value is generated via outdoor nature and adventure tourism and recreation (Buckley, 2019, 2020). It is at least ten times larger than the direct economic value of tourism in parks (Balmford et al., 2015).

The health services value of nature and adventure tourism and recreation is already embedded in the structure of modern human societies and economies. If people did not engage in these activities as discretionary self-funded leisure, the costs of poor mental health would increase, by an estimated additional 7.5% (Buckley et al., 2019). These additional costs are indeed now being incurred, as one component of the social and economic costs of COVID-19 lockdowns. Costs include treatments, carers, lost workplace productivity, and increased antisocial behaviour, both public and domestic. Domestic violence, one of the key cost components, has already increased as one result of COVID-19 family confinement (Brooks et al., 2020).

Irrespective of the current COVID-19 pandemic, women worldwide are disproportionately susceptible to many of the causes of poor mental health (Halliday, Kern, & Turnbull, 2019; Hodes & Epperson, 2019). This occurs through: domestic violence and

* Corresponding author.

E-mail addresses: ralf.c.buckley@gmail.com (R. Buckley), diane@wildwomenontop.com (D. Westaway).

disharmony; damaging workplace dynamics; disproportionate expectations to act as carers for other family members; and reduced opportunities to alleviate stress by temporary escape from domestic social dynamics. In many countries and societies, there are social barriers to women taking time from workplace and domestic expectations, to recover mental health via outdoor nature-based recreation (Buckley, Westaway, & Brough, 2016).

Here, therefore, we examine how outdoor tourism and recreation may be able to generate mentally therapeutic outcomes, for urban women with families in a developed nation. This is the first step in calculating the economic value of such products and programs through their role in reducing the costs of poor mental health, their health services value (Buckley et al., 2019). We analyse self-reported mental and social health outcomes for clients of a portfolio of co-managed commercial outdoor tourism products, marketed and purchased principally or exclusively by women, and ranging from hours to months in duration. Outcomes may also include physical fitness, but we do not analyse that aspect.

Theoretical framework & literature review

Theoretical paradigm

The theoretical paradigm adopted in this analysis is that outdoor tourism and recreation can create therapeutic mental health benefits with economic value (Bratman et al., 2019; Buckley et al., 2019; Frumkin et al., 2017). This theoretical paradigm proposes that tourism and recreation can perform as therapy, in the formal healthcare sense of a treatment to heal or relieve an illness or disorder. This is a different paradigm from those used in previous research on wellbeing in tourism (Lengieza, Hunt, & Swim, 2019; Smith & Diekmann, 2017; Vada, Prentice, Scott, & Hsiao, 2020), or psychiatric research in mental health (Franken, Lamers, Ten Klooster, Bohlmeijer, & Westerhof, 2018; Keyes, 2005; Kinderman, 2005; Kinderman, Sellwood, & Tai, 2008; Westerhof & Keyes, 2010).

Our conceptual framework, formalised from the suggestions of Buckley (2019, 2020), is as follows. Tourism can be therapeutic: at least some commercial outdoor tourism products and experiences can generate mental health benefits, for at least some clients. These benefits may include preventive components, i.e. maintaining the mental health of individuals who have not demonstrated any clinical symptoms of poor mental health. National healthcare systems include publicly or patient-funded preventive components, as well as therapeutic clinical components funded partly through health insurance. The mental health benefits of tourism have social and economic values, for societies, employers and insurers as well as individuals, and these can be identified and measured. Values derive from improved individual wellbeing, workplace performance, and pro-social behaviours, and from reduced costs of mental health treatments and carers. These therapeutic effects can be evaluated at individual scale by using qualitative and quantitative social science approaches, applied widely in tourism research.

As yet, there has been rather little directly comparable research under this specific paradigm (Buckley, 2020). There is a large body of relevant previous research that underpins this field, however, across multiple disciplines (Table 1). This includes research in:

Table 1
Disciplinary paradigms relevant to tourism as therapy.

Discipline	Practice paradigm	Research paradigm
Wellbeing tourism, eg spas, yoga	Individuals travel to buy spa, yoga or other wellness experiences.	Tourism: providers capitalise on individual discretionary expenditures to improve self-perceived wellbeing
Medical tourism	Individuals travel for mainstream or cosmetic medicine, to get better price, quality, equipment, safety, legality.	Tourism business: medical facilities as attraction. Individual discretionary choices, funding, outcomes.
Nature and adventure tourism	Individuals travel to watch wildlife, see scenery, experience emotions, achieve adventure goals.	Tourism: interactions between commercial tour operators and their clients, including geography, motivations, satisfaction, etc.
Leisure, stress reduction	Some discretionary leisure activities can reduce stress, eg from the workplace.	Leisure studies: similar approaches to tourism research, but with a distinct set of research literature.
Therapeutic landscapes	Some natural landscapes can have a calming effect on individuals who enter those landscapes.	Geography: a small component of the literature on space, place, landscape and planning.
Outdoor recreation	Some individuals experience transformative psychological or lifestyle changes from outdoor recreation, which may become addictive and consume discretionary time and resources.	Social sciences: qualitative and quantitative analyses of participants of various personalities and capabilities, in different activities, examining social patterns, individual emotions, lifestyle aspects.
Outdoor education	Individuals can achieve greater mental strength, resilience, social behaviour, and leadership, through outdoor experiences.	Education: curriculum design, equity, social implications, policy. Some social science analyses as for outdoor recreation.
Psychology: mental outcomes of nature exposure	Some individuals can gain improved mental health, cognition, attention, etc., from exposure to nature; this is relevant to health care at national scale.	Science: randomised controlled experimental interventions, quantitative tests for differences in specific psychological parameters from specific nature exposures.
Healthcare and policy	Medical practitioners can prescribe outdoor therapies for patients with mild mental health conditions.	Medicine: diagnostic tools, prescribable products, insurable treatment costs, public health policies.
Conservation	Conservation reserves have an additional economic value via mental health benefits to visitors, including tour clients.	Economics: value to individual, enterprise, employer, insurer, nation. Social sciences: who benefits most, and from what types of experience.

tourism and wellbeing; medical tourism; leisure and wellbeing; outdoor recreation; outdoor education; nature and mental health; therapeutic landscapes; healthcare policy; the economics of nature conservation; and women's outdoor recreation and mental health specifically.

Tourism research: wellbeing and wellness

In tourism, the most relevant theoretical framework has been that of wellbeing, quantified through descriptive quality-of-life measures (Lengieza et al., 2019; Uysal, Sirgy, Woo, & Kim, 2016). This is a heavily studied field, with several recent reviews (Pyke, Hartwell, Blake, & Hemingway, 2016; Smith & Diekmann, 2017; Uysal et al., 2016). There is also a parallel but more prescriptive field known as positive psychology (Coghlan, 2015; Filep & Laing, 2019; Nawijn & Filep, 2016; Vada et al., 2020). All this research has focussed on healthy individuals, not medical patients.

There are distinct sets of research on spa, retreat, yoga and wellness tourism (Bowers & Cheer, 2017; Chen & Li, 2018; Gabor & Oltean, 2019; Pyke et al., 2016); and on medical tourism (Hoz-Correa, Munoz-Leiva, & Bakucz, 2018; Mathijssen, 2019). Those, however, do not address the social and mental health outcomes of tourism generally. Leisure research argues that non-work discretionary activities reduce stress (Denovan & Macaskill, 2017), and improve quality of life (Iwasaki, 2017; Wensley & Slade, 2012), through preventive and therapeutic pathways (Fenton et al., 2017; L. Fenton, White, Gallant, Hutchinson, & Hamilton-Hinch, 2016; L. Fenton, White, Hamilton-Hinch, & Gilbert, 2018; Y. Iwasaki et al., 2014; Y. Iwasaki, Coyle, & Shank, 2010).

Recreation research: benefits of nature

Non-commercialised outdoor recreation, including exposure to nature, can yield a wide range of health benefits, both physiological and psychological (Biedenweg, Scott, & Scott, 2017; Bratman et al., 2019; Davies, 2018; Kondo, Jacoby, & South, 2018; Twhig-Bennett & Jones, 2018). Those benefits include reduced incidence of medically diagnosed syndromes, such as clinical depression and Alzheimer's and Parkinson's diseases (Hansson et al., 2019; Svensson et al., 2019; Tomas, Martina, Ulf, Stefan, & Tomas, 2019). Critically, they include marginal gains beyond those of exercise alone (Araújo, Brymer, Brito, Withagen, & Davids, 2019; Bélanger et al., 2019; Blondell, Hammersley-Mather, & Veerman, 2014; Chekroud et al., 2018; Clough, Mackenzie, Mallabon, & Brymer, 2016; Elbe, Lyhne, Madsen, & Krstrup, 2019; Frühauf et al., 2016; Horowitz et al., 2020; Niedermeier, Einwanger, Hartl, & Kopp, 2017; Pasanen, White, Wheeler, Garrett, & Elliott, 2019; White et al., 2016).

Mental health benefits have been shown for many different types of adventurous outdoor recreation (Araújo et al., 2019; Buckley, 2018a; Collins & Brymer, 2018; Frühauf et al., 2016; Hansson et al., 2019; Hetland, Kjelstrup, Mittner, & Vitterso, 2019; Holland, Powell, Thomsen, & Monz, 2018; Holmbom, Brymer, & Schweitzer, 2017; Morris & Scott, 2019; Niedermeier et al., 2017; Roberts, Jones, & Brooks, 2018; White et al., 2016). Benefits have also been demonstrated for contemplative outdoor activities, such as forest walks (Chen, Yu, & Lee, 2018; Hansen, Jones, & Tocchini, 2017; Kobayashi et al., 2018; Lyu et al., 2018; Morita et al., 2007; Oh et al., 2017). There is a parallel field of geographical research on therapeutic landscapes (Bell, Foley, Houghton, Maddrell, & Williams, 2018).

Research in outdoor recreation has focussed on healthy individuals, rather than clinically diagnosed patients, though a few studies have compared healthy and unhealthy subjects (Ower et al., 2018). Mental health benefits from activities in outdoor nature have been summarised in several recent reviews and meta-analyses (Bratman et al., 2019; Buckley & Brough, 2017a; Frumkin et al., 2017; Kondo et al., 2018; Oh et al., 2017; Seymour, 2016; Shanahan et al., 2016). Benefits can occur across a wide range of mental health parameters, environments (Biedenweg et al., 2017; Wyles et al., 2017), and personality types (Wang et al., 2017). They may have considerable economic value (Buckley et al., 2019).

Health research: preventive and therapeutic nature exposure

In the health sector, the fundamental paradigm is the diagnosis and treatment of patients who present with illnesses. Only the public health subsector includes preventive measures for individuals currently in good health, as well as therapies for those who are not. Poor health, mental as well as physical, is considered to incur substantial social and financial costs, at all scales from individual to national economy (McDaid et al., 2019; Patel et al., 2018). Considerable effort is devoted to measuring and minimising each component of these costs.

Implementation of nature-based therapies in mental healthcare lags research (Buckley & Brough, 2017b; Buckley, Brough, & Westaway, 2018; van den Berg, 2017). Prescribable therapies need design, dose, and duration of individual treatments and entire courses of therapy, in relation to symptoms, severity, and patient personality. Quantitative data on design-dose-duration-response relationships are not yet available (Bratman et al., 2019; Buckley, Brough, 2017b; Frumkin et al., 2017; Shanahan et al., 2016), though research has begun (White et al., 2019). Prescribable therapies need institutional systems for diagnosis, prescription, certified providers, and funding (Buckley et al., 2018). Commercial outdoor tourism can capitalise on this by repackaging tourism products as therapies (Buckley, 2019).

Economics research: costs of poor mental health

Maintaining and improving mental health is valuable both socially and economically. Many people are mentally languishing rather than flourishing (Keyes, 2002; Knoesen & Naudé, 2018; Momtaz, Hamid, Haron, & Bagat, 2016). In developed nations, ~20%

of the population each year experience common mental health disorders (Australia Institute of Health and Welfare, 2018). Treatment by prescribing opioid antidepressants has created very large secondary social costs through addiction (Johnson, Eriator, & Rodenmeyer, 2018; Kolodny et al., 2015; Kolodny & Frieden, 2017; Murthy, 2016). This opioid epidemic has triggered trillion-dollar litigation worldwide, and is one factor driving recent interest in outdoor therapies as alternatives.

In urbanised developed nations, the total economic costs of poor mental health were estimated, prior to the COVID-19 pandemic, at ~10% of GDP (Buckley, Brough, 2017a, 2017b; Australia, Productivity Commission, 2019). Costs include treatments, carers, lost workplace productivity, and antisocial behaviours (Buckley et al., 2018). In the longer term, costs are growing, because of increasing individual longevity, workplace stress, and childhood videophilia (Cooper, 2018; Pergams & Zaradic, 2008; Soga & Gaston, 2016; Zhang, Goodale, & Chen, 2014). As children spend less time outdoors, this creates health costs that persist throughout adulthood (Engemann et al., 2019; Lee et al., 2017; Stafford et al., 2015). As individuals live longer in poor mental health, this imposes additional health costs through the need for mental health care and treatment over an extended period of years. Currently, COVID-19 lockdowns are increasing these costs worldwide (Liu, Bao, Huang, Shi, & Lu, 2020; Mazza et al., 2020; Pierce et al., 2020; Vizard, Davis, White, & Beynon, 2020; Wang et al., 2020).

Research on women in outdoor tourism & recreation

Women have historically been under-represented in outdoor tourism research and practice, though there is now a growing recognition of gender differences (Evenson et al., 2002; Pohl, Borrie, & Patterson, 2000), across the entire life course (Carmichael, Duberley, & Szmigin, 2015; Cosgriff, Little, & Wilson, 2009; Wharton, 2018). Women may have different motivations and learning styles than men (Kiewa, 1994; Whittington, 2006); face different barriers and encouragements to take part in various outdoor activities (Doran, Schofield, & Low, 2018; Little, 2002; Loeffler, 1997; McNeil, Harris, & Fondren, 2012; Morris, Van Riper, Kyle, Wallen, & Absher, 2018); and attach importance to different aspects and achievements (Kiewa, 2001; Nolan & Priest, 1993). There is also a small and recent research literature on family adventure tourism, where parents and children take part jointly (Pomfret, 2018; G. Pomfret & Varley, 2019).

Regular walking groups and programs as a form of low-key therapy, especially for women, have received particular attention recently (Davies, 2018; Duncan, Gordon, & Scott, 1991; Hanson & Jones, 2015; Kelly et al., 2018; Legrand & Mille, 2009; Marselle, Warber, & Irvine, 2019; Robertson, Robertson, Jepson, & Maxwell, 2012). Simply encouraging people to walk regularly, however, is ineffective (Hillsdon, Thorogood, White, & Foster, 2002; Ogilvie, Foster, & Rothnie, 2007). A suite of social levers is required to achieve high take-up and repeat activity (Buckley et al., 2018).

Research on women's mental health

Women may also experience different patterns in mental health than men, at all life stages. These may depend on social and cultural context as well as individual physiological factors. Across all life stages, higher proportions of women than men experience depression, in a wide range of countries and societies (Bale & Epperson, 2015; Halliday et al., 2019; Hodes & Epperson, 2019; Kessler, 2003; LeMoult & Gotlib, 2019; Salk, Hyde, & Abramson, 2017). Any measures, including outdoor tourism, that can counteract poor mental health in women specifically, thus gain particular social and economic value.

Research on tourism as therapy

All of these considerations point towards a new social importance of outdoor tourism, and a new and potentially very large market for outdoor tourism products. This has only recently been identified. Buckley (2019) reanalysed previously published ethnographic datasets from a range of nature and adventure tourism products, picking out components related to mental health. Outcomes included positive emotions, recovery from stress, and changed worldview. Levi, Dolev, Collins-Kreiner, and Zilcha-Mano (2018) conducted repeated clinical interviews, using a psychiatric rating scale, with 14 patients diagnosed with major depressive disorders, who were voluntarily taking part in self-purchased tourism products, of various types. They found that mental health condition improved for some patients, but worsened for others. Their sample was too small, and non-randomised, to identify causes of these differences. Buckley (2020) conducted brief interviews with 238 tourists visiting forest and beach parks in Australia, and found that 82% perceived park visits as contributing to health and happiness, rather than the reverse. Overall, there has been quite limited research to date on the role of tourism as a prescriptible therapy.

Methods

Approach

The approach taken here differs from any of these previous studies. We analyse a portfolio of closely related and cross-marketed tourism products, offered repeatedly by the same company in multiple years and locations. We focus specifically on mental and social health outcomes perceived by participants. This appears to be the first analysis to adopt this approach. In addition, the tourism products in this portfolio are marketed principally or exclusively to women. This analysis examines effects not only on participants, but also on their families. This appears to be a novel dimension in this research field. The authors are experienced in outdoor tourism and recreation, but are not psychologists or mental health practitioners.

Participants

Our participants are drawn from the clientele of an Australian tourism enterprise that offers three relevant products. The first consists of one-day hiking tours, now a widespread tourism product (Davies, 2018; Ower et al., 2018). The second consists of multi-week wilderness hiking and trekking tours worldwide, part of the global adventure tourism sector. The third consists of three-month commercial charity challenge events (Coghlan & Filo, 2013), run in various Australian States (Buckley et al., 2016; Westaway, 2018). The company has ~100,000 clients to date, about 1% of the adult female population of Australia. This portfolio was selected since: (a) it is offered and repeated regularly; (b) it encompasses a wide range of durations, to maximise the opportunity to generate mental and social health changes; (c) at least for the introductory products, it is inexpensive, so that individuals can take part across a wide range of socioeconomic circumstances; and (d) the 3 products each have entirely or largely female clientele.

Methodology: passive and catalysed netnographies

The methodology adopted is internet-based ethnography, known as netnography (Kozinets, 2002, 2015). This is a minimally-intrusive, open-ended, qualitative methodology, analysing internet-accessible electronic text written directly by the participants themselves. Such approaches are now widespread throughout the social sciences, including leisure and tourism (Canavan, 2018; Mkono & Markwell, 2014; Tavakoli & Mura, 2018; Veal, 2017). They are non-invasive, and can capture a large volume of material rapidly. Their main disadvantage is that the researcher does not interview the participants directly, and hence cannot use the cues of spoken or body language in interpretation, nor ask follow-up questions or probe for inconsistencies. In addition, the researcher may not share the participants' experience.

The analysis used both a standard passive netnography based on social media postings, and an actively catalysed variant. For the former, the first author trawled through publicly accessible Facebook® posts by clients of the company concerned. These were identified by starting with the social-media "friends" of the founder's professional page, and expanding to "friends of friends" where permitted by privacy settings. This was continued until well over 1000 individual posts had been examined, posted by several hundred different individuals, all female. Many posts were responses to a video presentation (Westaway, 2018). We excluded posts referring only to physical fitness, and very brief posts with limited conceptual content.

For the catalysed netnography, we used a 4000-member private Facebook® group, all female, maintained by tour company clients. An administrator posted an enquiry, and relayed the response posts to the first author, anonymously. The question was neutral, asking how participants' mental health, and their families', was affected by these tourism products. The enquiry outlined the research, and included consent for use of responses. This is netnography, since materials were posted on social media, visible to other group members, and analysed without interviews, exchanges, or identification. It is catalysed, since the enquiry posted by the administrator led members to post complex comments specifically in response.

All text was analysed jointly using constant-comparison grounded-theory paradigms (Glaser & Strauss, 2017; Stern & Porr, 2017). Concepts were extracted, coded, and classified iteratively, to build a coding tree (Buckley, 2018b; Glaser & Strauss, 2017; Stern & Porr, 2017). Coding was checked by two independent analysts. Iterations were repeated until theoretical saturation and efficient coding were achieved (Aldiabat & Navenc, 2018; Buckley, 2018b; Denovan & Macaskill, 2017; Nelson, 2017; Saunders et al., 2018).

Netnography reveals the range of outcomes perceived by participants, but not their distribution. Outcomes are not clinical assessments, but most participants' mental health concerns were sub-clinical, where their own perceptions are sufficient. Therefore, this approach is a reliable first step in assessing mental and social health benefits achieved through participation in nature-based outdoor tourism.

Results

Participants & coding tree

As in all netnographies, the demographic and socioeconomic characteristics of individuals posting each item are unknown unless revealed within individual posts. For this analysis, items were posted under real names, verified by the tour company. All participants were female. Most are urban women with families, with a few younger members. From a tourism perspective, they are domestic rather than international clients. In the analysis, saturation was achieved rapidly. The coding tree is summarised in Table 2. Major constructs are expanded below, with illustrative quotes. Posts focussed heavily on the experience and its outcomes for themselves and their friends and families, matching the aims of this study.

Happiness & gratitude

Participants referred to their overall state of health, saying that participation "definitely improved my state of mind, physical and emotional health", producing a "healthy mind, body and spirit". Some added that they "gain mental strength", "feel so good", "so happy", or even an "overabundance of joy and happiness". One said: "when I have been out walking, I feel ... amazing, happy, fulfilled, rich, in love, energetic, inspired, unbeatable, exhilarated, motivated, strong, clever, fit". They felt "lucky", "fortunate" and "blessed", and that they had received "a gift" or even "the greatest gift ever". They said that they took the opportunity to "immerse myself in nature" and "appreciate the beautiful surroundings". They referred to "amazing places", "beauty", "magic" and "positive energy."

Table 2
Coding: concepts, constructs, & key terms.

Constructs, concepts	Key terms
Psychological	
Happiness	Joy, happy
Gratitude	Thanks, lucky, blessed, gift, reward
Beauty, energy	Amazing, beauty, magic, energy
Relaxation	Unwind, switch off, release, relax, peace
Clarity, insights	Redefine, answers, balance
Challenge, capability	Challenges, push myself, stamina, worth it
Mental strength	State of mind, mindful, unbeatable, motivated
Transformation	Lifecchanging impact
Missing component	Missing link, new world, need nature
Psychological rescue	Darkest times, lost, low, coping, way forward, saved my mind, lifesaving
Social	
Companionship	Flourish, unique, vision, connect, group, community
Attitude to family	Invigorated, energy, patience, nicer
Flow-on to children	Inspires kids, ask to go too, go together
Spouse support	Not happy at first, used to it now, supports me
Family cohesion	Together, bonding, happier, cohesive

Relaxation, release, clarity

Participants mentioned that: *“I instantly feel relaxed the moment I'm out in nature”, “it allows me to unwind or switch off when I need to”,* and that it provides *“a big stress release”* allowing them to *“find peace”* and *“sleep better”*. Some referred to the high stresses of daily life, and the need for escape: *“pretty hectic .. small kids .. working .. demanding job .. getting out is my only real ‘me time’”, “busy city ... stresses & strains ... rat race ... craving time outside”*. As a result, participants found that *“nature gives me the answers”* to *“clear [my] head”* so as to *“find myself, redefine myself”,* through *“‘thinking’ me-time”,* which *“fills my mind with balance”*.

Capability, transformation, & missing life component

Participants said that taking part in these outdoor hiking tours *“gives me challenges”* or even *“challenged me to push myself more than I would ever have thought possible”*. They found *“strength and stamina you never knew existed in you”,* and that ultimately *“every step ... is possible”,* and that *“however difficult, [it is] so worth it”*. Transformation was mentioned frequently: *“life changer”, “changed my life”, “huge impact on my life”, “it can change your life for a minute, a day, a lifetime”, “that mountain called life becomes so climbable”*. The theme of new opportunity, or a previously missing life component, was reflected in phrases such as *“missing link”, “the piece of me that had been missing”, “whole new world”,* and *“you don't know how much you need nature until you take that step outside”*.

Psychological rescue

The most powerful mental health theme was that hiking in natural surroundings with like-minded female companions had rescued them psychologically from dark and difficult times. They said that it *“got me through some of my darkest times”* or *“brought me back from dark times”,* providing *“a way forward when I was lost”*. They referred specifically to mental state, saying that it *“improved my state of mind when I hit an all-time low”* or *“helped me regain the state of mind I felt I had lost forever”*. Some went even further: *“I don't know how I would have coped without it”, “it saved my mind many times over”*.

Companionship & community

Participants referred repeatedly to companionship, community, and support: an *“amazing community of women”, “powerful and nurturing”,* with a *“big vision”*. They argued that *“women need other women to flourish”,* and spoke of the *“camaraderie of so many like-minded women”*. At a smaller and shorter scale, they mentioned *“walking in nature with friends”,* using terms such as *“friendship”, “connecting”, “group”, “safe group”* and *“team”*. One said that she was *“inspired to create my own weekly women's walking group”*. Participants acknowledged staff of the tour company, saying *“thank you for everything you do for us”,* and also companions: *“my fellow hikers .. have taken me into their hearts”*.

Family attitudes & children

Participants referred to a general improvement in their own attitudes towards their families after taking part in these products, saying that they *“come home to my family from my walks feeling rested and invigorated”,* with *“renewed positivity and resilience”* and *“a lot more energy and patience to give to my husband and two small kids”*. One said *“I'm a nicer person, mother and wife when I get out in nature”,* and another, that her husband *“definitely sees a positive effect in me”*. In summary, *“happy Mum usually equals happy family.”* Some

mentioned that their children had followed their example: “they know I do it ... they ask to go too”; “it inspires my kids to go out bushwalking”; and “my five-year-old decided to go for a run”. For some, the effect flowed in the opposite direction: “my daughter inspired me”, or both at once: “my daughter and I [took part] together”.

Spousal support & family cohesion

Many of these women reported that it took some time for their husbands or partners to accept and respect it: “my husband was not happy at all at first”, but now “he has got used to it”. For some, this “inspired my husband to enjoy his own pursuits ‘guilt-free’”. For others, their husband now “encourages and supports me to get out there”, and “fully supports my involvement”. The overall outcome was improved family cohesion. Participants said that “my family thinks it’s amazing” and that “a family that walks together lives happily”. They said their children “love it when we go on bush walks together”, that “we really enjoy going for long hikes together”, and that they treat “walks with our kids as special family bonding time that we treasure”. The end result is a “happier more cohesive household”.

Synthesis

We identified 58 basic themes, classified into 10 psychological constructs and 5 social constructs (Table 2). We presented the psychological constructs in 4 groups: happiness and gratitude; relaxation, release, and clarity; capability, transformation, and missing life components; and psychological rescue. We presented the social constructs in 3 groups: companionship and community; family attitudes and children; and spousal support and family cohesion.

This is a novel set of results, not reflecting any previous analysis. It is a different set of constructs from that identified previously for a much broader range of outdoor adventure tourism participants (Buckley, 2019). That previous analysis indicated that mental health outcomes of outdoor tourism could be classified into short-term emotional responses, medium term stress-recovery effects, and longer-term worldview changes (Buckley, 2020). Below, therefore, we discuss in more detail, which of our findings are comparable to those from previous research, and which appear to be entirely new.

Discussion

COVID-19 considerations

The COVID-19 pandemic during 2020 has created major social, economic and environmental changes, the “anthropause” (Rutz et al., 2020), with unknown future scale and duration. There is widespread deterioration in mental health, due to concerns over family health, loss of livelihood, and lockdowns (Brooks et al., 2020; Liu et al., 2020; Mazza et al., 2020; Mucci, Mucci, & Diolaiuti, 2020; Pierce et al., 2020; Vizard et al., 2020; Wang et al., 2020). International tourism is interrupted, and domestic tourism re-emphasised, with surges in national park visitation. There are thus new opportunities for outdoor tourism enterprises demonstrating psychotherapeutic outcomes (Buckley, 2019). Here, we showed that relatively low-key, localized outdoor tourism products can indeed improve the mental health of their clients. Our data were compiled prior to the pandemic, but their importance has increased as a consequence of the pandemic.

The tourism-nature-health theoretical paradigm

Our approach adopts the recently proposed tourism-nature-health theoretical paradigm (Buckley, 2019, 2020; Buckley, Zhong, & Martin, 2020). This paradigm argues that for the US\$600 billion p.a. parks and nature tourism sector (Balmford et al., 2015), mental health is an integral consideration across the entire sector. Our findings here, from a commercial outdoor tourism clientele now representing 1% of the adult female population of Australia, show that tourism can generate substantial and widespread psychotherapeutic benefits. These are novel findings, with considerably greater scale, scope, and generality than any previous analyses (Buckley, 2020). They provide large-scale empirical support for the tourism-nature-health paradigm. Maintaining or improving mental health is a major motivation to visit parks and nature, and tourism provides the mechanism. This paradigm is broader than previous theoretical approaches to tourism and health, which framed wellness tourism as purchasable products or luxury goods (Lengieza et al., 2019; Smith & Diekmann, 2017; Vada et al., 2020). It will influence how we analyse the motivations, expectations, experiences, satisfaction, and intentions of nature tourists; and the design, pricing and marketing of nature tourism products and destinations. Its theoretical ramifications are thus widespread.

Novel psychotherapeutic outcomes

Our findings here confirm emotional, restorative, and worldview psychological outcomes (Buckley, 2020; Xie & Fan, 2017). They also demonstrate, for the first time, that commercial nature tourism can create therapeutic effects such as psychological rescue, recognition of previously missing life components, and flow-on to family members, which are key aims of clinical mental health treatments such as chemotherapies and counselling (Bourdon, El-Baalbaki, Girard, Lapointe-Blackburn, & Guay, 2019; Lee, Bullock, & Hoy, 2016; Mueser et al., 2007; Swan, Keen, Reynolds, & Onwumere, 2017). The concept of emotional rescue is well established within popular culture (Richards & Jagger, 1980), but using tourism to achieve it is a new addition to social practices (Buckley et al., 2016).

The concept of a missing life component, revealed through outdoor tourism products based on walking in nature, is also novel. There is extensive research on what constitutes a full or meaningful life, in different cultures (Hooker, Masters, & Park, 2018; Steptoe & Fancourt, 2019). The perspective put forward here by individual participants, however, that their lives were unknowingly incomplete until nature was included, is novel. Previous research on tourism and wellbeing has treated holidays as adding quantitatively to quality of life, but here we show that it can also add a qualitatively new life component, a more powerful finding.

Flow-on effects of improved mental health to other family members are also a novel finding. It has been well established that poor mental health in parents, both female and male, has flow-on consequences for children (Bowlby, 1951; Flouri & Buchanan, 2003; Lavenda & Kestler-Peleg, 2018; Luebke & Bell, 2014; Repetti, Taylor, & Seeman, 2002), and that these may persist lifelong (Fingerman, Huo, Graham, Kim, & Birditt, 2017; Lee et al., 2017; Mellers, Charles, Neupert, & Almeida, 2010; Stafford et al., 2015). Here we show that women's walking-in-nature tourism also yields benefits for partners and children. Future research could therefore include interviews with all the family members concerned. Outdoor tourism may also yield direct benefits for men's mental and social health, and for singles, grandparents and retirees, not included in the current study.

Results reported here reveal a much wider variety of mental health outcomes than previous analyses of outdoor recreation. Some of the outcomes identified, such as transformation, gratitude, and clarity, whilst not reported previously for hiking, have been identified for highly active outdoor pursuits, including extreme sports (Booth, 2018; Buckley, 2018a; Collins & Brymer, 2018; Holmbom et al., 2017; Houge Mackenzie & Brymer, 2018; Morris & Scott, 2019; Roberts et al., 2018; Zanon, Curtis, Lockstone-Binney, & Hall, 2018). Other outcomes identified here, such as happiness, relaxation and destressing, challenge, and companionship, have been reported in previous qualitative studies of hiking (Davies, 2018; Kelly et al., 2018; Lyu et al., 2018; Richardson & McEwan, 2018; Wensley & Slade, 2012).

Real-life tourism products and clients

Results reported here are derived directly from real-life tour clients, not experimental subjects. Except for recovery from stress, outcomes identified here are very different from those reported in previous experimental psychology research on nature exposure. Parameters such as improved attention and cognition, and reduced use of antidepressants, were not mentioned at all by participants in the current study, in contrast to previous experimental approaches (Biedenweg et al., 2017; Bratman et al., 2019; Buckley, Brough, 2017a, 2017b; Clough et al., 2016; Frühauf et al., 2016; Frumkin et al., 2017; Niedermeier et al., 2017; Oh et al., 2017; Seymour, 2016; Shanahan et al., 2016; Wang et al., 2017; White et al., 2016, 2019; Wyles et al., 2017). Qualitative methods, such as the netnography used here, routinely provide opportunities to extend the range of parameters considered.

From an economic or health-services perspective, at least some of our participants had experienced severe mental and social health obstacles, which they overcame by taking part in outdoor tours, at no public cost, with no side effects, and with benefits lasting months, years or longer. Worldwide, poor mental health is increasingly prevalent and costly (McDaid et al., 2019; Patel et al., 2018). Chemotherapies and counselling are focussed on clinical cases. Therapeutic opportunities from outdoor tourism are thus globally significant for individual wellbeing and quality of life, and for the economics of national healthcare systems.

Focus on urban women's mental health

Participants in this study were drawn from one particular demographic and socioeconomic group, namely urban and suburban women with families, in a developed country. This group experiences differentially high levels of depression, and social and family barriers to outdoor adventure (Buckley et al., 2016). The tourism products analysed here provide them with accessible and affordable outdoor experiences, and a social atmosphere and sense of community amongst the regular clients. These yield mental health benefits that range from happiness and relaxation, to psychological transformation and rescue; and social health benefits derived from carryover to other family members, whether or not those other members took part themselves. These are significant and valuable outcomes.

Mental health is always important for everyone, and everyone's mental health is suffering during the COVID-19 pandemic (Liu et al., 2020; Mazza et al., 2020; Mucci et al., 2020; Pierce et al., 2020; Vizard et al., 2020; Wang et al., 2020); but women's mental health is under particular threat from disproportionate loss of income and employment, family stresses, and domestic violence, with reduced options for escape (Brooks et al., 2020; Graham-Harrison, Giuffrida, Smith, & Ford, 2020). There will be strong demand for mental health rehabilitation during post-pandemic social and economic recovery. The role of outdoor nature-based tourism in women's mental health is thus particularly critical currently.

Conclusions

This research showed that commercial outdoor tourism enterprises can contribute powerfully to the wellbeing of women and families. This provides empirical support for a new tourism-nature-health theoretical paradigm. Three of the outcomes identified are entirely novel: psychological rescue, missing life-component, and family flow-on effects. We now need to test how these outcomes depend on details of tourism experiences and client circumstances; and compare other demographic and socioeconomic sectors, and other countries and cultures.

Practical adoption appears to have leapfrogged research. In the US and UK, government healthcare systems, health insurers, and employers have recently begun to fund nature therapies at large scale (Schmidt, 2018; UK, NHS, 2020). Currently, these rely mainly on charitable and community providers, but a move to commercial providers, such as parks concessionaires and tourism enterprises,

appears imminent (Beckwith, Buckley, Jarvis, & Schmidt, 2020).

The COVID-19 pandemic and associated lockdowns have led to worldwide deterioration in mental health, especially for women with families in urban environments. Our data were compiled prior to COVID-19, but our findings are especially relevant for post-COVID recovery. Women's walking in nature works well.

Acknowledgements

Trek Training®, Wild Women on Top®, Coastrek®. Ethics protocol #2017/838.

References

- Aldiabat, K. M., & Navenec, L. (2018). Data saturation: The mysterious step in grounded theory method. *Qualitative Report*, 23, 245–261.
- Araújo, D., Brymer, E., Brito, H., Withagen, R., & Davids, K. (2019). The empowering variability of affordances of nature: Why do exercisers feel better after performing the same exercise in natural environments than in indoor environments? *Psychology of Sport and Exercise*. <https://doi.org/10.1016/j.psychsport.2018.12.020>.
- Australia, Institute of Health and Welfare (2018). Mental health services in Australia. <https://www.aihw.gov.au/reports/mental-health-services/mental-health-services-in-australia/report-contents/medicare-services>.
- Australia, Productivity Commission (2019). *Mental health, draft report*. Canberra: Productivity Commission.
- Bale, T. L., & Epperson, C. N. (2015). Sex differences and stress across the lifespan. *Nature Neuroscience*, 18, 1413.
- Balmford, A., Green, J. M., Anderson, M., Beresford, J. K., Huang, C., Naidoo, R., et al. (2015). Walk on the wild side: estimating the global magnitude of visits to protected areas. *PLoS Biology*, 13, Article e1002074.
- Beckwith, C., Buckley, R. C., Jarvis, J., & Schmidt, B. (2020). The mental health benefits of parks. SHIFT, Jackson WY. 11 August <https://shiftj.org/the-health-nature-webinar-series/>.
- Bélanger, M., Gallant, F., Doré, I., O'Loughlin, J. L., Sylvestre, M. P., Nader, P. A., et al. (2019). Physical activity mediates the relationship between outdoor time and mental health. *Preventive Medicine Reports*, 16, Article 101006.
- Bell, S. L., Foley, R., Houghton, F., Maddrell, A., & Williams, A. M. (2018). From therapeutic landscapes to healthy spaces, places and practices: A scoping review. *Social Science & Medicine*, 196, 123–130.
- Biedenweg, K., Scott, R. P., & Scott, T. A. (2017). How does engaging with nature relate to life satisfaction? Demonstrating the link between environment-specific social experiences and life satisfaction. *Journal of Environmental Psychology*, 50, 112–124.
- Blondell, S. J., Hammersley-Mather, R., & Veerman, J. L. (2014). Does physical activity prevent cognitive decline and dementia? A systematic review and meta-analysis of longitudinal studies. *BMC Public Health*, 14, 510.
- Booth, D. (2018). Nature sports: Ontology, embodied being, politics. *Annals of Leisure Research*. <https://doi.org/10.1080/11745398.2018.1524306>.
- Bourdon, D.É., El-Baalbaki, G., Girard, D., Lapointe-Blackburn, É., & Guay, S. (2019). Schemas and coping strategies in cognitive-behavioral therapy for PTSD: A systematic review. *European Journal of Trauma & Dissociation*, 3, 33–47.
- Bowers, H., & Cheer, J. M. (2017). Yoga tourism: Commodification and western embracement of eastern spiritual practice. *Tourism Management Perspectives*, 24, 208–216.
- Bowlby, J. (1951). *Maternal care and mental health*. Geneva: World Health Organization.
- Bratman, G. N., Anderson, C. B., Berman, M. G., Cochran, B., de Vries, S., Flanders, J., et al. (2019). Nature and mental health: An ecosystem service perspective. *Science Advances*, 5, Article eaax0903.
- Brooks, S. K., Webster, R. K., Smith, L. E., Woodland, L., Wessely, S., Greenberg, N., & Rubin, G. J. (2020). The psychological impact of quarantine and how to reduce it: Rapid review of the evidence. *The Lancet*, 395, 912–920.
- Buckley, R., Zhong, L., & Martin, S. (2020). Mental health key to tourism infrastructure in China's new megapark. *Tourism Management*, 82, 104169.
- Buckley, R. C. (2018a). Nature sports, health and ageing: The value of euphoria. *Annals of Leisure Research*. <https://doi.org/10.1080/11745398.2018.1483734>.
- Buckley, R. C. (2018b). Simultaneous analysis of qualitative and quantitative social science data in conservation. *Society & Natural Resources*, 31, 865–870.
- Buckley, R. C. (2019). Therapeutic mental health effects perceived by outdoor tourists: A large-scale, multi-decade, qualitative analysis. *Annals of Tourism Research*. <https://doi.org/10.1016/j.annals.2018.12.017>.
- Buckley, R. C. (2020). Nature tourism and mental health: Parks, happiness, and causation. *Journal of Sustainable Tourism*, 28, 1409–1424.
- Buckley, R. C., & Brough, P. (2017a). Economic value of parks via human mental health: An analytical framework. *Frontiers in Ecology and Evolution*, 5, 16.
- Buckley, R. C., & Brough, P. (2017b). Nature, eco, and adventure therapies for mental health and chronic disease. *Frontiers in Public Health*, 5, 220.
- Buckley, R. C., Brough, P., Hague, L., Chauvenet, A. S., Fleming, C., Roche, E., Sofija, E., & Harris, N. (2019). Economic value of protected areas via human mental health. *Nature Communications*, 10, 5005.
- Buckley, R. C., Brough, P., & Westaway, D. (2018). Bringing outdoor therapies into mainstream mental health. *Frontiers in Public Health*, 6, 119.
- Buckley, R. C., Westaway, D., & Brough, P. (2016). Social mechanisms to get people outdoors: Bimodal distribution of interest in nature? *Frontiers in Public Health*, 4, 257.
- Canavan, B. (2018). The complex cohort: A netnographic review of Generation Y backpackers. *Leisure Studies*, 37, 184–196.
- Carmichael, F., Duberley, J., & Szmigin, I. (2015). Older women and their participation in exercise and leisure-time physical activity: The double-edged sword of work. *Sport in Society*, 18, 43–60.
- Chekroud, S. R., Gueorgieva, R., Zheutlin, A. B., Paulus, M., Krumholz, H. M., & Krystal, J. H. (2018). Association between physical exercise and mental health in 1.2 million individuals in the USA between 2011 and 2015: A cross-sectional study. *The Lancet Psychiatry*, 5, 739–746.
- Chen, H. T., Yu, C. P., & Lee, H. Y. (2018). The effects of forest bathing on stress recovery: Evidence from middle-aged females of Taiwan. *Forests*, 9, 403.
- Chen, Y., & Li, X. R. (2018). Does a happy destination bring you happiness? Evidence from Swiss inbound tourism. *Tourism Management*, 65, 256–266.
- Clough, P., Mackenzie, S. H., Mallabon, L., & Brymer, E. (2016). Adventurous physical activity environments: A mainstream intervention for mental health. *Sports Medicine*, 46, 963–968.
- Coghlan, A. (2015). Tourism and health: Using positive psychology principles to maximise participants' wellbeing outcomes—a design concept for charity challenge tourism. *Journal of Sustainable Tourism*, 23, 382–400.
- Coghlan, A., & Pilo, K. (2013). Using constant comparison method and qualitative data to understand participants' experiences at the nexus of tourism, sport and charity events. *Tourism Management*, 35, 122–131.
- Collins, L., & Brymer, E. (2018). Understanding nature sports: A participant centred perspective and its implications for the design and facilitating of learning and performance. *Annals of Leisure Research*. <https://doi.org/10.1080/11745398.2018.1525302>.
- Cooper, C. L. (Ed.). (2018). *Managerial, occupational and organizational stress research*. London: Routledge.
- Cosgriff, M., Little, D. E., & Wilson, E. (2009). The nature of nature: How New Zealand women in middle to later life experience nature-based leisure. *Leisure Sciences*, 32, 15–32.
- Davies, N. (2018). Who walks, where and why? Practitioners' observations and perspectives on recreational walkers at UK tourist destinations. *Annals of Leisure Research*, 21, 553–574.
- Denovan, A., & Macaskill, A. (2017). Building resilience to stress through leisure activities: A qualitative analysis. *Annals of Leisure Research*, 20, 446–466.
- Doran, A., Schofield, P., & Low, T. (2018). Women's mountaineering tourism: An empirical investigation of its theoretical constraint dimensions. *Leisure Studies*, 37, 396–410.
- Duncan, J. J., Gordon, N. F., & Scott, C. B. (1991). Women walking for health and fitness: How much is enough? *Journal of the American Medical Association*, 266, 3295–3299.
- Elbe, A. M., Lyhne, S. N., Madsen, E. E., & Krstrup, P. (2019). Is regular physical activity a key to mental health? *Journal of Sport and Health Science*, 8, 6.

- Engemann, K., Pedersen, C. B., Arge, L., Tsirogiannis, C., Mortensen, P. B., & Svenning, J. C. (2019). Residential green space in childhood is associated with lower risk of psychiatric disorders from adolescence into adulthood. *Proceedings of the National Academy of Sciences*, *116*, 5188–5193.
- Evenson, K. R., Wilcox, S., Pettinger, M., Brunner, R., King, A. C., & McTiernan, A. (2002). Vigorous leisure activity through women's adult life: The women's health initiative observational cohort study. *American Journal of Epidemiology*, *156*, 945–953.
- Fenton, L., White, C., Gallant, K., Hutchinson, S., & Hamilton-Hinch, B. (2016). Recreation for mental health recovery. *Leisure/Loisir*, *40*, 345–365.
- Fenton, L., White, C., Gallant, K. A., Gilbert, R., Hutchinson, S., Hamilton-Hinch, B., & Lauckner, H. (2017). The benefits of recreation for the recovery and social inclusion of individuals with mental illness: An integrative review. *Leisure Sciences*, *39*, 1–19.
- Fenton, L., White, C., Hamilton-Hinch, B., & Gilbert, R. (2018). The impacts of recreation programs on the mental health of postsecondary students in North America: An integrative review. *Leisure Sciences*. <https://doi.org/10.1080/01490400.2018.1483851>.
- Filep, S., & Laing, J. (2019). Trends and directions in tourism and positive psychology. *Journal of Travel Research*, *58*, 343–354.
- Fingerman, K. L., Huo, M., Graham, J. L., Kim, K., & Birditt, K. S. (2017). A family affair: Family typologies of problems and midlife well-being. *The Gerontologist*, *58*, 1054–1064.
- Flouri, E., & Buchanan, A. (2003). The role of father involvement in children's later mental health. *Journal of Adolescence*, *26*, 63–78.
- Franken, K., Lamers, S. M., Ten Klooster, P. M., Bohlmeijer, E. T., & Westerhof, G. J. (2018). Validation of the mental health continuum-short form and the dual continua model of well-being and psychopathology in an adult mental health setting. *Journal of Clinical Psychology*, *74*, 2187–2202.
- Frühau, A., Niedermeier, M., Elliott, L. R., Ledochowski, L., Marksteiner, J., & Kopp, M. (2016). Acute effects of outdoor physical activity on affect and psychological well-being in depressed patients: A preliminary study. *Mental Health and Physical Activity*, *10*, 4–9.
- Frumkin, H., Bratman, G. N., Breslow, S. J., Cochran, B., Kahn, P. H., Lawler, J. J., et al. (2017). Nature contact and human health: A research agenda. *Environmental Health Perspectives*, *125*, Article 075001.
- Gabor, M. R., & Oltean, F. D. (2019). Babymoon tourism between emotional well-being service for medical tourism and niche tourism: Development and awareness on Romanian educated women. *Tourism Management*, *70*, 170–175.
- Glaser, B. G., & Strauss, A. L. (2017). *Discovery of grounded theory: Strategies for qualitative research*. Oxford: Routledge.
- Graham-Harrison, E., Giuffrida, A., Smith, H., & Ford, E. (2020). Lockdowns around the world bring rise in domestic violence. <https://www.theguardian.com/society/2020/mar/28/lockdowns-world-rise-domestic-violence>.
- Halliday, A. J., Kern, M. L., & Turnbull, D. A. (2019). Can physical activity help explain the gender gap in adolescent mental health? A cross-sectional exploration. *Mental Health and Physical Activity*, *16*, 8–18.
- Hansen, M. M., Jones, R., & Tocchini, K. (2017). Shinrin-yoku (forest bathing) and nature therapy: A state-of-the-art review. *International Journal of Environmental Research and Public Health*, *14*, 851.
- Hanson, S., & Jones, A. (2015). Is there evidence that walking groups have health benefits? A systematic review and meta-analysis. *British Journal of Sports Medicine*, *49*, 710–715.
- Hansson, O., Svensson, M., Gustavsson, A., Andersson, E., Yang, Y. Y., Nägga, K., ... Deierborg, T. (2019). Midlife physical activity is associated with lower incidence of vascular dementia but not Alzheimer's disease. *Alzheimer's Research & Therapy*, *11*, 87.
- Hetland, A., Kjelstrup, E., Mittner, M., & Vittersø, J. (2019). The thrill of speedy descents: A pilot study on differences in facially expressed online emotions and retrospective measures of emotions during a downhill mountain-bike descent. *Frontiers in Psychology*, *10*, 566.
- Hillsdon, M., Thorogood, M., White, I., & Foster, C. (2002). Advising people to take more exercise is ineffective: A randomized controlled trial of physical activity promotion in primary care. *International Journal of Epidemiology*, *31*, 808–815.
- Hodes, G. E., & Epperson, C. N. (2019). Sex differences in vulnerability and resilience to stress across the lifespan. *Biological Psychiatry*, *86*, 421–432.
- Holland, W. H., Powell, R. B., Thomsen, J. M., & Monz, C. A. (2018). A systematic review of the psychological, social, and educational outcomes associated with participation in wildland recreational activities. *Journal of Outdoor Recreation, Education, & Leadership*. <https://doi.org/10.18666/JOREL-2018-V10-I3-8382>.
- Holmbom, M., Brymer, E., & Schweitzer, R. D. (2017). Transformations through proximity flying: A phenomenological investigation. *Frontiers in Psychology*, *8*, 1831.
- Hooker, S. A., Masters, K. S., & Park, C. L. (2018). A meaningful life is a healthy life: A conceptual model linking meaning and meaning salience to health. *Review of General Psychology*, *22*, 11–24.
- Horowitz, A. M., Fan, X., Bieri, G., Smith, L. K., Sanchez-Diaz, C. I., Schrover, A. B., et al. (2020). Blood factors transfer beneficial effects of exercise on neurogenesis and cognition to the aged brain. *Science*, *369*, 167–173.
- Houge Mackenzie, S., & Brymer, E. (2018). Conceptualizing adventurous nature sport: A positive psychology perspective. *Annals of Leisure Research*. <https://doi.org/10.1080/11745398.2018.1483733>.
- Hoz-Correa, A. d. l., Munoz-Leiva, F., & Bakucz, M. (2018). Past themes and future trends in medical tourism research: A co-word analysis. *Tourism Management*, *65*, 200–211.
- Iwasaki, Y. (2017). Contributions of leisure to “meaning-making” and its implications for leisure studies and services. *Annals of Leisure Research*, *20*, 416–426.
- Iwasaki, Y., Coyle, C., Shank, J., Messina, E., Porter, H., Salzer, M., et al. (2014). Role of leisure in recovery from mental illness. *American Journal of Psychiatric Rehabilitation*, *17*, 147–165.
- Iwasaki, Y., Coyle, C. P., & Shank, J. W. (2010). Leisure as a context for active living, recovery, health and life quality for persons with mental illness in a global context. *Health Promotion International*, *25*, 483–494.
- Johnson, M., Eriator, I., & Rodenmeyer, K. (2018). Backstories on the US opioid epidemic: Good intentions gone bad, an industry gone rogue and watch dogs gone to sleep. *American Journal of Medicine*, *131*, 595–601.
- Kelly, P., Williamson, C., Niven, A. G., Hunter, R., Mutrie, N., & Richards, J. (2018). Walking on sunshine: Scoping review of the evidence for walking and mental health. *British Journal of Sports Medicine*, *52*, 800–806.
- Kessler, R. C. (2003). Epidemiology of women and depression. *Journal of Affective Disorders*, *74*, 5–13.
- Keyes, C. L. (2002). The mental health continuum: From languishing to flourishing in life. *Journal of Health and Social Behaviour*, *43*, 207–222.
- Keyes, C. L. (2005). Mental illness and/or mental health? Investigating axioms of the complete state model of health. *Journal of Consulting and Clinical Psychology*, *73*, 539–548.
- Kiewa, J. (1994). Self-control: The key to adventure? Towards a model of the adventure experience. *Women & Therapy*, *15*, 29–41.
- Kiewa, J. (2001). Control over self and space in rockclimbing. *Journal of Leisure Research*, *33*, 363–382.
- Kinderman, P. (2005). A psychological model of mental disorder. *Harvard Review of Psychiatry*, *13*, 206–217.
- Kinderman, P., Sellwood, W., & Tai, S. (2008). Policy implications of a psychological model of mental disorder. *Journal of Mental Health*, *17*, 93–103.
- Knoesen, R., & Naudé, L. (2018). Experiences of flourishing and languishing during the first year at university. *Journal of Mental Health*, *27*, 269–278.
- Kobayashi, H., Song, C., Ikei, H., Park, B. J., Lee, J., Kagawa, T., & Miyazaki, Y. (2018). Forest walking affects autonomic nervous activity: A population-based study. *Frontiers in Public Health*, *6*, 278.
- Kolodny, A., Courtwright, D. T., Hwang, C. S., Kreiner, P., Eadie, J. L., Clark, T. W., & Alexander, G. C. (2015). The prescription opioid and heroin crisis: A public health approach to an epidemic of addiction. *Annual Review of Public Health*, *36*, 559–574.
- Kolodny, A., & Frieden, T. R. (2017). Ten steps the federal government should take now to reverse the opioid addiction epidemic. *Journal of the American Medical Association*, *318*, 1537–1538.
- Kondo, M. C., Jacoby, S. F., & South, E. C. (2018). Does spending time outdoors reduce stress? A review of real-time stress response to outdoor environments. *Health & Place*, *51*, 136–150.
- Kozinets, R. V. (2002). The field behind the screen: Using netnography for marketing research in online communities. *Journal of Marketing Research*, *39*, 61–72.
- Kozinets, R. V. (2015). *Netnography: Redefined*. London: SAGE.
- Lavenda, O., & Kestler-Peleg, M. (2018). Intergenerational transmission of sociability: The mediating role of maternal competence and maternal child-centrism. *Journal of Family Issues*, *39*, 1664–1684.
- Lee, A., Bullock, W. A., & Hoy, J. (2016). Trauma symptoms, recovery, and participation in the wellness management and recovery (WMR) program. *American Journal of Psychiatric Rehabilitation*, *19*, 75–96.
- Lee, B. Y., Adam, A., Zenkov, E., Hertenstein, D., Ferguson, M. C., Wang, P. I., et al. (2017). Modeling the economic and health impact of increasing children's physical activity in the United States. *Health Affairs*, *36*, 902–908.
- Legrand, F. D., & Mille, C. R. (2009). The effects of 60 minutes of supervised weekly walking (in a single vs. 3–5 session format) on depressive symptoms among older

- women: Findings from a pilot randomized trial. *Mental Health and Physical Activity*, 2, 71–75.
- LeMoult, J., & Gotlib, I. H. (2019). Depression: A cognitive perspective. *Clinical Psychology Review*, 69, 51–66.
- Lengieza, M. L., Hunt, C. A., & Swim, J. K. (2019). Measuring eudaimonic travel experiences. *Annals of Tourism Research*, 74, 195–197.
- Levi, E., Dolev, T., Collins-Kreiner, N., & Zilcha-Mano, S. (2018). Tourism and depressive symptoms. *Annals of Tourism Research*, 74, 191–194.
- Little, D. E. (2002). How do women construct adventure recreation in their lives? *Journal of Adventure Education and Outdoor Learning*, 2, 55–69.
- Liu, J. J., Bao, Y., Huang, X., Shi, J., & Lu, L. (2020). Mental health considerations for children quarantined because of COVID-19. *The Lancet Child & Adolescent Health*, 4, 347–349.
- Loeffler, T. A. (1997). Assisting women in developing a sense of competence in outdoor programs. *The Journal of Experimental Education*, 20, 119–123.
- Luebke, A. M., & Bell, D. J. (2014). Positive and negative family emotional climate differentially predict youth anxiety and depression via distinct affective pathways. *Journal of Abnormal Child Psychology*, 42, 897–911.
- Lyu, B., Zeng, C., Deng, S., Liu, S., Jiang, M., Li, N. et al. (2018). Bamboo forest therapy contributes to the regulation of psychological responses. *Journal of Forest Research*, doi: 10.1080/13416979.2018.1538492.
- Mallers, M. H., Charles, S. T., Neupert, S. D., & Almeida, D. M. (2010). Perceptions of childhood relationships with mother and father: Daily emotional and stressor experiences in adulthood. *Developmental Psychology*, 46, 1651.
- Marselle, M. R., Warber, S. L., & Irvine, K. N. (2019). Growing resilience through interaction with nature: Can group walks in nature buffer the effects of stressful life events on mental health? *International Journal of Environmental Research and Public Health*, 16, 986.
- Mathijssen, A. (2019). Home, sweet home? Understanding diasporic medical tourism behaviour. Exploratory research of Polish immigrants in Belgium. *Tourism Management*, 72, 373–385.
- Mazza, M. G., De Lorenzo, R., Conte, C., Poletti, S., Vai, B., Bollettini, I., et al. (2020). Anxiety and depression in COVID-19 survivors: Role of inflammatory and clinical predictors. *Brain, Behavior, and Immunity*. <https://doi.org/10.1016/j.bbi.2020.07.037>.
- McDaid, D., Park, A. L., & Wahlbeck, K. (2019). The economic case for the prevention of mental illness. *Annual Review of Public Health*, 40, 1–17.
- McNiel, J. N., Harris, D. A., & Fondren, K. M. (2012). Women and the wild: Gender socialization in wilderness recreation advertising. *Gender Issues*, 29, 39–55.
- Mkono, M., & Markwell, K. (2014). The application of netnography in tourism studies. *Annals of Tourism Research*, 48, 289–291.
- Momtaz, Y. A., Hamid, T. A., Haron, S. A., & Bagat, M. F. (2016). Flourishing in later life. *Archives of Gerontology and Geriatrics*, 63, 85–91.
- Morita, E., Fukuda, S., Nagano, J., Hamajima, N., Yamamoto, H., Iwai, Y., et al. (2007). Psychological effects of forest environments on healthy adults: Shinrin-yoku (forest-air bathing, walking) as a possible method of stress reduction. *Public Health*, 121, 54–63.
- Morris, E., Van Riper, C. J., Kyle, G. T., Wallen, K. E., & Absher, J. (2018). Accounting for gender in a study of the motivation-involvement relationship. *Leisure Sciences*, 40, 494–507.
- Morris, P., & Scott, H. (2019). Not just a run in the park: A qualitative exploration of parkrun and mental health. *Advances in Mental Health*, 17, 110–123.
- Mucci, F., Mucci, N., & Diolaiuti, F. (2020). Lockdown and isolation: Psychological aspects of the COVID-19 pandemic in the general population. *Clinical Neuropsychiatry*, 17, 63–64.
- Mueser, K. T., Bolton, E., Carty, P. C., Bradley, M. J., Ahlgren, K. F., DiStaso, D. R., et al. (2007). The trauma recovery group: A cognitive-behavioural program for post-traumatic stress disorder in persons with severe mental illness. *Community Mental Health Journal*, 43, 281–304.
- Murthy, V. H. (2016). Ending the opioid epidemic—A call to action. *New England Journal of Medicine*, 375, 2413–2415.
- Nawjin, J., & Filep, S. (2016). Two directions for future tourist well-being research. *Annals of Tourism Research*, 61, 221–223.
- Nelson, J. (2017). Using conceptual depth criteria: Addressing the challenge of reaching saturation in qualitative research. *Qualitative Research*, 17, 554–570.
- Niedermeier, M., Einwanger, J., Hartl, A., & Kopp, M. (2017). Affective responses in mountain hiking: A randomized crossover trial focusing on differences between indoor and outdoor activity. *PLoS One*, 12, Article e0177719.
- Nolan, T., & Priest, S. (1993). Outdoor programmes for women only? *Journal of Adventure Education and Outdoor Leadership*, 10, 14–17.
- Ogilvie, D., Foster, C., & Rothnie, H. (2007). Interventions to promote walking: Systematic review. *British Medical Journal*, 334, 1204–1207.
- Oh, B. S., Lee, K. J., Zaslawski, C., Yeung, A., Rosenthal, D., Larkey, L., et al. (2017). Health and well-being benefits of spending time in forests: Systematic review. *Environmental Health and Preventive Medicine*, 22, 71.
- Ower, C., Kemmler, G., Vill, T., Martini, C., Schmitt, A., Sperner-Unterweger, B., et al. (2018). The effect of physical activity in an alpine environment on quality of life is mediated by resilience in patients with psychosomatic disorders and healthy controls. *European Archives of Psychiatry and Clinical Neuroscience*, 269, 543–553.
- Pasanen, T. P., White, M. P., Wheeler, B. W., Garrett, J. K., & Elliott, L. R. (2019). Neighbourhood blue space, health and wellbeing: The mediating role of different types of physical activity. *Environment International*, 131, Article 105016.
- Patel, V., Saxena, S., Lund, C., Thornicroft, G., Baingana, F., Bolton, P., et al. (2018). The Lancet commission on global mental health and sustainable development. *The Lancet*, 392, 1553–1598.
- Pergams, O. R., & Zaradic, P. A. (2008). Evidence for a fundamental and pervasive shift away from nature-based recreation. *Proceedings of the National Academy of Sciences*, 105, 2295–2300.
- Pierce, M., Hope, H., Ford, T., Hatch, S., Hotopf, M., John, A., et al. (2020). Mental health before and during the COVID-19 pandemic: A longitudinal probability sample survey of the UK population. *The Lancet Psychiatry*. [https://doi.org/10.1016/S2215-0366\(20\)30308-4](https://doi.org/10.1016/S2215-0366(20)30308-4).
- Pohl, S. L., Borrie, W. T., & Patterson, M. E. (2000). Women, wilderness, and everyday life: A documentation of the connection between wilderness recreation and women's everyday lives. *Journal of Leisure Research*, 32, 415–434.
- Pomfret, G. (2018). Conceptualising family adventure tourist motives, experiences and benefits. *Journal of Outdoor Recreation and Tourism*. <https://doi.org/10.1016/j.jort.2018.10.004>.
- Pomfret, G., & Varley, P. (2019). Families at leisure outdoors: Well-being through adventure. *Leisure Studies*. <https://doi.org/10.1080/02614367.2019.1600574>.
- Pyke, S., Hartwell, H., Blake, A., & Hemingway, A. (2016). Exploring well-being as a tourism product resource. *Tourism Management*, 55, 94–105.
- Repetti, R. L., Taylor, S. E., & Seeman, T. E. (2002). Risky families: Family social environments and the mental and physical health of offspring. *Psychological Bulletin*, 128, 330.
- Richards, K., & Jagger, M. (1980). *Lyrics, Emotional rescue*. Kobalt & Sony-ATV Music Publishing.
- Richardson, M., & McEwan, K. (2018). *30 Days Wild* and the relationships between engagement with nature's beauty, nature connectedness and well-being. *Frontiers in Psychology*, 9, 1500.
- Roberts, L., Jones, G., & Brooks, R. (2018). Why do you ride? A characterisation of mountain bikers, their engagement methods, and perceived links to mental health and well-being. *Frontiers in Psychology*, 9, 1642.
- Robertson, R., Robertson, A., Jepson, R., & Maxwell, M. (2012). Walking for depression or depressive symptoms: A systematic review and meta-analysis. *Mental Health and Physical Activity*, 5, 66–75.
- Rutz, C., Loretto, M. C., Bates, A. E., Davidson, S. C., Duarte, C. M., Jetz, W., et al. (2020). COVID-19 lockdown allows researchers to quantify the effects of human activity on wildlife. *Nature Ecology & Evolution*, 4, 1156–1159 (s41559-020-1237-z).
- Salk, R. H., Hyde, J. S., & Abramson, L. Y. (2017). Gender differences in depression in representative national samples: Meta-analyses of diagnoses and symptoms. *Psychological Bulletin*, 143, 783.
- Saunders, B., Sim, J., Kingstone, T., Baker, S., Waterfield, J., Bartlam, B., et al. (2018). Saturation in qualitative research: Exploring its conceptualization and operationalization. *Qualitative Quantitative*, 52, 1893–1907.
- Schmidt, B. (2018). US Patent Application, 16, 106909.
- Seymour, V. (2016). The human-nature relationship and its impact on health: A critical review. *Frontiers in Public Health*, 4, 260.
- Shanahan, D. F., Bush, R., Gaston, K. J., Lin, B. B., Dean, J., Barber, E., et al. (2016). Health benefits from nature experiences depend on dose. *Scientific Reports*, 6, Article 28551.
- Smith, M. K., & Diekmann, A. (2017). Tourism and wellbeing. *Annals of Tourism Research*, 66, 1–13.
- Soga, M., & Gaston, K. J. (2016). Extinction of experience: The loss of human-nature interactions. *Frontiers in Ecology and the Environment*, 14, 94–101.
- Stafford, M., Gale, C. R., Mishra, G., Richards, M., Black, S., & Kuh, D. L. (2015). Childhood environment and mental wellbeing at age 60-64 years: Prospective evidence from the MRC National Survey of Health and Development. *PLoS One*, 10, Article e0126683.
- Stepoe, A., & Fancourt, D. (2019). Leading a meaningful life at older ages and its relationship with social engagement, prosperity, health, biology, and time use. *Proceedings of the National Academy of Sciences*, 116, 1207–1212.

- Stern, P. N., & Porr, C. J. (2017). *Essentials of accessible grounded theory*. Oxford: Routledge.
- Svensson, M., Brundin, L., Erhardt, S., Madaj, Z., Hällmarker, U., James, S., & Deierborg, T. (2019). Long distance ski racing is associated with lower long-term incidence of depression in a population based, large-scale study. *Psychiatry Research*, *281*, Article 112546.
- Swan, S., Keen, N., Reynolds, N., & Onwumere, J. (2017). Psychological interventions for post-traumatic stress symptoms in psychosis: A systematic review of outcomes. *Frontiers in Psychology*, *8*, 341.
- Tavakoli, R., & Mura, P. (2018). Netnography in tourism: Beyond web 2.0. *Annals of Tourism Research*, *73*, 190–192.
- Tomas, O. T., Martina, S., Ulf, H., Stefan, J., & Tomas, D. (2019). Delayed clinical manifestation of Parkinson's disease among physically active: Do participants in a long-distance ski race have a motor reserve? *Journal of Parkinson's Disease*. <https://doi.org/10.3233/JPD-191762>.
- Twohig-Bennett, C., & Jones, A. (2018). The health benefits of the great outdoors: A systematic review and meta-analysis of greenspace exposure and health outcomes. *Environmental Research*, *166*, 628–637.
- UK, National Health Service (2020). www.england.nhs.uk/personalisedcare/social-prescribing/.
- Uysal, M., Sirgy, M. J., Woo, E., & Kim, H. L. (2016). Quality of life (QOL) and well-being research in tourism. *Tourism Management*, *53*, 244–261.
- Vada, S., Prentice, C., Scott, N., & Hsiao, A. (2020). Positive psychology and tourist well-being: A systematic literature review. *Tourism Management Perspectives*, *33*, Article 100631.
- Van den Berg, A. E. (2017). From green space to green prescriptions: Challenges and opportunities for research and practice. *Frontiers in Psychology*, *8*, 268.
- Veal, A. J. (2017). *Research methods for leisure and tourism*. London: Pearson.
- Vizard, T., Davis, J., White, E., & Beynon, B. (2020). *Coronavirus and depression in adults, Great Britain: June 2020*. London: Office for National Statistics.
- Wang, C., Pan, R., Wan, X., Tan, Y., Xu, L., McIntyre, R. S., et al. (2020). A longitudinal study on the mental health of general population during the COVID-19 epidemic in China. *Brain, Behavior, and Immunity*. <https://doi.org/10.1016/j.bbi.2020.04.028>.
- Wang, R. A. H., Nelson-Coffey, S. K., Layous, K., Bao, K. J., Davis, O. S., & Haworth, C. M. (2017). Moderators of wellbeing interventions: Why do some people respond more positively than others? *PLoS One*, *12*, Article e0187601.
- Wensley, R., & Slade, A. (2012). Walking as a meaningful leisure occupation: The implications for occupational therapy. *British Journal of Occupational Therapy*, *75*, 85–92.
- Westaway, D. (2018). Joy of walking. <https://m.youtube.com/watch?v=vUzTff4HlzM>.
- Westerhof, G. J., & Keyes, C. L. (2010). Mental illness and mental health: The two continua model across the lifespan. *Journal of Adult Development*, *17*, 110–119.
- Wharton, C. Y. (2018). Middle-aged women negotiating the ageing process through participation in outdoor adventure activities. *Ageing and Society*. <https://doi.org/10.1017/S0144686X18001356>.
- White, M. P., Alcock, I., Grellier, J., Wheeler, B. W., Hartig, T., Warber, S. L., et al. (2019). Spending at least 120 minutes a week in nature is associated with good health and wellbeing. *Scientific Reports*, *9*, 7730.
- White, M. P., Elliott, L. R., Taylor, T., Wheeler, B. W., Spencer, A., Bone, A., et al. (2016). Recreational physical activity in natural environments and implications for health: A population based cross-sectional study in England. *Preventive Medicine*, *91*, 383–388.
- Whittington, A. (2006). Challenging girls' constructions of femininity in the outdoors. *The Journal of Experimental Education*, *28*, 205–221.
- Wyles, K. J., White, M. P., Hattam, C., Pahl, S., King, H., & Austen, M. (2017). Are some natural environments more psychologically beneficial than others? The importance of type and quality on connectedness to nature and psychological restoration. *Environment and Behaviour*, *51*, 111–143.
- Xie, Y. J., & Fan, Y. M. (2017). Tourist experience from an embodied perspective: Grounded theory analysis of trekking journals and interviews. *Human Geography*, *32*, 129–137 (in Chinese, English abstract).
- Zanon, D., Curtis, J., Lockstone-Binney, L., & Hall, J. (2018). Examining future park recreation activities and barriers relative to societal trends. *Annals of Leisure Research*. <https://doi.org/10.1080/11745398.2018.1500923>.
- Zhang, W., Goodale, E., & Chen, J. (2014). How contact with nature affects children's biophilia, biophobia and conservation attitude in China. *Biological Conservation*, *177*, 109–116.

Ralf Buckley is retired Emeritus Chair and President's International Fellow, with a particular research interest in the psychological and conservation aspects of outdoor tourism.

Diane Westaway is Founder of Coastrek (www.coastrek.com.au), Founding Director of Wild Women on Top (www.wildwomenontop.com), and author of *World Class Treks* and *Natural Exhilaration*.